



# Federal Emergency Management Agency

Washington, D.C. 20472

May 5, 2000

MR. DOUGLAS REINHART, P.E., P.S.  
AUGLAIZE COUNTY ENGINEER  
1014 SOUTH BLACKHOOF STREET  
WAPAKONETA, OH 45895

CASE NO.: 00-05-2132A  
COMMUNITY: AUGLAIZE COUNTY, OHIO  
(UNINCORPORATED AREAS)  
COMMUNITY NO.: 390761

DEAR MR. REINHART:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Sincerely,

*Matthew B. Miller*  
Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

## LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator  
Community Map Repository



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	Lot 7, Southmoor Shores Subdivision, as described and recorded in Warranty Deed, Volume 318, Pages 839-840, filed by the Auglaize County Recorder, on March 20, 1998
	COMMUNITY NO.: 390761	
AFFECTED MAP PANEL	NUMBER: 39011C0090C	
	NAME: AUGLAIZE COUNTY, OHIO AND INCORPORATED AREAS	
	DATE: 09/06/1989	
FLOODING SOURCE: GRAND LAKE ST. MARY'S		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.51, -84.432 SOURCE OF LAT & LONG: MAPBLAST DATUM: NAD83

### DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME  WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION  (NGVD29)	LOWEST ADJACENT GRADE ELEVATION  (NGVD29)	LOWEST FLOOR ELEVATION  (NGVD29)	LOWEST LOT ELEVATION  (NGVD29)
7	—	Southmoor Shores	7 Notheana Drive	Structure	X(unshaded)	873.0 feet	873.1 feet	—	—

**Special Flood Hazard Area (SFHA)** - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

**ADDITIONAL CONSIDERATIONS** (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

*Matthew B. Miller*

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Version 1.3.1

MX17300200333922LOMA33922SPF1



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL) ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

### PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

*Matthew B. Miller*

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Lot 7

Mailed 1-24-2000



# Federal Emergency Management Agency

Washington, D.C. 20472

## REQUEST FOR LETTER OF MAP AMENDMENT

This is to request that a determination be made as to whether or not a certain land area or structure is within a Special Flood Hazard Area.

I hereby certify that, to the best of my knowledge, fill has not been placed to elevate this land or structure since the date it was first identified as being in a Special Flood Hazard Area.

All documents submitted in support of this appeal are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: Douglas Reinhart, P.E., P.S., Auglaize County Engineer  
(please print or type)

Address: 1014 South Blackhoof Street  
Wapakoneta, Ohio 45895  
(please print or type)

Daytime Telephone Number: (419)738-3219 or (419)738-2713

1/24/2000  
Date

A handwritten signature of Douglas Reinhart is written over a horizontal line. The signature is in cursive and includes the initials "P.E." and "P.S.".

Signature of Applicant



## ELEVATION INFORMATION

O.M.B. No. 3067-0147

Expires April 30, 2001

## PAPERWORK REDUCTION ACT

Public reporting burden for this form is estimated to average 0.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472, Paperwork Reduction Project (3067-0147).

This form must be completed by a registered professional engineer or licensed land surveyor. This form should not be used for requests involving channelization, bridges/culverts, or Fill in the FEMA-Designated (regulatory) Floodway; forms entitled Revisions to National Flood Insurance Program Maps (MT-2) should be used instead. The Elevation Information Form must be included for all requests, unless the request is for a determination in which the FIRM already shows the property to be CLEARLY outside the SFHA. Cases in which the determination for the property or structure is uncertain will require the submittal of elevation data to provide a definitive determination. If an Elevation Certificate has been completed for the subject property, it may be submitted in lieu of this form.

(See instructions for details)

1. Community Name: AUGLAIZE COUNTY, OHIO
2. Legal Description of Property: LOT 7, SOUTHMOOR SHORES SUBDIVISION,  
ST. MARYS TOWNSHIP
3. Flooding Source: GRAND LAKE ST. MARYS
4. Based on the FIRM, this property is located in Zone(s): AE
5. Is any portion of this property located in the regulatory floodway? ☐ Yes ☒ No  
Are any structures (existing or proposed) located in the regulatory floodway? ☐ Yes ☒ No
6. Is this area subject to land subsidence or uplift? ☐ Yes ☒ No  
If Yes, what is the date of the current releveing? \_\_\_\_\_

For items 7-11, multiple lots/structures, complete the appropriate column(s) of the Summary of Elevations - Individual Lot Breakdown Form (MT-1 Form 5), identifying the elevations for each lot/structure. To support items 9, 10 and 11, please note: a map (certified by a licensed surveyor or registered professional engineer) may be required to relate the ground elevations and locations of structures or lots to the SFHA. The map should indicate whether it reflects "as built" or "proposed" conditions.

7. What is the BFE for this property? (Provide elevation to nearest tenth of a foot and datum) Please refer to the seperately published Flood Insurance Study (FIS).  
873.0 Elevation NGVD 29 Datum (NGVD 1929, NAVD 1988 or other)
8. How was the BFE determined? (Attach a copy of the Flood Profile or Summary of Elevations Table from the FIS report, if appropriate, a copy of a letter from a State agency establishing a BFE, or other necessary supporting information including Forms 3 and 4 from forms entitled, "Revisions to National Flood Insurance Program Maps" (MT-2). )  
F.I.R.M.

- ☒ 9. If this request is to remove the SFHA designation from a parcel of land or lot(s), what is the existing or proposed elevation of the lowest grade; that is, the lowest ground on the property or within the metes and bounds description of the portion being removed? (Provide elevation to nearest tenth of a foot and datum)  
Elevation \_\_\_\_\_ Datum \_\_\_\_\_

PLEASE REFER TO THE INSTRUCTIONS FOR THE APPROPRIATE MAILING ADDRESS

10. If this request is to remove the SFHA designation from a structure(s), what is the elevation of the existing or proposed lowest adjacent grade; that is, the lowest ground touching the structure, including any attached decks or garages? (Provide elevation to nearest tenth of a foot and datum) 873.1 Elevation NGVD 29' Datum
11. If fill has been/will be placed to elevate the structure(s) on this property, what is the existing or proposed elevation of the lowest floor, including basement, crawl space and/or attached garage? (Provide elevation to nearest tenth of a foot and datum) N/A Elevation \_\_\_\_\_ Datum \_\_\_\_\_
12. Are the measurements in items 9-11 based on (a) proposed or (b) existing conditions? b
13. If any of the above elevations were computed based on a datum different than the effective FIS, what is the conversion factor? FIS Datum = Local Datum +/- N/A feet
14. Has a Summary of Elevations-Individual Lot Breakdown Form been completed for this request? ☐ Yes ☒ No
15. All information submitted in support of this request is correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Name (please print or type): JAMES W. GEESLIN

Title (please print or type): PROFESSIONAL SURVEYOR

Registration No.: 7764 Expiration Date: 12/31/00


State: OHIO

Telephone Number: (419) 586-6155

James W. Geeslin  
Signature

1/6/00  
Date

Seal (Optional)



FEDERAL EMERGENCY MANAGEMENT AGENCY  
PROPERTY INFORMATION

O.M.B. No. 3067-0147  
Expires April 30, 2001

PAPERWORK REDUCTION ACT

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472, Paperwork Reduction Project (3067-0147).

This form may be completed by the property owner, registered land surveyor, or registered professional engineer.

1. Community Name of NFIP map panel on which the property is located: Auglaize County  
County " State: OHIO  
Map/Panel Number: 390761 0090 C  
Effective Date: 9-6-89
2. Street Address of the Property: 7 NOTHEANA DRIVE, SOUTHMOOR SHORES, ST. MARYS,
3. Legal description of Property, Lot and Block (if a street address cannot be provided): OHIO
4. Are you requesting that the SFHA designation be removed from (a) all of the land within the bounds of the property, (b) a portion of land within the bounds of the property (a certified metes and bounds description and map of the area to be removed are required), or (c) the structure(s) on the property? (Answer "a," "b," or "c") C
5. Is this request for (a) a single structure, (b) a single lot, (c) multiple structures, (d) multiple lots? (Answer "a," "b," "c," or "d") a
6. What is the type of construction? (a) crawl space; (b) slab on grade; (c) basement; (d) other (explain). (Answer "a," "b," "c" or "d") b
7. Is this request prior to the transfer of ownership of the property in question from a developer to an individual property owner?  
☐ Yes ☒ No
8. Is this request for (a) existing conditions, or (b) proposed project? (Answer "a" or "b") \_\_\_\_\_
9. Has fill been placed on the property to elevate the ground elevations on the property, to elevate a structure(s), or to elevate the ground elevations around a structure(s)? No If yes, when? \_\_\_\_\_
10. For proposed projects, will fill be placed to elevate this land or structure(s)? N/A
11. If known, list the case number and/or the street address of previous request(s) that have been submitted to FEMA for this property or adjacent properties? 6 NOTHEANA DRIVE HAS BEEN SUBMITTED FOR  
A. L.O.M.A.
12. One of the following documents is required for all cases:

I have enclosed the following documents in support of this request:

- ☒ a. Copy of the subdivision Plat Map (with recordation data and stamp of the Recorder's Office)  
OR  
☒ b. Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other suitable map showing the surveyed location of the property with respect to local streets and watercourses. (If the plat map and property deed are available, then both should be submitted.)

(For these maps a map scale must be provided and they should not be reduced or enlarged)

PLEASE REFER TO THE INSTRUCTIONS FOR THE APPROPRIATE MAILING ADDRESS

In addition, the following documents should be enclosed as applicable:

- ☒ c. Copy of the effective FIRM panel on which the property location has been accurately plotted, including a copy of the FIRM Title Block (if the request is for more than one lot/structure, this location must be certified by a licensed land surveyor or registered professional engineer).
- ☐ d. A map showing the location of any structures existing or proposed for the property (certified by a licensed land surveyor or registered professional engineer).
- ☐ e. Metes and bounds description and accompanying map of the portion of the property to be removed from SFHA, certified by a licensed land surveyor or registered professional engineer (only if the request is for a portion of land within the bounds of the property, not the entire lot or the structure(s) only).
- ☒ f. Form 2 Elevation Information Form or a FEMA NFIP Elevation Certificate may be submitted in lieu of the Elevation Information Form (for structures/property located in Zone AO see instructions for further guidance).
- ☐ g. Form 4 Community Acknowledgment of Request Involving Fill Form (only if fill has been or will be placed)
- ☐ h. Form 3 Certification of Fill Placement Form (only if fill has been or will be placed and the request is not for an existing single residential structure).
- ☐ i. Additional information: \_\_\_\_\_  
(please specify)

13. ☐ PAYMENT ENCLOSED

Processing fee (see instructions for processing fees and exemptions)

L.O.M.A.

(Type of request)

\$ 0

(amount enclosed)

Check or money order only. Make check or money order payable to: National Flood Insurance Program. If paying by Visa or Mastercard, please refer to the Credit Card Information form which follows this form.

14. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: NORMAN LEE CHILES

(please print or type)

Company: \_\_\_\_\_

Mailing Address: 7 NOTKEANA DR. ST. MARYS OHIO 45885

(please print or type)

Daytime Telephone Number: 419-394-6404

Fax Number: 1-419-394-6603

1/24/2000

Date

Norman Lee Chiles

Signature of Applicant (required)

Page 1 of 2

Date: May 5, 2000

No.: 00-05-2132A

LOMA



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	Lot 7, Southmoor Shores Subdivision, as described and recorded in Warranty Deed, Volume 318, Pages 839-840, filed by the Auglaize County Recorder, on March 20, 1988
	COMMUNITY NO.: 390761	
AFFECTED MAP PANEL	NUMBER: 39011C0090C	
	NAME: AUGLAIZE COUNTY, OHIO AND INCORPORATED AREAS	
	DATE: 09/06/1989	
FLOODING SOURCE: GRAND LAKE ST. MARY'S		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.51, -84.432 SOURCE OF LAT & LONG: MAPBLAST DATUM: NAD83

### DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME  WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION  (NGVD29)	LOWEST ADJACENT GRADE ELEVATION  (NGVD29)	LOWEST FLOOR ELEVATION  (NGVD29)	LOWEST LOT ELEVATION  (NGVD29)
7	—	Southmoor Shores	7 Notheana Drive	Structure	X(unshaded)	873.0 feet	873.1 feet	—	—

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

*Matthew B. Miller*

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Version 1.3.1

MX17300200333922LOMA33922SPF1

Page 2 of 2

Date: May 5, 2000

Case No.: 00-05-2132A

LOMA

**Federal Emergency Management Agency**

Washington, D.C. 20472

**LETTER OF MAP AMENDMENT  
DETERMINATION DOCUMENT (REMOVAL)  
ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)****PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)**

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

*Matthew B. Miller*

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Version 1.3.1

MX17300200333922LOMA33922SPF1



# Federal Emergency Management Agency

Washington, D.C. 20472

May 5, 2000

MR. DOUGLAS REINHART, P.E., P.S.  
AUGLAIZE COUNTY ENGINEER  
1014 SOUTH BLACKHOOF STREET  
WAPAKONETA, OH 45895

CASE NO.: 00-05-2132A  
COMMUNITY: AUGLAIZE COUNTY, OHIO  
(UNINCORPORATED AREAS)  
COMMUNITY NO.: 390761

DEAR MR. REINHART:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Sincerely,

*Matthew B. Miller*  
Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

## LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator  
Community Map Repository



# Federal Emergency Management Agency

Washington, D.C. 20472

To LARRY

February 09, 2000

Case No.: 00-05-2132A  
216-A

We have received your request that the Federal Emergency Management Agency determine if the property identified below is located within an identified Special Flood Hazard Area on the applicable National Flood Insurance Program map.



## LOT 7, SOUTHMOOR SHORES SUBDIVISION

We are reviewing your submitted data and will contact you if additional information is required to process your request. If additional information is not required, we will issue a final letter of determination within 30-60 days. Inquiries concerning the status of your request should be made by calling Rory L. Toth at (703) 849-0472 of Dewberry & Davis, our Flood Map Production Coordination Contractor. Please be assured we will do our best to respond to all inquiries in a timely manner.

Federal Emergency Management Agency  
Washington, D.C. 20472

Official Business

02/09/00 NO.VA. P&DC 220



Mr. Douglas Reinhart  
1014 South Blackhoof Street  
Wapakoneta, OH 45895

45895+2210

Called FEMA MAY, 9, 2000

STEVE HUBBLE FAXED ME A COPY - SAID HE JUST MAILED  
IT OUT YESTERDAY



*GEESLIN SURVEYING*

---

804 EAST MARKET STREET  
P.O. BOX 422  
CELINA, OHIO 45822

Phone: 419-586-6155  
Fax: 419-586-1826

January 6, 2000

CISCO REALTY  
Veryl Cisco  
333 W. Spring St.  
St. Marys, Ohio 45885

Regarding: Norman Chiles request for a L.O.M.A. for the structure at Lot 7, Southmoor Shores Sub-division.

Enclosed are the necessary documents needed to file a Letter of Map Amendment. You will need to have Norman complete item 14 of the Property Information Form and mail to FEMA at the following address:

FEMA/LOMA Depot  
P.O. Box 2210  
Merrifield, VA 22116-2210

If you have any questions, please let me know.

Sincerely,



James W. Geeslin, P.S.

# JAMES W. GEESLIN

PROFESSIONAL LAND SURVEYOR

---

PHONE 419-586-6155

January 6, 2000

Cisco Realty  
Veryl Cisco  
333 W. Spring Street  
St. Marys, Ohio 45885

Fee for work regarding Norman Chiles request for a L.O.M.A.  
at Lot 7 Southmoor Shores Subdivision ..... \$ 200.00

Thank You!



# Federal Emergency Management Agency

Washington, D.C. 20472

May 5, 2000

MR. DOUGLAS REINHART, P.E., P.S.  
AUGLAIZE COUNTY ENGINEER  
1014 SOUTH BLACKHOOF STREET  
WAPAKONETA, OH 45895

CASE NO.: 00-05-2132A  
COMMUNITY: AUGLAIZE COUNTY, OHIO  
(UNINCORPORATED AREAS)  
COMMUNITY NO.: 390761

DEAR MR. REINHART:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Sincerely,

*Matthew B. Miller*  
Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

## LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator  
Community Map Repository



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	Lot 7, Southmoor Shores Subdivision, as described and recorded in Warranty Deed, Volume 318, Pages 839-840, filed by the Auglaize County Recorder, on March 20, 1998
	COMMUNITY NO.: 390761	
AFFECTED MAP PANEL	NUMBER: 39011C0090C	
	NAME: AUGLAIZE COUNTY, OHIO AND INCORPORATED AREAS	
	DATE: 09/06/1989	
FLOODING SOURCE: GRAND LAKE ST. MARY'S		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.51, -84.432 SOURCE OF LAT & LONG: MAPBLAST DATUM: NAD83

### DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME  WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION  (NGVD29)	LOWEST ADJACENT GRADE ELEVATION  (NGVD29)	LOWEST FLOOR ELEVATION  (NGVD29)	LOWEST LOT ELEVATION  (NGVD29)
7	—	Southmoor Shores	7 Notheana Drive	Structure	X(unshaded)	873.0 feet	873.1 feet	—	—

**Special Flood Hazard Area (SFHA)** - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

*Matthew B. Miller*

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Version 1.3.1

MX17300200333922LOMA33922SPF1



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL) ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

### **PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)**

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

*Matthew B. Miller*

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

LOT 7

Mailed 1-24-2000



# Federal Emergency Management Agency

Washington, D.C. 20472

## REQUEST FOR LETTER OF MAP AMENDMENT

This is to request that a determination be made as to whether or not a certain land area or structure is within a Special Flood Hazard Area.

I hereby certify that, to the best of my knowledge, fill has not been placed to elevate this land or structure since the date it was first identified as being in a Special Flood Hazard Area.

All documents submitted in support of this appeal are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: Douglas Reinhart, P.E., P.S., Auglaize County Engineer  
(please print or type)

Address: 1014 South Blackhoof Street  
Wapakoneta, Ohio 45895  
(please print or type)

Daytime Telephone Number: (419)738-3219 or (419)738-2713

1/24/2000  
Date



Signature of Applicant

## ELEVATION INFORMATION

O.M.B. No. 3067-0147  
Expires April 30, 2001

## PAPERWORK REDUCTION ACT

Public reporting burden for this form is estimated to average 0.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472, Paperwork Reduction Project (3067-0147).

This form must be completed by a registered professional engineer or licensed land surveyor. This form should not be used for requests involving channelization, bridges/culverts, or Fill in the FEMA-Designated (regulatory) Floodway; forms entitled Revisions to National Flood Insurance Program Maps (MT-2) should be used instead. The Elevation Information Form must be included for all requests, unless the request is for a determination in which the FIRM already shows the property to be CLEARLY outside the SFHA. Cases in which the determination for the property or structure is uncertain will require the submittal of elevation data to provide a definitive determination. If an Elevation Certificate has been completed for the subject property, it may be submitted in lieu of this form.

(See instructions for details)

1. Community Name: AUGLAIZE COUNTY, OHIO
2. Legal Description of Property: LOT 7, SOUTHMOOR SHORES SUBDIVISION,  
ST. MARYS TOWNSHIP
3. Flooding Source: GRAND LAKE ST. MARYS
4. Based on the FIRM, this property is located in Zone(s): AE
5. Is any portion of this property located in the regulatory floodway? ☐ Yes ☒ No  
Are any structures (existing or proposed) located in the regulatory floodway? ☐ Yes ☒ No
6. Is this area subject to land subsidence or uplift? ☐ Yes ☒ No  
If Yes, what is the date of the current releveing? \_\_\_\_\_

For items 7-11, multiple lots/structures, complete the appropriate column(s) of the Summary of Elevations - Individual Lot Breakdown Form (MT-1 Form 5), identifying the elevations for each lot/structure. To support items 9, 10 and 11, please note: a map (certified by a licensed surveyor or registered professional engineer) may be required to relate the ground elevations and locations of structures or lots to the SFHA. The map should indicate whether it reflects "as built" or "proposed" conditions.

7. What is the BFE for this property? (Provide elevation to nearest tenth of a foot and datum) Please refer to the seperately published Flood Insurance Study (FIS).  
873.0 Elevation NGVD 29 Datum (NGVD 1929, NAVD 1988 or other)
8. How was the BFE determined? (Attach a copy of the Flood Profile or Summary of Elevations Table from the FIS report, if appropriate, a copy of a letter from a State agency establishing a BFE, or other necessary supporting information including Forms 3 and 4 from forms entitled, "Revisions to National Flood Insurance Program Maps" (MT-2). )  
F.I.R.M.

- ☒ If this request is to remove the SFHA designation from a parcel of land or lot(s), what is the existing or proposed elevation of the lowest grade; that is, the lowest ground on the property or within the metes and bounds description of the portion being removed? (Provide elevation to nearest tenth of a foot and datum)
- Elevation \_\_\_\_\_ Datum \_\_\_\_\_

PLEASE REFER TO THE INSTRUCTIONS FOR THE APPROPRIATE MAILING ADDRESS

10. If this request is to remove the SFHA designation from a structure(s), what is the elevation of the existing or proposed lowest adjacent grade; that is, the lowest ground touching the structure, including any attached decks or garages? (Provide elevation to nearest tenth of a foot and datum) 873.1 Elevation NGVD 29' Datum
11. If fill has been/will be placed to elevate the structure(s) on this property, what is the existing or proposed elevation of the lowest floor, including basement, crawl space and/or attached garage? (Provide elevation to nearest tenth of a foot and datum) N/A Elevation \_\_\_\_\_ Datum \_\_\_\_\_
12. Are the measurements in items 9-11 based on (a) proposed or (b) existing conditions? b
13. If any of the above elevations were computed based on a datum different than the effective FIS, what is the conversion factor? FIS Datum = Local Datum +/- N/A feet
14. Has a Summary of Elevations-Individual Lot Breakdown Form been completed for this request? ☐ Yes ☒ No
15. All information submitted in support of this request is correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Name (please print or type): JAMES W. GEESLIN

Title (please print or type): PROFESSIONAL SURVEYOR

Registration No.: 7764 Expiration Date: 12/31/00


State: OHIO

Telephone Number: (419) 586-6155

James W. Geeslin  
Signature

1/6/00  
Date

Seal (Optional)





## PROPERTY INFORMATION

## PAPERWORK REDUCTION ACT

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472, Paperwork Reduction Project (3067-0147).

This form may be completed by the property owner, registered land surveyor, or registered professional engineer.

1. Community Name of NFIP map panel on which the property is located: Auglaize County  
County      State: OHIO  
Map/Panel Number: 390761 0090 C  
Effective Date: 9-6-89
2. Street Address of the Property: 7 NOTHEANA DRIVE, SOUTHMOOR SHORES, ST. MARYS,  
OHIO
3. Legal description of Property, Lot and Block (if a street address cannot be provided):  
\_\_\_\_\_  
\_\_\_\_\_
4. Are you requesting that the SFHA designation be removed from (a) all of the land within the bounds of the property, (b) a portion of land within the bounds of the property (a certified metes and bounds description and map of the area to be removed are required), or (c) the structure(s) on the property? (Answer "a," "b," or "c") C
5. Is this request for (a) a single structure, (b) a single lot, (c) multiple structures, (d) multiple lots? (Answer "a," "b," "c," or "d") a
6. What is the type of construction? (a) crawl space; (b) slab on grade; (c) basement; (d) other (explain). (Answer "a" "b," "c" or "d") b
7. Is this request prior to the transfer of ownership of the property in question from a developer to an individual property owner?  
☐ Yes ☒ No
8. Is this request for (a) existing conditions, or (b) proposed project? (Answer "a" or "b") \_\_\_\_\_
9. Has fill been placed on the property to elevate the ground elevations on the property, to elevate a structure(s), or to elevate the ground elevations around a structure(s)? No If yes, when? \_\_\_\_\_
10. For proposed projects, will fill be placed to elevate this land or structure(s)? N/A
11. If known, list the case number and/or the street address of previous request(s) that have been submitted to FEMA for this property or adjacent properties? 6 NOTHEANA DRIVE HAS BEEN SUBMITTED FOR  
A. L.O.M.A.
12. One of the following documents is required for all cases:  
I have enclosed the following documents in support of this request:  
☒ a. Copy of the subdivision Plat Map (with recordation data and stamp of the Recorder's Office)  
OR  
☒ b. Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other suitable map showing the surveyed location of the property with respect to local streets and watercourses. (If the plat map and property deed are available, then both should be submitted.)

(For these maps a map scale must be provided and they should not be reduced or enlarged)

PLEASE REFER TO THE INSTRUCTIONS FOR THE APPROPRIATE MAILING ADDRESS

In addition, the following documents should be enclosed as applicable:

- ☒ c. Copy of the effective FIRM panel on which the property location has been accurately plotted, including a copy of the FIRM Title Block (if the request is for more than one lot/structure, this location must be certified by a licensed land surveyor or registered professional engineer).
- ☐ d. A map showing the location of any structures existing or proposed for the property (certified by a licensed land surveyor or registered professional engineer).
- ☐ e. Metes and bounds description and accompanying map of the portion of the property to be removed from SFHA, certified by a licensed land surveyor or registered professional engineer (only if the request is for a portion of land within the bounds of the property, not the entire lot or the structure(s) only).
- ☒ f. Form 2 Elevation Information Form or a FEMA NFIP Elevation Certificate may be submitted in lieu of the Elevation Information Form (for structures/property located in Zone AO see instructions for further guidance).
- ☐ g. Form 4 Community Acknowledgment of Request Involving Fill Form (only if fill has been or will be placed)
- ☐ h. Form 3 Certification of Fill Placement Form (only if fill has been or will be placed and the request is not for an existing single residential structure).
- ☐ i. Additional information: \_\_\_\_\_  
(please specify)

13. ☐ PAYMENT ENCLOSED

Processing fee (see instructions for processing fees and exemptions)

L.O.M.A.

(Type of request)

\$ 0

(amount enclosed)

Check or money order only. Make check or money order payable to: **National Flood Insurance Program**. If paying by Visa or Mastercard, please refer to the Credit Card Information form which follows this form.

14. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: NORMAN LEE CHILES Company: \_\_\_\_\_  
(please print or type)

Mailing Address: 7 NORTHERN DR. ST. MARYS OHIO 45885

(please print or type)

Daytime Telephone Number: 419-394-6404 Fax Number: 1-419-394-6603

1/24/2006

Date

Norman Lee Chiles

Signature of Applicant (required)