

15



Federal Emergency Management Agency

Washington, D.C. 20472

July 13, 2001

MR. JOHN JAUERT, P.S.
JAUERT SURVEYING
11584 MONROE ROAD
WAPAKONETA, OH 45895

CASE NO.: 01-05-1866A
COMMUNITY: AUGLAIZE COUNTY, OHIO
(UNINCORPORATED AREAS)
COMMUNITY NO.: 390761

DEAR MR. JAUERT:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

Sincerely,

Matthew B. Miller
Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator
Community Map Repository



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	Auglaize County, Ohio (Unincorporated Areas)	A portion of Section 28, Township 6 South, Range 4 East, as described in Joint & Survivorship Deed, Document No. 2000-00008684, recorded in Book 411, Pages 826 and 827, filed on October 12, 2000, by the County Recorder, Auglaize County, Ohio
	COMMUNITY NO.: 390761	
AFFECTED MAP PANEL	NUMBER: 39011C0090C	
	NAME: Auglaize County, Ohio and Incorporated Areas	
	DATE: 09/06/1989	
FLOODING SOURCE: KOOP CREEK		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.481, -84.398 SOURCE OF LAT & LONG: MAPBLAST! DATUM: NAD 83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
—	—	—	02951 Southland Road	Structure	X (unshaded)	892.5 feet	894.7 feet	—

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORIONS REMAIN IN THE SFHA
ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Version 1.3.3

381603012623



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL) ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

ZONE A (This Additional Consideration applies to the preceding 1 Property.)

The NFIP map affecting this property depicts an SFHA that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

Matthew B. Miller


Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate



AUGLAIZE COUNTY

Engineering Department

P.O. Box 59
1014 SOUTH BLACKHOOF STREET
WAPAKONETA, OHIO 45895
TELEPHONE (419) 738-3219 738-2713
FAX (419) 738-5426
email: augcoeng@augcoeng.com



Douglas Reinhart
COUNTY ENGINEER

To Whom It May Concern

May 30, 2001

In re: Flood Plain Certification of Flood Elevation at
Intersection of Southland Road and Koop Creek
Section 22, St. Marys Township, Auglaize County, Ohio

In 1993, based upon high water flood data from the 1980 flood (25 year) and the July 1992 flood (10 year), it was estimated the 100-year flood at this site was 892.5 (which is now being questioned).

Downstream 7000' at the next road crossing, SR# 219, the Ohio Department of Natural Resources had determined the 100-year flood to be 881.20.

In 1996, 3000' upstream of the questioned site, had a flood determination of 897.35 (see attached calculations).

Extrapolating between these two elevations, assuming an even hydraulic gradient, to the site at Southland Road, the calculated flood elevation would be 892.505 which verifies my 1993 determination of 892.50.


This elevation determination, based upon stream flood data is more accurate than attempting a hydraulic calculation at the site because of the following:

Calculations assume: A uniform bottom width (which does not exist)

A uniform trapezoidal channel (does not exist)

Uniform Mannings coefficient (based upon the amount of brush that exists -- changes ever few hundred feet along the channel)

Douglas Reinhart, P.E., P.S.
Auglaize County Engineer
Auglaize County Flood Plain Coordinator



Auglaize County Sanitary Engineer

P. O. BOX 59
1014 SOUTH BLACKHOOF STREET
WAPAKONETA, OHIO 45895

TELEPHONE: (419) 738-8945
FAX: (419) 738-5426

DOUGLAS REINHART, P.E./P.S.
SANITARY ENGINEER



April 27th, 2001

John Jauert, P.S.

Re: 100-year flood elevation at the intersection of County Road 66-A and the Southland Road.

Dear John,

Based upon the drainage area, grade of the existing stream, and past high-water flood elevations, the 100-year flood elevation for this location is 892.50.

The existing U.S.G.S. benchmark is located on top of the Northwest wing-wall of Bridge No. STM 66-A-09.02, which is just North of the intersection of County Road 66-A and the Southland Road. The elevation of this benchmark is 893.07.

Douglas Reinhart, P.S., P.E.
Auglaize County Sanitary Engineer
Auglaize County Flood Plain Coordinator

SENT TO FEMA
3-13-2001

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM
ELEVATION CERTIFICATE

O.M.B. No. 3067-0077
Expires July 31, 2002

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

BUILDING OWNER'S NAME <u>DEWAYNE & Pam MOOTS</u>			For Insurance Company Use	
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. <u>02951 SOUTHLAND ROAD</u>			Policy Number	
CITY <u>NEW BREMEN</u>			Company NAIC Number	
STATE <u>OHIO</u>			ZIP CODE <u>45869</u>	
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) <u>1.661 ACRE, S.E. 1/4, SECTION 28, T-6-S, R-4-E, ST. MARYS TWP, AUGUSIZE COUNTY, OHIO</u>				
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.) <u>RESIDENTIAL</u>				
LATITUDE/LONGITUDE (OPTIONAL) (##° - ##' - ###" or #####°)		HORIZONTAL DATUM: <input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983		SOURCE: <input type="checkbox"/> GPS (Type): <input checked="" type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other:

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER <u>UNINCORPORATED AREA 390761</u>		B2. COUNTY NAME <u>AUGUSIZE COUNTY</u>		B3. STATE <u>OHIO</u>	
B4. MAP AND PANEL NUMBER <u>39011C0090</u>	B5. SUFFIX <u>C</u>	B6. FIRM INDEX DATE <u>9/6/89</u>	B7. FIRM PANEL EFFECTIVE/REVISED DATE	B8. FLOOD ZONE(S) <u>A</u>	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) <u>892.50</u>
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9. <input type="checkbox"/> FIS Profile <input type="checkbox"/> FIRM <input checked="" type="checkbox"/> Community Determined <input type="checkbox"/> Other (Describe):					
B11. Indicate the elevation datum used for the BFE in B9: <input checked="" type="checkbox"/> NGVD 1929 <input type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other (Describe):					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.


C2. Building Diagram Number 2 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO
Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.
Datum _____ Conversion/Comments _____

Elevation reference mark used _____ Does the elevation reference mark used appear on the FIRM? ☐ Yes ☒ No

☐ a) Top of bottom floor (including basement or enclosure) 887.5 ft.(m)
☐ b) Top of next higher floor 896.4 ft.(m)
☐ c) Bottom of lowest horizontal structural member (V zones only) _____ ft.(m)
☐ d) Attached garage (top of slab) 895.1 ft.(m)
☐ e) Lowest elevation of machinery and/or equipment servicing the building _____ ft.(m)
☐ f) Lowest adjacent grade (LAG) 894.7 ft.(m)
☐ g) Highest adjacent grade (HAG) 894.7 ft.(m)
☐ h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade
☐ i) Total area of all permanent openings (flood vents) in C3h _____ sq. in. (sq. cm)

License Number, Embossed Seal,
Signature, and Date



SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.
I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME <u>JOHN W. JAUAERT</u>		LICENSE NUMBER <u>P.S. OHIO 6920</u>	
TITLE <u>PROFESSIONAL SURVEYOR</u>		COMPANY NAME	
ADDRESS <u>11584 MONROE ROAD</u>		CITY <u>WADSWORTH</u>	STATE <u>OHIO</u>
SIGNATURE <u>[Signature]</u>		DATE <u>03/12/2001</u>	TELEPHONE <u>(419) 657-6999</u>

IMPORTANT: In these spaces, copy the corresponding information from Section A.

BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.
02951 SOUTHLAND ROAD

CITY
NEW BREMEN

STATE
OHIO

ZIP CODE
45869

For Insurance Company Use:
Policy Number

Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS
THE BFE FOR THIS DRED AS DETERMINED BY THE AUGLAIZE COUNTY ENGINEER/AUGLAIZE CTY. FLOOD PLAIN COORDINATOR IS 892.50. THE AVERAGE ELEVATION OF THIS BUILDING SITE IS 894.5. FINISHED FLOOR ELEV. = 896.4

☒ Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
2. The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) above or below (check one) the highest adjacent grade.
3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is ft.(m) in.(cm) above the highest adjacent grade.
4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE), CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME
DAVID J. JOBERT & JOBERT SURVEYING

ADDRESS
1584 MONROE ROAD Wapakoneta OHIO 45895

SIGNATURE
[Signature] DATE
MARCH 12TH 2001 TELEPHONE
(419) 657-6999

COMMENTS
THIS IS TO CERTIFY THAT THIS BUILDING LOT IS LOCATED IN ZONE "X" NOT "A"

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- ☐ The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- ☐ The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. PERMIT NUMBER

G5. DATE PERMIT ISSUED

G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED

7. This permit has been issued for: New Construction Substantial Improvement
8. Elevation of as-built lowest floor (including basement) of the building is: ft.(m) Datum:
9. BFE or (in Zone AO) depth of flooding at the building site is: ft.(m) Datum:

LOCAL OFFICIAL'S NAME

TITLE

COMMUNITY NAME

TELEPHONE

SIGNATURE

DATE

COMMENTS

☐ Check here if attachments

BUILDING DIAGRAMS

The following eight diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item C2 and the elevations in Items C3a-C3g.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

DIAGRAM 1

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least one side. *




DIAGRAM 2

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides. Buildings constructed above crawl spaces that are below grade on all sides should also use this diagram. *




DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least one side. *





DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides. Buildings constructed above crawl spaces that are below grade on all sides should also use this diagram. *



* A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.

PUBLIC BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472; and to the Office of Management and Budget, Paperwork Reduction Project (3067-0148), Washington, DC 20503.

You are not required to respond to this collection of information unless a valid OMB Control Number is displayed in the upper right corner of this form.

This form may be completed by the property owner, registered land surveyor, or registered professional engineer

1. Community Name of NFIP map panel on which the property is located:

UNINCORPORATED AREA 390761 County: Auglaize State: OHIO

Panel or Map Number: 39011C0090

Effective Date: 9/6/89

2. Street Address of Property: 02951 Southland Road

3. Description of Property Lot and Block (if a street address cannot be provided):

1.661 ACRE LOCATED IN THE SOUTH EAST 1/4
OF SECTION 28, TOWN 6 SOUTH, RANGE 4 EAST,
ST. MARYS TOWNSHIP, AUGLAIZE COUNTY, OHIO.

4. Are you requesting that the SFHA designation be removed from (a) all of the land within the bounds of the property, (b) a portion of land within the bounds of the property (a certified metes and bounds description of the area to be removed is required), or (c) the structure(s) on the property? (Answer "a," "b," or "c") C

5. Is this request for (a) a single structure, (b) a single lot, (c) multiple structures, (d) multiple lots? (Answer "a," "b," "c" or "d") A

6. What is the type of construction? (a) crawl space; (b) slab on grade; (c) basement; (d) other (explain). (Answer "a," "b," "c," or "d") C

7. Is this request prior to the transfer of ownership of the property in question from a developer to an individual property owner?
☐ Yes ☒ No

8. Is this request for (a) existing conditions, or (b) proposed project? (Answer "a" or "b") A

9. Has fill been placed on the property to elevate the ground elevation of the property, to elevate a structure(s), or to elevate the ground elevations around a structure? No If yes, when? _____

10. For proposed projects, will fill be placed to elevate this land or structure? _____

11. If known, list the case number and/or the street address of previous requests that have been submitted to FEMA for this property or adjacent properties? _____

12. One of the following documents is required of all cases:

I have enclosed the following documents in support of this request:

- ☐ a. Copy of the Subdivision Plat Map (with recordation data and stamp of the Recorder's Office)
OR
☒ b. Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other suitable map showing the surveyed location of the property with respect to local streets and watercourses.

(For these maps a map scale must be provided and they should not be reduced or enlarged.)

PLEASE REFER TO THE INSTRUCTIONS FOR THE APPROPRIATE MAILING ADDRESS

The following documents should be enclosed as applicable:

- ☒ c. Copy of the effective FIRM panel on which the property location has been accurately plotted (if the request is for more than one lot/structure, this location must be certified by a licensed land surveyor or registered professional engineer)
- ☒ d. A map showing the location of any structures existing on or proposed for the property (certified by a licensed land surveyor or registered professional engineer)
- ☒ e. Metes and bounds description and accompanying map of the portion of the property to be removed from the SFHA (certified by a licensed land surveyor or registered professional engineer) (only if the request is for a portion of land within the bounds of the property, not the entire lot or the structure(s) only)
- ☐ f. Form 2 Elevation Information form or A FEMA NFIP Elevation Certificate may be submitted in lieu of the Elevation Information form (for structures/property located in Zone AO see instructions for further guidance.)
- ☐ g. Form 4 Community Acknowledgment form (only if fill has been or will be placed)
- ☐ h. Form 3 Certification of Fill Compaction form (only if fill has been or will be placed and the request is not for an existing single residential structure)
- ☒ i. Additional information: LETTER TO PROPERTY OWNER & COPY OF Pg. 6
please specify

13. PAYMENT ENCLOSED

- ☐ Processing fee (see instructions for processing fees and exemptions)
- _____ \$ _____
(Type of request) (amount enclosed)

Check or money order only. Make check or money order payable to: **National Flood Insurance Program**. If paying by Visa or Mastercard, please complete and submit the Credit Card Information Form (Form 1A), which follows this form.

14. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: JOHN JAUERT Company: JAUERT SURVEYING
(please print or type)

Mailing Address: 11584 MONROE ROAD WAPAKONETA
(please print or type) OHIO 45895

Daytime Telephone Number: (419) 657-6999 Fax Number: (419) 657-2745

MARCH 12TH 2001
Date

[Signature]
Signature of Applicant (required)