



# Federal Emergency Management Agency

Washington, D.C. 20472

July 18, 2001

MR. DENNIS D. BURDEN  
328 SOUTH MAIN STREET  
ST. MARY'S, OH 45885

CASE NO.: 01-05-1947A  
COMMUNITY: CITY OF ST. MARYS, AUGLAIZE COUNTY,  
OHIO  
COMMUNITY NO.: 390022

DEAR MR. BURDEN:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

Sincerely,

*Matthew B. Miller*  
Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

## LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator  
Community Map Repository

123200408000



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	City of St. Marys, Auglaize County, Ohio	Lots 62 and 63, and the North half of Lots 64 and 65, South Addition, as described in Warranty Deed, Document No. 2047, recorded in Volume 105, Pages 305 and 306, filed on April 27, 1990, by the Recorder, Auglaize County, Ohio
	COMMUNITY NO.: 390022	
AFFECTED MAP PANEL	NUMBER: 39011C0080C	
	NAME: Auglaize County, Ohio and Incorporated Areas	
	DATE: 09/06/1989	
FLOODING SOURCE: ST. MARY'S RIVER		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.539, -84.388 SOURCE OF LAT & LONG: MAPBLAST! DATUM: NAD 83

### DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME  WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
—	—	South Addition	328 South Main Street	Structure	X (unshaded)	864.0 feet	865.1 feet	—

**Special Flood Hazard Area (SFHA)** - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA  
ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

*Matthew B. Miller*  
Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Version 1.3.3

381603012769



**Federal Emergency Management Agency**  
Washington, D.C. 20472

**LETTER OF MAP AMENDMENT**  
**DETERMINATION DOCUMENT (REMOVAL)**  
ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

**PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)**

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

**ZONE A (This Additional Consideration applies to the preceding 1 Property.)**

The NFIP map affecting this property depicts an SFHA that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

*Matthew B. Miller*  
Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate