



Federal Emergency Management Agency

Washington, D.C. 20472

January 26, 2006

MR. JEFFERY A. VOGEL
19784 CENTER ROAD
ST. MARYS, OH 45885

CASE NO.: 06-05-0933A
COMMUNITY: AUGLAIZE COUNTY, OHIO
(UNINCORPORATED AREAS)
COMMUNITY NO.: 390761

DEAR MR. VOGEL:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

Sincerely,

Doug Bellomo, P.E., Chief
Hazard Identification Section, Mitigation Division

LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator
Community Map Repository



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	A portion of Section 2, Township 5 South, Range 4 East, as described in the Survivorship Deed recorded as Instrument No. 200300000644, in Book 474, Page 1317, in the Office of the Recorder, Auglaize County, Ohio
	COMMUNITY NO.: 390761	
AFFECTED MAP PANEL	NUMBER: 39011C0025C	
	NAME: AUGLAIZE COUNTY, OHIO AND INCORPORATED AREAS	
	DATE: 9/6/1989	
FLOODING SOURCE: ST. MARYS RIVER		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.637, -84.366 SOURCE OF LAT & LONG: PRECISION MAPPING STREETS 4.0 DATUM: NAD 83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
—	—	—	19784 Centerline Road	Structure (Residence)	X (unshaded)	827.4 feet	829.2 feet	—

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA
ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.


 Doug Bellomo, P.E., Chief
 Hazard Identification Section, Mitigation Division



Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)
ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

ZONE A (This Additional Consideration applies to the preceding 1 Property.)

The National Flood Insurance Program map affecting this property depicts a Special Flood Hazard Area that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.


Doug Bellomo, P.E., Chief
Hazard Identification Section, Mitigation Division

FEDERAL EMERGENCY MANAGEMENT AGENCY
PROPERTY INFORMATION FORM

O.M.B. NO. 3067-0147
Expires September 30, 2005

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing, reviewing, and submitting the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, SW, Washington DC 20472, Paperwork Reduction Project (3067-0147). Submission of the form is required to obtain or retain benefits under the National Flood Insurance Program. **Please do not send your completed survey to the above address.**

This form may be completed by the property owner, property owner's agent, licensed land surveyor, or registered professional engineer to support a request for a Letter of Map Amendment (LOMA), Conditional Letter of Map Amendment (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional Letter of Map Revision Based on Fill (CLOMR-F) for existing or proposed, single or multiple lots/structures. Please check the item below that describes your request:

<input checked="" type="checkbox"/> LOMA	A letter from FEMA stating that an existing structure or parcel of land that has not been elevated by fill (natural grade) would not be inundated by the base flood.
<input type="checkbox"/> CLOMA	A letter from FEMA stating that a proposed structure that is not to be elevated by fill (natural grade) would not be inundated by the base flood if built as proposed.
<input type="checkbox"/> LOMR-F	A letter from FEMA stating that an existing structure or parcel of land that has been elevated by fill would not be inundated by the base flood.
<input type="checkbox"/> CLOMR-F	A letter from FEMA stating that a parcel of land or proposed structure that will be elevated by fill would not be inundated by the base flood if fill is placed on the parcel as proposed or the structure is built as proposed.

Fill is defined as material from any source placed to raise the ground to or above the Base Flood Elevation (BFE). The common construction practice of removing unsuitable existing material (topsoil) and backfilling with select structural material is not considered the placement of fill if the practice does not alter the existing (natural grade) elevation, which is at or above the BFE. **Fill that is placed before the date of the first National Flood Insurance Program (NFIP) map showing the area in a Special Flood Hazard Area (SFHA) is considered natural grade.**

Has fill been placed on your property?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes, when was fill placed?	/
			month/year
Will fill be placed on your property?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes, when will fill be placed?	/
			month/year

1. Street Address of the Property (if request is for multiple structures, please attach additional sheet):

19784 CENTERLINE RD. / ST. MARY'S, OH 45885

2. Legal description of Property (Lot, Block, Subdivision) (if a street address cannot be provided):

PT NE

3. Are you requesting that the SFHA designation be removed from (check one):

- ☒ the entire legally recorded property?
☐ a portion of land within the bounds of the property (a certified metes and bounds description and map of the area to be removed, certified by a licensed land surveyor or registered professional engineer, are required)?
☐ structures on the property? What are the dates of construction?

4. Is this request for a (check one):

- ☐ single structure
☒ single lot
☐ multiple structures (How many structures are involved in your request? List the number:)
☐ multiple lots (How many lots are involved in your request? List the number:)

NOTE: REQUESTING THAT HOUSE, BUILDINGS, AND LOT
BE REMOVED FROM 100 YR FLOOD ZONE.

In addition to this form (MT-1 Form 1), ALL requests must include the following:

- Copy of the Plat Map for the property (with recordation data and stamp of the Recorder's Office)
OR
- Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other certified map showing the surveyed location of the property relative to local streets and watercourses
- Copy of the effective FIRM panel and/or Flood Boundary and Floodway Map (FBFM) (if applicable) on which the property location has been accurately plotted (property inadvertently located in the NFIP regulatory floodway will require Section B of MT-1 Form 3)
- Form 2 – Elevation Form. If an Elevation Certificate has already been completed for this property, it may be submitted in addition to Form 2.

Please include a map scale and North arrow on all maps submitted.

For LOMR-Fs and CLOMR-Fs, the following must be submitted in addition to the items listed above:

- Form 3 – Community Acknowledgment Form

Processing Fee (see instructions for appropriate mailing address; or, visit http://www.fema.gov/fhm/frm_fees.shtm for the most current fee schedule)

Revised fee schedules are published periodically, but no more than once annually, as noted in the Federal Register. Please note: single/multiple lot(s)/structure(s) LOMAs are fee exempt. The current review and processing fees are listed below:

Check the fee that applies to your request:

- ☐ \$325 (single lot/structure LOMR-F following a CLOMR-F)
- ☐ \$425 (single lot/structure LOMR-F)
- ☐ \$500 (single lot/structure CLOMA or CLOMR-F)
- ☐ \$700 (multiple lot/structure LOMR-F following a CLOMR-F, or multiple lot/structure CLOMA)
- ☐ \$800 (multiple lot/structure LOMR-F or CLOMR-F)

Please submit the Payment Information Form for remittance of applicable fees. Please make your check or money order payable to: National Flood Insurance Program.

NO FEE REQUIRED

All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: *JEFFREY A. VOGEL*
Please Print or Type

Mailing Address: *19784 CENTERLINE RD.*
ST. MARYS, OH 45885

E-Mail Address: (optional)
jeff.vogel@crown.com

Date: *1/23/06*

Company: *CROWN EQUIPMENT CORP.*

Daytime Telephone No.: *419-629-2220 EXT. 4343*

Fax No.: *419-629-6355*

Signature of Applicant (required): *Jeff Vogel*

If you have any questions concerning FEMA policy, or the NFIP in general, please contact the FEMA Map Assistance Center toll free at 1-877-FEMA MAP (1-877-336-2627), or visit the Flood Hazard Mapping website at www.fema.gov/fhm/.




AUGLAIZE COUNTY

Engineering Department

P.O. Box 59
1014 S. Blackhoof Street
Wapakoneta, Ohio 45895

TELEPHONE 419-739-6520
FAX 419-739-6521
Email: augcoeng@augcoeng.com



Douglas Reinhart
COUNTY ENGINEER

November 23, 2005

John Jauert
Jauert Surveying
11584 Monroe Road
Wapakoneta, OH 45895

RE: 100-year flood elevation for Jeff Vogel

Dear John,

Based upon the drainage area, grade of the existing tile and stream, bridge high water elevation information (bridges SAL-55-19.84, SAL-55-19.67, and SAL-200-04.55) from past flooding events, and plotted high water information on the St. Mary's River, the 100-year flood elevation for this location is 827.4.

The existing U.S.G.S. benchmark is a metal tablet located on the top of the Southwest wing wall of Bridge No. SAL-55-19.84. The elevation of the benchmark is 825.54.

Based upon the elevations you have taken at the site, it appears as though the elevations taken throughout the lot including the adjacent ground and buildings are higher than the 100-year base flood elevation of 827.4, and therefore the lot should be certified out of the flood zone.

Should you have any questions feel free to contact me at 419-739-6520.

Douglas Reinhart, P.E. P.S.
Auglaize County Engineer
Auglaize County Flood Plain Coordinator

**FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM**

O.M.B. No. 3067-0077
Expires December 31, 2005

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

BUILDING OWNER'S NAME JEFFREY A. VOGEL		For Insurance Company Use:
BUILDING STREET ADDRESS (Including apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 19784 CENTER ROAD		Policy Number
CITY ST. MARYS	STATE OHIO	Company NAIC Number
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) PARCEL # J28-021-005-00, SECTION 2 SALEM TOWNSHIP T-5-S R-4-E		ZIP CODE 45885
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) RESIDENTIAL		
LATITUDE/LONGITUDE (OPTIONAL) (##° - ##' - ###" or ##.####°)	HORIZONTAL DATUM: <input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983	SOURCE: <input type="checkbox"/> GPS (Type): <input checked="" type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER UNINCORPORATED AREA 390761		B2. COUNTY NAME Auglaize County		B3. STATE OHIO	
B4. MAP AND PANEL NUMBER 39011C0025C	B5. SUFFIX C	B6. FIRM INDEX DATE 9/6/89	B7. FIRM PANEL EFFECTIVE/REVISED DATE —	B8. FLOOD ZONE(S) A	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 827.40

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.
☐ FIS Profile ☐ FIRM ☒ Community Determined ☐ Other (Describe): _____

B11. Indicate the elevation datum used for the BFE in B9: ☒ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe): _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No
 Designation Date: _____

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)


C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction
 *A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number _____ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO
 Complete Items C3.a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.
 Datum _____ Conversion/Comments _____

Elevation reference mark used _____ Does the elevation reference mark used appear on the FIRM? ☐ Yes ☐ No

<input type="checkbox"/> a) Top of bottom floor (including basement or enclosure)	830 . 94 ft.(m)	License Number, Embossed Seal, Signature, and Date
<input type="checkbox"/> b) Top of next higher floor	— . — ft.(m)	
<input type="checkbox"/> c) Bottom of lowest horizontal structural member (V zones only)	— . — ft.(m)	
<input type="checkbox"/> d) Attached garage (top of slab)	— . — ft.(m)	
<input type="checkbox"/> e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area.)	— . — ft.(m)	
<input type="checkbox"/> f) Lowest adjacent (finished) grade (LAG) SEE ATTACHED DIAGRAM	829 . 21 ft.(m)	
<input type="checkbox"/> g) Highest adjacent (finished) grade (HAG)	829 . 31 ft.(m)	
<input type="checkbox"/> h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade	—	
<input type="checkbox"/> i) Total area of all permanent openings (flood vents) in C3.h	— sq. in. (sq. cm)	



SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME JOHN W. JAUERT	LICENSE NUMBER OHIO PROFESSIONAL SURVEYOR No. 6920
TITLE PROFESSIONAL SURVEYOR	COMPANY NAME JAUERT SURVEYING
ADDRESS 11584 MONROE ROAD	CITY WAPAKONETA
SIGNATURE	STATE OH
	ZIP CODE 45895-7614
	DATE 11/23/05
	TELEPHONE 419-657-6999

IMPORTANT: In these spaces, copy the corresponding information from Section A.			For Insurance Company Use:
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 19784 CENTER ROAD			Policy Number
CITY ST. MARYS	STATE OH	ZIP CODE 45885	Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS THE BFE FOR THIS AREA AS DETERMINED BY THE AUGLAIZE COUNTY ENGINEER / FLOOD PLAIN COORDINATOR IS 827.4. THE LOWEST ELEVATION OF THE FLOOR OF THE HOUSE IS 830.94 AND THE LOWEST GRADE IS 827.51 IN THE SOUTHEAST CORNER OF THE LOT.

☐ Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zone AO and Zone A (without BFE), complete Items E1. through E5. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number _____ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is _____ ft. (m) _____ in. (cm) _____ above or _____ below (check one) the highest adjacent grade. (Use natural grade, if available.)
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is _____ ft. (m) _____ in. (cm) above the highest adjacent grade. Complete Items C3.h and C3.i on front of form.
- E4. The top of the platform of machinery and/or equipment servicing the building is _____ ft. (m) _____ in. (cm) _____ above or _____ below (check one) the highest adjacent grade. (Use natural grade, if available.)
- E5. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, C (Items C3.h and C3.i only), and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, C, and E are correct to the best of my knowledge.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS 11584 MONROE RD. CITY Wapakoneta STATE OH ZIP CODE 45895-7614

SIGNATURE [Signature] DATE 11/23/05 TELEPHONE 419-657-6999

COMMENTS HOUSE, BUILDINGS, AND LOT ARE ALL HIGHER THAN THE BFE AND SHOULD BE TAKEN OUT OF THE FLOOD ZONE

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1. ☒ The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. ☐ The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED
-------------------	------------------------	---

G7. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: _____ ft. (m) Datum: _____

G9. BFE or (in Zone AO) depth of flooding at the building site is: _____ ft. (m) Datum: _____

LOCAL OFFICIAL'S NAME DOUGLAS REINHART P.E., P.S. TITLE AUGLAIZE COUNTY ENGINEER / FLOOD PLAIN COORDINATOR

COMMUNITY NAME AUGLAIZE COUNTY UNINCORPORATED AREAS TELEPHONE 419-739-6500

SIGNATURE [Signature] DATE 11/23/05


COMMENTS SEE ATTACHED SHEET

☒ Check here if attachments

Jeffrey A. Vogel and Ann L. Vogel, husband and wife, GRANTORS, of Auglaize County, for valuable consideration paid, grant with general warranty covenants to Jeffrey A. Vogel and Ann L. Vogel, husband and wife, for their joint lives, remainder to the survivor of them, the GRANTEES, whose tax-mailing address is 19784 Center Line Road, St. Marys, OH 45885, the following REAL PROPERTY:

Situated in the Township of Salem, County of Auglaize and in the State of Ohio, to-wit:

The following described tract of land is part of the Northeast Quarter of Section 2, Town 5 South, Range 4 East, Salem Township, Auglaize County, Ohio, and is more particularly described as follows:



Commencing at a monument box over the stone found at the Southwest corner of the Northeast Quarter of Section 2, Salem Township and in the centerline of Township Road 55 (Centerline Road); thence with an assumed bearing of N. 00°30' E. along the centerline of Township Road 55 and the West line of the Northeast Quarter of said Section 2, a distance of 1320.15 feet to a R.R. spike found and the PLACE OF BEGINNING for the tract of land herein described; thence continuing N. 00°30' E. along the above described line, a distance of 262.09 feet to a R.R. spike set; thence N. 89°21'04" E. a distance of 332.45 feet to an iron pin set, passing thru an iron pin set for reference at 20.00 feet in the East right-of-way line of Township Road 55; thence S. 00°30' W., parallel to the centerline of Township Road 55 and the West line of the Northeast Quarter of Section 2, a distance of 262.09 feet to an iron pin set; thence S. 89°21'04" W. a distance of 332.45 feet to a R.R. spike found, passing thru an iron pin set for reference at 312.45 feet in the East right-of-way line of Township Road 55, said R.R. spike was the true PLACE OF BEGINNING.

Containing in all 2.00 acre of which 0.12 acre has been dedicated for highway purposes. The above described tract of land is subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises.

Property Address: 19784 Center Line Road, St. Marys, OH 45885
Real Estate Tax Parcel No. J28-021-007-00

Prior Instrument Reference: O.R. Volume 112, Page 976 of the Deed Records of Auglaize County, Ohio.

EXECUTED this 15th day of January, 2003.

Jeffrey A. Vogel
Jeffrey A. Vogel
Ann L. Vogel
Ann L. Vogel

STATE OF OHIO
COUNTY OF AUGLAIZE, SS:

BE IT REMEMBERED, That on this 15th day of January, 2003, before me, the subscriber, a notary public in and for said state, personally came Jeffrey A. Vogel and Ann L. Vogel, the Grantors in the foregoing deed, and acknowledged the signing thereof to be their voluntary act and deed.

IN TESTIMONY THEREOF, I have hereunto subscribed my name and affixed my notarial seal on the day and year last aforesaid.



THOMAS H. KATTERHEINRICH
ATTORNEY AT LAW
NOTARY PUBLIC

Thomas H. Katterheinrich
Thomas H. Katterheinrich