

Federal Emergency Management Agency

Washington, D.C. 20472

May 21, 2009

MR. ANTHONY WOLF 15 BREEZEWOOD LANE ST. MARYS, OH 45825

CASE NO.: 09-05-2980A

COMMUNITY: AUGLAIZE COUNTY, OHIO

(UNINCORPORATED AREAS)

COMMUNITY NO.: 390761

DEAR MR. WOLF:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

Sincerely,

William R. Blanton Jr., CFM, Chief Engineering Management Branch

Mitigation Directorate

LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator Community Map Repository Region

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

National Flood Insurance Program

Important: Read the instructions on pages 1-8.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:
A1. Building Owner's Name ANTHONY WOLF	Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Company NAIC Number
JI. MAKYS	IP Code 45805
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 15 OF SOUTHSHORE ACRES SUB	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDETIAL	
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.	tum: NAD 1927 NAD 1983
A7. Building Diagram Number 8 A8. For a building with a crawl space or enclosure(s), provide: a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b A9. For a building with an attac a) Square footage of attac b) No. of permanent flood walls within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b	hed garage © Company Services Services Adjacent grade Services Adjacent grade
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	
AUGLAIZE COUNTY OHIOSON AUGLAIZE	33. State OH
B4. Map/Panel Number B5. Suffix B6. FIRM Index B7. FIRM Panel B8. Flood Date SEPT 6, 1989 Effective/Revised Date A E	B9 Base Flood Elevation(s) (Zone AO, use base flood depth)
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.	And the second control to the second control
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?	☐ Yes ☐ No
Designation Date CPA	□ les □ Mo
SECTION C. DUIL DIAC EL EVATION INFORMATION (QUID/EV DEQUID	of \$50.7
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRE	
C1. Building elevations are based on: Construction Drawings* Building Under Construction*	ED) Finished Construction
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AF, AR/A1-A30, AR/AH	Finished Construction
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7.	Finished Construction AR/AO. Complete Items C2.a-g
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE © 872,55 Vertical Datum NAVD 198	Finished Construction AR/AO. Complete Items C2.a-g
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & B72.55 Vertical Datum NAVD 198 Conversion/Comments	Finished Construction , AR/AO. Complete Items C2.a-g
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & 672.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem	Finished Construction , AR/AO. Complete Items C2.a-g
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & 872.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor)	Finished Construction AR/AO. Complete Items C2.a-g Construction AR/AO. Complete Items C2.a-g Calcada AR/AO. Complete Items C2.a-g Calcada Ca
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & B72.95 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) b) Top of the next higher floor C) Bottom of the lowest horizontal structural member (V Zones only)	Finished Construction , AR/AO. Complete Items C2.a-g
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & B72.95 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	Finished Construction AR/AO. Complete Items C2.a-g Calculate the calcu
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & 872.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 875.6 Feet mete b) Top of the next higher floor C) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	Finished Construction AR/AO. Complete Items C2.a-g Calculate the calculation of the cal
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE B72.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG)	Finished Construction AR/AO. Complete Items C2.a-g Calculate Area Calculate Are
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & B72.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG)	Finished Construction AR/AO. Complete Items C2.a-g Carry C
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE B72.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG)	Finished Construction AR/AO. Complete Items C2.a-g Calculate Area C2.a-g Finished Construction AR/AO. Complete Items C2.a-g Calculate Area C2.a-g Calculat
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE B872.55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 875.6 Feet mete b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation.	Finished Construction AR/AO. Complete Items C2.a-g Carry C
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE © 872.95 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the date available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.	Finished Construction AR/AO. Complete Items C2.a-g Carry C
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE & 67Z 55 Vertical Datum NAVD 198 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) Bottom of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the date available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form.	Finished Construction AR/AO. Complete Items C2.a-g Carry C
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE B172.5 Vertical Datum NAVD 98 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) Bottom of the lowest horizontal structural member (V Zones only) C1. Attached garage (top of slab) C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH Lower Solution of the lowest horizontal structural structural represents only the lowest lower meters of the lowest horizontal structural member (V Zones only) C3. C5. C6. C6 feet meters of the lowest horizontal structural member (V Zones only) C4. C74.5 Feet meters of the lowest horizontal structural member (V Zones only) C5. C6. C6. C6. C74.5 Feet meters of the structural member (V Zones only) C6. C74.5 Feet meters of the structural member (V Zones only) C6. C75.5 Feet meters of the structural member (V Zones only) C6. C75.5 Feet meters of the structural member (V Zones only) C6. C75.5 Feet meters of the structural member (V Zones only) C75. C6. C75.5 Feet meters of the structural member (V Zones only) C76. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only)	Finished Construction AR/AO. Complete Items C2.a-g Care and the second of the second
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP RIM MANHOLE B172.5 Vertical Datum NAVD 98 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) Bottom of the lowest horizontal structural member (V Zones only) C1. Attached garage (top of slab) C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH Lower Solution of the lowest horizontal structural structural represents only the lowest lower meters of the lowest horizontal structural member (V Zones only) C3. C5. C6. C6 feet meters of the lowest horizontal structural member (V Zones only) C4. C74.5 Feet meters of the lowest horizontal structural member (V Zones only) C5. C6. C6. C6. C74.5 Feet meters of the structural member (V Zones only) C6. C74.5 Feet meters of the structural member (V Zones only) C6. C75.5 Feet meters of the structural member (V Zones only) C6. C75.5 Feet meters of the structural member (V Zones only) C6. C75.5 Feet meters of the structural member (V Zones only) C75. C6. C75.5 Feet meters of the structural member (V Zones only) C76. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only) C77. C77.5 Feet meters of the structural member (V Zones only)	Finished Construction AR/AO. Complete Items C2.a-g Care and the second of the second
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP 2 M MANHOLE B72.55 Vertical Datum NAVD 98. Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) B75.6 feet mete b) Top of the next higher floor C) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (LAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the date available. I unclerstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. SECTIONS 94. Company Name Company N	Finished Construction AR/AO. Complete Items C2.a-g Solution ent used. Its (Puerto Rico only)
C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized TOP 2 M MANHOLE B72.55 Vertical Datum NAVD 98. Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (LAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. JAMES M. KENT SURVEYIN G. N.C. Code, Section 1001. Title P.O. BOX 94. Company Name Company Name Company Name Company Name Cartificate Top Represents Name Company Name	Finished Construction AR/AO. Complete Items C2.a-g Care (Puerto Rico only) rs (Puerto Rico only) AMES M. KENT

D. S. All Streets Consider the property of			
	opy the corresponding information from Sect	and the second desired desired supplementation of the second second second second second second second second	For Insurance Company Use:
Building Street Address (including Apt.,	Unit, Suite, and/or Bldg. No.) or P.O. Route and Box N	o.	Policy Number
City	State	ZIP Code	Company NAIC Number
SECTION	D - SURVEYOR, ENGINEER, OR ARCHITECT	CERTIFICATION (CON	TINUED)
Copy both sides of this Elevation Certific	cate for (1) community official, (2) insurance agent/com	npany, and (3) building own	ner.
Comments		ор (- 1 по типе 1964 г. 10 торий по по на выдачиной на 1940 г.) до выдащения дво дво до на надачина на под на пос	
		ng galwan sani an 1806 in a 1808 km maka Maka la maka ng papaga ang kanlas ng ga ang ang ang ang ang	
Signature	Date		Check here if attachments
SECTION E - BUILDING ELEV	ATION INFORMATION (SURVEY NOT REQUIP	RED) FOR ZONE AO A	
and C. For Items E1-E4, use natural gr E1. Provide elevation information for t grade (HAG) and the lowest adjace a) Top of bottom floor (including b b) Top of bottom floor (including b E2. For Building Diagrams 6-8 with per (elevation C2.b in the diagrams) of E3. Attached garage (top of slab) is	pasement, crawl space, or enclosure) is pasement, crawl space, or enclosure) is pasement, crawl space, or enclosure) is pasement flood openings provided in Section A Items 8 of the building is pasement feet meters pasewer pasement servicing the building is pasement feet to fine best of entire in Sections A, B, and E are correct to the best of	whether the elevation is all feet meters all feet meters all and/or 9 (see page 8 of in above or below the below the HAG. feet meters all ed in accordance with the on in Section G.	below the highest adjacent below the HAG. bove or below the HAG. bove or below the LAG. structions), the next higher floor he HAG. bove or below the HAG. bove or below the HAG. community's floodplain management ICATION IA-issued or community-issued BFE)
		. 414-611-71	
Comments			**************************************
<u></u>			Check here if attachments
	SECTION G - COMMUNITY INFORMATION	N (OPTIONAL)	
	or ordinance to administer the community's floodplain plete the applicable item(s) and sign below. Check the		
	as taken from other documentation that has been signe levation information. (Indicate the source and date of t		
	Section E for a building located in Zone A (without a F		*
general	s G4G9.) is provided for community floodplain manag	•	
G4. Permit Number		Date Certificate Of Comp	liance/Occupancy Issued
G7. This permit has been issued for:	New Construction Substantial Improvement		
G8. Elevation of as-built lowest floor (incli		feet meters (P	
G9. BFE or (in Zone AO) depth of flooding	g at the building site;	feet I meters (P	R) Datum
Local Official's Name	Title	до ум опцень до віторо бот си содді в поста содденда на від на соста до на на центра до Дурь від на удену на у	ath finance you get for my region and an analysis of the company of the trade are no assessment of the company
Community Name	Telephon	9	
Signature	Date	ina independing kanalam dapun mejaran melambihan himana bananggap kanabiyyang patendanyan	polytina vari kapa asususpatuju ja muuisputud asta ohtiva suutu vii ya varihjan kata udipat vii najaat vii naj
Comments		aanaguu dhibyahna bhidhiga eesteeleen aan qar eeqaran ga aabhaa ee thinkiga maaga kaag dhibhiisa baaran gaaq	
		gayanangay aranag dinang dinahagaran di kanata minaman nyasada geologa a masa naglingaran nag	
		unessä vaitalyiteen täätää täätää saanan ymiteetäänän yva osa valan van osa väljä esymäen ja vaita valastalain	Check here if attachments



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION		
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	Lot 15, Curtis H. & Sarah M. Libbee's South Shore Acres Subdivision, as shown on the Plat recorded in Book B, Page 35, in the Office of the Recorder, Auglaize County, Ohio		
	COMMUNITY NO.: 390761			
AFFECTED	NUMBER: 39011C0090C			
MAP PANEL	DATE: 9/6/1989			
FLOODING SO	URCE: GRAND LAKE ST. MARYS	APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.510, -84.452 SOURCE OF LAT & LONG: PRECISION MAPPING STREETS 4.0 DATUM: NAD 83		
	AND THE RESERVE OF THE PERSON	DETERMINATION		

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
15		Libbee's South Shore Acres	15 Breezewood Lane	Structure	X (unshaded)	873.0 feet	874.0 feet	

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

William R. Blanton Jr., CFM, Chief

William R. Blanton Jr., CFM, Chief Engineering Management Branch Mitigation Directorate



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

PORTIONS OF THE PROPERTY REMAIN IN THE	SFHA (This Additional	Consideration applies to	the
preceding 1 Property.)			

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

William R. Blanton Jr., CFM, Chief Engineering Management Branch

Mitigation Directorate

U.S. DEPARTMENT OF HOMELAND SECURITY - FEDERAL EMERGENCY MANAGEMENT AGENCY PROPERTY INFORMATION FORM

O.M.B. NO. 1660-0015 Expires August 31, 2007

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing, reviewing, and submitting the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, U.S. Department of Homeland Security, Federal Emergency Management Agency, 500 C Street, SW, Washington DC 20472, Paperwork Reduction Project (1660-0015). Submission of the form is required to obtain or retain benefits under the National Flood Insurance Program. Please do not send your completed survey to the above address. This form may be completed by the property owner, property owner's agent, licensed land surveyor, or registered professional engineer to support a request for a Letter of Map Amendment (LOMA), Conditional Letter of Map Amendment (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional Letter of Map Revision Based on Fill (CLOMR-F) for existing or proposed, single or multiple lots/structures. Please check the item below that describes your request: ₩ LOMA A letter from DHS-FEMA stating that an existing structure or parcel of land that has not been elevated by fill (natural grade) would not be inundated by the base flood. CLOMA A letter from DHS-FEMA stating that a proposed structure that is not to be elevated by fill (natural grade) would not be inundated by the base flood if built as proposed. A letter from DHS-FEMA stating that an existing structure or parcel of land that has been elevated by LOMR-F fill would not be inundated by the base flood. A letter from DHS-FEMA stating that a parcel of land or proposed structure that will be elevated by CLOMR-F fill would not be inundated by the base flood if fill is placed on the parcel as proposed or the structure is built as proposed. Fill is defined as material from any source placed to raise the ground to or above the Base Flood Elevation (BFE). The common construction practice of removing unsuitable existing material (topsoil) and backfilling with select structural material is not considered the placement of fill if the practice does not alter the existing (natural grade) elevation, which is at or above the BFE. Fill that is placed before the date of the first National Flood Insurance Program (NFIP) map showing the area in a Special Flood Hazard Area (SFHA) is considered natural grade. Has fill been placed on your property? Yes No If yes, when was fill placed? month/year Yes No Will fill be placed on your property? If yes, when will fill be placed? month/year Street Address of the Property (if request is for multiple structures, please attach additional sheet): ST. MARYS, OH 15 BREEZEWOOD LANE Legal description of Property (Lot, Block, Subdivision) (if a street address cannot be provided): Are you requesting that the SFHA designation be removed from (check one): the entire legally recorded property? a portion of land within the bounds of the property (a certified metes and bounds description and map of the area to be removed, certified by a licensed land surveyor or registered professional engineer, are required)? structures on the property? What are the dates of construction? 2008Is this request for a (check one): single structure single lot multiple structures (How many structures are involved in your request? List the number: multiple lots (How many lots are involved in your request? List the number:

In addition to this form (MT-1 Form 1), ALL requests must include the following:
 Copy of the Plat Map for the property (with recordation data and stamp of the Recorder's Office) OR
 Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other certified map showing the surveyed location of the property relative to local streets and watercourses
 Copy of the effective FIRM panel and/or Flood Boundary and Floodway Map (FBFM) (if applicable) on which the property location has been accurately plotted (property inadvertently located in the NFIP regulatory floodway will require Section B of MT-1 Form 3)
Form 2 – Elevation Form. If an Elevation Certificate has already been completed for this property, it may be submitted in addition to Form 2.
Please include a map scale and North arrow on all maps submitted.
For LOMR-Fs and CLOMR-Fs, the following must be submitted in addition to the items listed above:
Form 3 – Community Acknowledgment Form
Processing Fee (see instructions for appropriate mailing address; or, visit http://www.fema.gov/fhm/frm_fees.shtm for the most current fee schedule)
Revised fee schedules are published periodically, but no more than once annually, as noted in the <u>Federal Register</u> . Please note: single/multiple lot(s)/structure(s) LOMAs are fee exempt. The current review and processing fees are listed below:
Check the fee that applies to your request:
\$325 (single lot/structure LOMR-F following a CLOMR-F)
\$425 (single lot/structure LOMR-F)
\$500 (single lot/structure CLOMA or CLOMR-F)
\$700 (multiple lot/structure LOMR-F following a CLOMR-F, or multiple lot/structure CLOMA)
\$800 (multiple lot/structure LOMR-F or CLOMR-F)
Please submit the Payment Information Form for remittance of applicable fees. Please make your check or money order payable to: National Flood Insurance Program.
All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.
Applicant's Name: ANTHONY LEE WOLF Please Print or Type Company:
Mailing Address: Daytime Telephone No.:
E-Mail Address: Fax No.:
Date 3/13/09 Signature of Applicant (yequired)
If you have any questions concerning DHS-FEMA policy, or the NFIP in general, please contact the FEMA Map Assistance Center toll free at 1-877- FEMA MAP (1-877-336-2627), or visit the Flood Hazard Mapping website at http://www.fema.gov/fhm/.