



Federal Emergency Management Agency

Washington, D.C. 20472

January 29, 2010

MR. MICHAEL R. DOSECK
09866 COUNTY ROAD 66A
NEW BREMEN, OH 45869

CASE NO.: 10-05-1105A
COMMUNITY: AUGLAIZE COUNTY, OHIO
(UNINCORPORATED AREAS)
COMMUNITY NO.: 390761

DEAR MR. DOSECK:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075.

Sincerely,

Kevin C. Long, Acting Chief
Engineering Management Branch
Mitigation Directorate

LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator
Community Map Repository
Region



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	A parcel of land, as described in the Survivorship Deed (Statutory Form), recorded as Instrument No. 200500003884, in Book 525, Pages 750 and 751, in the Office of the Recorder, Auglaize County, Ohio
	COMMUNITY NO.: 390761	
AFFECTED MAP PANEL	NUMBER: 39011C0090C	
	DATE: 9/6/1989	
FLOODING SOURCE: KOOP CREEK		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.491, -84.396 SOURCE OF LAT & LONG: STREETS & TRIPS 2009 DATUM: WGS 84

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
--	--	--	09866 County Road 66A	Structure (Residence)	X (unshaded)	880.2 feet	893.0 feet	--

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA
ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075.

Kevin C. Long, Acting Chief
Engineering Management Branch
Mitigation Directorate



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

ZONE A (This Additional Consideration applies to the preceding 1 Property.)

The National Flood Insurance Program map affecting this property depicts a Special Flood Hazard Area that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075.

A handwritten signature in cursive script that reads "Kevin C. Long".

Kevin C. Long, Acting Chief
Engineering Management Branch
Mitigation Directorate

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Michael R. Doseck	For Insurance Company Use:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 09866 County Road 66A	Policy Number
City New Bremen State OH ZIP Code 45869	Company NAIC Number

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)
Tax Parcel Number K 3102701005

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential

A5. Latitude/Longitude: Lat. 40° 29' 34" N Long. 84° 23' 47" W

Horizontal Datum: ☒ NAD 1927 ☐ NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number 2

A8. For a building with a crawlspace or enclosure(s):

- a) Square footage of crawlspace or enclosure(s) 1584 sq ft
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 0
c) Total net area of flood openings in A8.b 0 sq in
d) Engineered flood openings? ☐ Yes ☒ No

A9. For a building with an attached garage:

- a) Square footage of attached garage 484 sq ft
b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 0
c) Total net area of flood openings in A9.b 0 sq in
d) Engineered flood openings? ☐ Yes ☒ No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number		B2. County Name Auglaize		B3. State Ohio	
B4. Map/Panel Number 39011 C 0090	B5. Suffix C	B6. FIRM Index Date 9-6-1989	B7. FIRM Panel Effective/Revised Date ----	B8. Flood Zone(s) A	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 885.90

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.

☐ FIS Profile ☐ FIRM ☒ Community Determined ☐ Other (Describe) See Attached County Engr Ltr.

B11. Indicate elevation datum used for BFE in Item B9: ☒ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe) _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No
Designation Date _____ ☐ CBRS ☐ OPA

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

- C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.
- C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, ARA, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.

Benchmark Utilized Vertical Datum 1929 DATUM S.K.
Conversion/Comments X See Attached County Engr Ltr.
7 SEE ATTACHED SHEET *

Check the measurement used.


- a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 890.35 ☒ feet ☐ meters (Puerto Rico only)
b) Top of the next higher floor 894.55 ☒ feet ☐ meters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (V Zones only) ☐ feet ☐ meters (Puerto Rico only)
d) Attached garage (top of slab) 893.41 ☒ feet ☐ meters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing the building 893.20 ☒ feet ☐ meters (Puerto Rico only)
(Describe type of equipment and location in Comments)
f) Lowest adjacent (finished) grade next to building (LAG) 893.00 ☒ feet ☐ meters (Puerto Rico only)
g) Highest adjacent (finished) grade next to building (HAG) 893.40 ☒ feet ☐ meters (Puerto Rico only)
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 893.40 ☒ feet ☐ meters (Puerto Rico only)

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. ☐

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? ☒ Yes ☐ No

Certifier's Name Steven H. Kremer	License Number 7487
Title Owner	Company Name Kremer Engineering & Surveying
Address 20 Rummel Creek Dr.	City New Bremen State OH ZIP Code 45869
Signature <u>Steven H. Kremer P.E.</u>	Date 11-10-2009 Telephone 419-629-2364




IMPORTANT: In these spaces, copy the corresponding information from Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 09866 County Road 66A	Policy Number
City New Bremen State OH ZIP Code 45869	Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments Section C2.e. Air Conditioning unit on back side of home. Home is located on the high ridge Koop Creek.

Signature  P. S.

Date 11-10-2009

☒ Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ ☐ feet ☐ meters ☐ above or ☐ below the LAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E3. Attached garage (top of slab) is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge.*

Property Owner's or Owner's Authorized Representative's Name _____

Address _____ City _____ State _____ ZIP Code _____

Signature _____ Date _____ Telephone _____

Comments _____

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

- G1. ☐ The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. ☐ The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Compliance/Occupancy Issued
-------------------	------------------------	---

G7. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building: _____ ☐ feet ☐ meters (PR) Datum _____

G9. BFE or (in Zone AO) depth of flooding at the building site: _____ ☐ feet ☐ meters (PR) Datum _____

G10. Community's design flood elevation _____ ☐ feet ☐ meters (PR) Datum _____

Local Official's Name _____ Title _____

Community Name _____ Telephone _____

Signature _____ Date _____

Comments _____

☐ Check here if attachments



AUGLAIZE COUNTY

Engineering Department

P.O. Box 59
1014 S. Blackhoof Street
Wapakoneta, Ohio 45895

TELEPHONE 419-739-6520
FAX 419-739-6521
Email: augcoeng@augcoeng.com



Douglas Reinhart
COUNTY ENGINEER

March 24, 2009

Steve Kramer

RE: 100-yr flood elevation at 09866 County Road 66A.

Dear Steve,

Based upon the drainage area and gradient of Koop Creek, bridge information on State Route 219, County Road 66A, and Southland Road, a previous flood certificate, and the information on the St. Marys River included in the *Flood Plain Management Study: St. Marys River – Auglaize and Mercer Counties*, the 100-yr flood elevation at this parcel is 885.90.

If you have any further questions, feel free to contact the office at 419-739-6520.

Doug Reinhart, P.E. P.S.
Auglaize County Engineer
Auglaize County Flood Plain Coordinator

<u>BENCHMARK</u>	<u>ELEVATION</u>	<u>DESCRIPTION</u>
BM SM-23	827.83	Chiseled square on southeast corner of southeast abutment of Barber-Werner Rd. bridge over the St. Marys River.
BM SM-26A	830.75	Top of northwest wingwall of Salem-Noble bridge over the St. Marys River.
BM USGS 828	827.93	Kossuth, 2.5 miles south of, along Kossuth-St. Marys Rd.; in sec. 12, T. 5 S., R. 4 E.; about 200 ft. south of T-rd. west (Salem-Noble Rd.); 15 ft. west of centerline of rd.; in northwest abutment of bridge over Sixmile Creek; standard tablet stamped "78 MAT 1959 828".
BM SM-29	832.54	Chiseled square on northwest wingwall of Shillinger Rd. bridge over the St. Marys River.
BM SM-30A	837.16	Metal tablet on northwest wingwall of Siebert Rd. bridge over the St. Marys River.
BM SM-32	844.73	Chiseled "X" in southeast wingwall of Glynwood Rd. steel bridge over the St. Marys River.
BM CITY-130	864.30	Chiseled square on top of curb at the east end of radius at the southeast corner of Walnut and Madison Street.
BM CITY-125	867.96	Chiseled square at Southeast corner of bottom step at 501 North Front St.
BM CITY-121	860.88	Chiseled square on flag pole base, west of walk to building that connects Memorial and McBroom Schools on South St.
BM CITY-122	862.43	Chiseled square on southwest corner of concrete slab porch to house on northeast corner of Greenville and Heusch St.
BM CITY-222	867.77	Chiseled "+" on northwest wingwall of aqueduct Rd. bridge over the St. Marys R., approx. 200 ft south of Greenville Rd.
BM K-2	866.26	Chiseled "X" on northeast abutment of bridge over Kopp Creek on State Route 66.
BM K-3A	867.79	Top of northwest wingwall of Kopp Rd. bridge over Kopp Creek.
BM K-6	882.29	Chiseled "X" on top of wooden abutment on northwest corner of Railroad bridge over Kopp Creek, approximately level with rails.
BM K-7	890.30	Chiseled "X" on southwest abutment of State Route 219 bridge over Kopp Creek, located 250 ft.

<u>BENCHMARK</u>	<u>ELEVATION</u>	<u>DESCRIPTION</u>
		east of County Road 66A and State Route 219 intersection.
BM CB-2	864.07	Chiseled "X" on northeast abutment of Plattner Rd. bridge over Center Branch.
BM CB-4A	872.64	Railroad spike in southeast wingwall of East Shelby Rd. bridge over Center Branch.
BM EB-1	864.82	Chiseled "X" on southeast abutment of State Route 29 bridge over East Branch.
BM EB-2	864.42	Chiseled "X" on northeast abutment of Barrington Road bridge over East Branch.
BM EB-3	867.43	Chiseled "X" on northeast abutment of Howell Road bridge over East Branch, located 900 ft. north of Howell Rd. and Washington Pike intersection.
BM EB-UE	870.75	Chiseled square on southeast corner of southeast abutment of Glynwood-New Knoxville Rd. bridge over East Branch.



Federal Emergency Management Agency

Washington, D.C. 20472

November 23, 2009

Mr. Michael R. Doseck
09866 County Road 66A
New Bremen, OH 45869

IN REPLY REFER TO:
CASE NO: 10-05-1105A
COMMUNITY: AUGLAIZE COUNTY, OHIO
(UNINCORPORATED AREAS)
COMMUNITY NO: 390761
216-AD

RE: 09866 COUNTY ROAD 66A

Dear Mr. Doseck:

This is in response to your request for a Letter of Map Amendment for the property referenced above.

The Federal Emergency Management Agency (FEMA) uses detailed application/certification forms for revision requests or amendments to the National Flood Insurance Program (NFIP) maps. The forms provide step-by-step instructions for requestors to follow, and are comprehensive, ensuring that the requestors' submissions are complete and more logically structured. Therefore, we can complete our review more quickly and at lower cost to the NFIP. While completing the forms may seem burdensome, the advantages to requestors outweigh any inconvenience.

The following forms or supporting data, which were omitted from your previous submittal, must be provided:

- Please complete the Property Information Form; the form must be signed and dated (copy enclosed).
- Please specify what datum was used for the Elevation Certificate. If the datum used is neither NGVD 1929 nor NAVD 1988, please provide conversion to one of the aforementioned datum. Please correct, initial and date any changes made (previously submitted copy enclosed).
- Please submit a copy of the property deed (with recordation data and stamp of the Recorder's office).

OR

Please submit a copy of the subdivision plat map (with recordation data and stamp of the Recorder's office).

Please note that if all of the required items are not submitted within 90 days of the date of this letter, any subsequent request will be treated as an original submittal and will be subject to all submittal procedures.

When you write to us concerning your request, please include the case number referenced above in your letter. All required items and questions concerning your request are to be directed to LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075.

If you have any questions concerning FEMA policy, or the NFIP in general, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075.

Sincerely,

A handwritten signature in cursive script that reads "Kevin C. Long".

Kevin C. Long, Acting Chief
Engineering Management Branch
Mitigation Directorate

U.S. DEPARTMENT OF HOMELAND SECURITY - FEDERAL EMERGENCY MANAGEMENT AGENCY
PROPERTY INFORMATION FORM

O.M.B. NO. 1660-0015
Expires December 31, 2010

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing, reviewing, and submitting the form. You are not required to respond to this collection of information unless a valid OMB control number appears in the upper right corner of this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, U.S. Department of Homeland Security, Federal Emergency Management Agency, 500 C Street, SW, Washington DC 20472, Paperwork Reduction Project (1660-0015). Submission of the form is required to obtain or retain benefits under the National Flood Insurance Program. **Please do not send your completed survey to the above address.**

This form may be completed by the property owner, property owner's agent, licensed land surveyor, or registered professional engineer to support a request for a Letter of Map Amendment (LOMA), Conditional Letter of Map Amendment (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional Letter of Map Revision Based on Fill (CLOMR-F) for existing or proposed, single or multiple lots/structures. In order to process your request, all information on this form must be completed in its entirety. Incomplete submissions may result in processing delays. Please check the item below that describes your request:

<input checked="" type="checkbox"/> LOMA	A letter from DHS-FEMA stating that an existing structure or parcel of land that has not been elevated by fill (natural grade) would not be inundated by the base flood.
<input type="checkbox"/> CLOMA	A letter from DHS-FEMA stating that a proposed structure that is not to be elevated by fill (natural grade) would not be inundated by the base flood if built as proposed.
<input type="checkbox"/> LOMR-F	A letter from DHS-FEMA stating that an existing structure or parcel of land that has been elevated by fill would not be inundated by the base flood.
<input type="checkbox"/> CLOMR-F	A letter from DHS-FEMA stating that a parcel of land or proposed structure that will be elevated by fill would not be inundated by the base flood if fill is placed on the parcel as proposed or the structure is built as proposed.

Fill is defined as material from any source (including the subject property) placed that raises the ground to or above the Base Flood Elevation (BFE). The common construction practice of removing unsuitable existing material (topsoil) and backfilling with select structural material is not considered the placement of fill if the practice does not alter the existing (natural grade) elevation, which is at or above the BFE. **Fill that is placed before the date of the first National Flood Insurance Program (NFIP) map showing the area in a Special Flood Hazard Area (SFHA) is considered natural grade.**

Has fill been placed on your property to raise ground that was previously below the BFE?

☐ Yes ☒ No

If yes, when was fill placed?

/
month/year

Will fill be placed on your property to raise ground that is below the BFE?

☐ Yes ☒ No

If yes, when will fill be placed?

/
month/year

1. Street Address of the Property (if request is for multiple structures, please attach additional sheet):

09866 COUNTY ROAD 66A, NEWBREMEN, OH 45869

2. Legal description of Property (Lot, Block, Subdivision)(complete description as it appears in the Deed is not necessary):

PT NE NE EOF RD & PT W 1/2 NW - TAX ID # K3102701005

3. Are you requesting that the SFHA designation be removed from (check one):

SECTION 27 ST. MARYS TOWNSHIP
AUGLAIZE COUNTY, OHIO, T6S, R4E

- ☐ the entire legally recorded property?
- ☐ a portion of land within the bounds of the property? (A certified metes and bounds description and map of the area to be removed, certified by a licensed land surveyor or registered professional engineer, are **required**. For the preferred format of metes and bounds descriptions, please refer to the MT-1 Form 1 Instructions.)
- ☒ structures on the property? What are the dates of construction?

4. Is this request for a (check one):

- ☒ single structure
- ☐ single lot
- ☐ multiple structures (How many structures are involved in your request? List the number:)
- ☐ multiple lots (How many lots are involved in your request? List the number:)

In addition to this form (MT-1 Form 1), ALL requests must include the following:

- Copy of the effective FIRM panel and/or Flood Boundary and Floodway Map (FBFM) (if applicable) on which the property location has been accurately plotted (property inadvertently located in the NFIP regulatory floodway will require Section B of MT-1 Form 3)
- Copy of the Plat Map for the property (with recordation data and stamp of the Recorder's Office)
OR
- Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other certified map showing the surveyed location of the property relative to local streets and watercourses
- Form 2 - Elevation Form. If the request is to remove the structure, and an Elevation Certificate has already been completed for this property, it may be submitted in lieu of Form 2. If the request is to remove the entire legally recorded property, or a portion thereof, the lowest lot elevation must be provided on Form 2.

Please include a map scale and North arrow on all maps submitted.

For LOMR-Fs and CLOMR-Fs, the following must be submitted in addition to the items listed above:

- Form 3 - Community Acknowledgment Form

Processing Fee (see instructions for appropriate mailing address; or, visit http://www.fema.gov/fhm/frm_fees.shtm for the most current fee schedule)

Revised fee schedules are published periodically, but no more than once annually, as noted in the Federal Register. Please note: single/multiple lot(s)/structure(s) LOMAs are fee exempt. The current review and processing fees are listed below:

Check the fee that applies to your request:

- ☐ \$325 (single lot/structure LOMR-F following a CLOMR-F)
- ☐ \$425 (single lot/structure LOMR-F)
- ☐ \$500 (single lot/structure CLOMA or CLOMR-F)
- ☐ \$700 (multiple lot/structure LOMR-F following a CLOMR-F, or multiple lot/structure CLOMA)
- ☐ \$800 (multiple lot/structure LOMR-F or CLOMR-F)

Please submit the Payment Information Form for remittance of applicable fees. Please make your check or money order payable to: National Flood Insurance Program.

All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: MICHAEL R. DOSECK
Please Print or Type

Company: HOME OWNER


Mailing Address: 89866 N CR-66A
NEW BREMEN, OHIO 45869

Daytime Telephone No.: 419-394-4215

E-Mail Address:
(optional)

Fax No.:

Date 12-1-09


Signature of Applicant (required)

If you have any questions concerning DHS-FEMA policy, or the NFIP in general, please contact the FEMA Map Assistance Center toll free at 1-877-FEMA MAP (1-877-336-2627), or visit the Flood Hazard Mapping website at <http://www.fema.gov/fhm/>.