



# Federal Emergency Management Agency

Washington, D.C. 20472

AUG 25 1997

DEPT MIGHT NEED 0-21-71  
CALLED 9-15-97 TALKED WITH ANNE GLICK  
SHE SAID ITS IN REVIEW NOW AND WE  
SHOULD GET SOMETHING  
IN 4 OR 5 DAYS.

Mr. Douglas Reinhart, P.E.  
Auglaize County  
1014 South Blackhoof Street  
Wapakoneta, Ohio 45895

IN REPLY REFER TO:  
Case No.: 97-05-4810A  
Community: Auglaize County, Ohio  
(Unincorporated Areas)  
Community No.: 390761

216-ACK

RE: Lot 142, Block F, Southmoor Shores

Dear Mr. Reinhart:

This is in response to your request dated August 7, 1997, for a Letter of Map Amendment for the property referenced above.

The Federal Emergency Management Agency (FEMA) uses detailed application/certification forms for revision requests or amendments to the National Flood Insurance Program (NFIP) maps. The forms provide step-by-step instructions for requestors to follow, and are comprehensive, ensuring that the requestors' submissions are complete and more logically structured. Therefore, we can complete our review more quickly and at lower cost to the requestor. While completing the forms may seem burdensome, the advantages to requestors outweigh any inconvenience.

Using the previously referenced forms as a basis, we have completed an inventory of the information that you have submitted. The items identified below are required before we can begin a detailed review of the request.

1. The following forms or supporting data, which were omitted from your previous submittal, must be provided:
  - a. Copy of the deed (with recordation data and stamp of the County Recorder's office).

Please note that if all of the required items are not submitted within 90 days of the date of this letter, any subsequent request will be treated as an original submittal and will be subject to all submittal/payment procedures, including the processing fee.

All required items and questions concerning your request are to be directed to our technical evaluation contractor at the following address:


Dewberry & Davis  
8401 Arlington Boulevard  
Fairfax, Virginia 22031

ATTENTION: Anne J. Glick  
Management Engineering and  
Technical Services Division  
(703) 849-0395

When you write to us about your request, please include the case number referenced above in your letter.

If you have any questions concerning FEMA policy, or the NFIP in general, please contact Helen Cohn of our Headquarters staff in Washington, D.C., at (202) 646-3457, or by facsimile at (202) 646-4596.

Sincerely,

A handwritten signature in dark ink, appearing to read "Fred H. Sharrocks Jr.", written in a cursive style.

Frederick H. Sharrocks Jr., Chief  
Hazard Identification Branch  
Mitigation Directorate

SENT 8-7-71 O.M.B. No 3067-0077 Expires May 31, 1993

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME <b>VIVIAN L. HARMON</b>	POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER <b>142 LAGO VIEW</b>	COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and Block Numbers, etc.) <b>LOT 142 SOUTH MOOR SHORES SUBDIVISION</b>		
CITY <b>ST. MARYS</b>	STATE <b>OHIO</b>	ZIP CODE <b>45885</b>

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
<b>390761</b>	<b>0090</b>	<b>C</b>	<b>9-6-89</b>	<b>AE</b>	<b>873.0</b>

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ☒ NGVD '29 ☐ Other (describe on back)
- ☒ For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: 873.0 feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 874.6 feet NGVD (or other FIRM datum—see Section B, Item 7).
- ☒ FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of        feet NGVD (or other FIRM datum—see Section B, Item 7).
- ☒ FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is        feet above ☐ or below ☐ (check one) the highest grade adjacent to the building.
- ☒ FIRM Zone AO. The floor used as the reference level from the selected diagram is 875 feet above ☒ or below ☐ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ☒ Yes ☐ No ☐ Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: ☒ NGVD '29 ☐ Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: ☐ Yes ☒ No (See Instructions on Page 4)
5. The reference level elevation is based on: ☒ actual construction ☐ construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: 873.3 feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION

- ☒ If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:        feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement

# SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.  
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

LICENSE NUMBER (or Affix Seal)

TITLE

COMPANY NAME

ADDRESS

CITY

STATE

ZIP

SIGNATURE

DATE




PHONE

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:



Approved: *[Signature]*  
Cuyahoga County Flood Plain Coord.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.  
Elevations for all A Zones should be measured at the top of the reference level floor.  
Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.



# Federal Emergency Management Agency

Washington, D.C. 20472

## REQUEST FOR LETTER OF MAP AMENDMENT

This is to request that a determination be made as to whether or not a certain land area or structure is within a Special Flood Hazard Area.

I hereby certify that, to the best of my knowledge, fill has not been placed to elevate this land or structure since the date it was first identified as being in a Special Flood Hazard Area.


All documents submitted in support of this appeal are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: Douglas Reinhart, P.E., P.S., Auglaize County Engineer  
(please print or type)

Address: 1014 South Blackhoof Street  
Wapakoneta, Ohio 45895  
(please print or type)

Daytime Telephone Number: (419)738-3219 or (419)738-2713

August 7, 1997  
Date

  
Signature of Applicant