



Federal Emergency Management Agency

Washington, D.C. 20472

REQUEST FOR LETTER OF MAP AMENDMENT

This is to request that a determination be made as to whether or not a certain land area or structure is within a Special Flood Hazard Area.

I hereby certify that, to the best of my knowledge, fill has not been placed to elevate this land or structure since the date it was first identified as being in a Special Flood Hazard Area.


All documents submitted in support of this appeal are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.


Applicant's Name: Douglas Reinhart, P.E., P.S., Auglaize County Engineer
(please print or type)

Address: 1014 South Blackhoof Street
Wapakoneta, Ohio 45895
(please print or type)

Daytime Telephone Number: (419)738-3219 or (419)738-2713

1/13/03
Date


Signature of Applicant



Auglaize County Sanitary Engineer

P. O. BOX 59
1014 SOUTH BLACKHOOF STREET
WAPAKONETA, OHIO 45895

TELEPHONE: (419) 738-8945
FAX: (419) 738-5426

DOUGLAS REINHART, P.E./P.S.
SANITARY ENGINEER



February 5th, 2002

John Jauert
Jauert Surveying
11584 Monroe Road
Wapakoneta, Ohio 45895

RE: 100-year flood elevation on Henschen Road at bridge No. STM-96A-05.39.

Dear John,

Based upon the drainage area, grade of the existing stream, O.D.O.T. information and past high-water flood elevations, the 100-year flood elevation for this location is 891.50.

The existing U.S.G.S. benchmark is a metal tablet located on top of the Northeast wing wall of Bridge No. STM-96A-05.39. The elevation of the benchmark is 891.10.

Doug Reinhart, P.S., P.E.
Auglaize County Sanitary Engineer
Auglaize County Flood Plain Coordinator

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

BUILDING OWNER'S NAME

JACK R. WOGG

BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.

05300 HENSCHEN ROAD

CITY

NEW KNOXVILLE

STATE

OHIO

ZIP CODE

45871

PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)

N.W. 1/4, SECTION 25, T-6-S, R-4-E, ST. MARYS TWP. AUGLAIZE COUNTY, OHIO

BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)

RESIDENTIAL

LATITUDE/LONGITUDE (OPTIONAL)

(##° - ##' - ##.###" or ##.####°)

HORIZONTAL DATUM:

☒ NAD 1927 ☐ NAD 1983

SOURCE: ☐ GPS (Type):

☒ USGS Quad Map ☐ Other:

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER

UNINCORPORATED AREA 390761

B2. COUNTY NAME

AUGLAIZE COUNTY

B3. STATE

OHIO

B4. MAP AND PANEL
NUMBER

39011C0090

B5. SUFFIX

C

B6. FIRM INDEX
DATE

9/6/1989

B7. FIRM PANEL
EFFECTIVE/REVISED DATE

B8. FLOOD
ZONE(S)

X

B9. BASE FLOOD ELEVATION(S)
(Zone AO, use depth of flooding)

891.50

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.

☐ FIS Profile ☐ FIRM ☒ Community Determined ☐ Other (Describe):

B11. Indicate the elevation datum used for the BFE in B9: ☒ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe):

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO
Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.

Datum _____ Conversion/Comments

Elevation reference mark used _____ Does the elevation reference mark used appear on the FIRM? ☐ Yes ☒ No

☐ a) Top of bottom floor (including basement or enclosure) 898.7 ft.(m)

☐ b) Top of next higher floor 906.7 ft.(m)

☐ c) Bottom of lowest horizontal structural member (V zones only) _____ ft.(m)

☐ d) Attached garage (top of slab) _____ ft.(m)

☐ e) Lowest elevation of machinery and/or equipment servicing the building _____ ft.(m)


☐ f) Lowest adjacent grade (LAG) _____ ft.(m)

☐ g) Highest adjacent grade (HAG) 905.1 ft.(m)

☐ h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade

☐ i) Total area of all permanent openings (flood vents) in C3h _____ sq. in. (sq. cm)

License Number, Embossed Seal,
Signature, and Date



SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.

I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

JOHN W. JAUAERT

LICENSE NUMBER

OHIO PROFESSIONAL SURVEYOR NO. 6920

TITLE

PROFESSIONAL SURVEYOR

COMPANY NAME

ADDRESS

11584 MONROE ROAD

CITY

WADSWORTH

STATE

OHIO

ZIP CODE

45895-7614

SIGNATURE

[Signature]

DATE

12-27-02

TELEPHONE

(419) 657-6999

IMPORTANT: In these spaces, copy the corresponding information from Section A. BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. <u>05300 HENSCHEN ROAD</u>			For Insurance Company Use: Policy Number Company NAIC Number
CITY <u>NEW KNOXVILLE</u>	STATE <u>OHIO</u>	ZIP CODE <u>45871</u>	

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

REMARKS
THE B.F.E. FOR THIS AREA AS DETERMINED BY THE AUGLAIZE COUNTY
ENGINEER/FLOODPLAIN COORDINATOR IS 891.5 THE ELEVATION OF THE
FLOOR OF THE HOUSE IS 906.7, 15.2 FEET ABOVE THE B.F.E.

☒ Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) ☐ above or ☐ below (check one) the highest adjacent grade.

For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is ft.(m) in.(cm) above the highest adjacent grade.

For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

JOHN W. JAUERT
 PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME
1584 MONROE ROAD
 ADDRESS
Wapakoneta CITY OHIO STATE 45895-7614 ZIP CODE
 SIGNATURE [Signature] DATE 12-27-02 TELEPHONE (419) 657-6999
 COMMENTS HOUSE AND ALL OUT BUILDINGS ARE LOCATED IN ZONE X.

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

A local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- ☐ The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- ☐ The following information (Items G4-G9) is provided for community floodplain management purposes.

4. PERMIT NUMBER	5. DATE PERMIT ISSUED	6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED
------------------	-----------------------	--

This permit has been issued for: ☐ New Construction ☐ Substantial Improvement

Elevation of as-built lowest floor (including basement) of the building is: ft.(m) Datum:

BFE or (in Zone AO) depth of flooding at the building site is: ft.(m) Datum:

LOCAL OFFICIAL'S NAME	TITLE
COMMUNITY NAME	TELEPHONE
SIGNATURE	DATE
COMMENTS	

☐ Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY
PROPERTY INFORMATION

O.M.B. Burden No. 3067-0147
Expires May 31, 2001

PUBLIC BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472; and to the Office of Management and Budget, Paperwork Reduction Project (3067-0148), Washington, DC 20503.

You are not required to respond to this collection of information unless a valid OMB Control Number is displayed in the upper right corner of this form.

This form may be completed by the property owner, registered land surveyor, or registered professional engineer

1. Community Name of NFIP map panel on which the property is located:

UNINCORPORATED AREA 390761 County: AUGLAIZE State: OHIO

Panel or Map Number: 39011C0090

Effective Date: 9/6/1989

2. Street Address of Property: 05300 WENSLEN ROAD

3. Description of Property Lot and Block (if a street address cannot be provided):

1.67 ACRE LOCATED IN THE NORTHWEST 1/4 OF
SECTION 25, T-6-S, R-4-E, ST. MARYS TOWNSHIP,
AUGLAIZE COUNTY, OHIO

4. Are you requesting that the SFHA designation be removed from (a) all of the land within the bounds of the property, (b) a portion of land within the bounds of the property (a certified metes and bounds description of the area to be removed is required), or (c) the structure(s) on the property? (Answer "a," "b," or "c") C

5. Is this request for (a) a single structure, (b) a single lot, (c) multiple structures, (d) multiple lots? (Answer "a," "b," "c" or "d") A

6. What is the type of construction? (a) crawl space; (b) slab on grade; (c) basement; (d) other (explain). (Answer "a," "b," "c," or "d") C

7. Is this request prior to the transfer of ownership of the property in question from a developer to an individual property owner?
☐ Yes ☒ No

8. Is this request for (a) existing conditions, or (b) proposed project? (Answer "a" or "b") A

9. Has fill been placed on the property to elevate the ground elevation of the property, to elevate a structure(s), or to elevate the ground elevations around a structure? NO If yes, when? _____

10. For proposed projects, will fill be placed to elevate this land or structure? _____

11. If known, list the case number and/or the street address of previous requests that have been submitted to FEMA for this property or adjacent properties? _____

12. One of the following documents is required of all cases:

I have enclosed the following documents in support of this request:

☐ a. Copy of the Subdivision Plat Map (with recordation data and stamp of the Recorder's Office)
OR

☒ b. Copy of the property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other suitable map showing the surveyed location of the property with respect to local streets and watercourses.

(For these maps a map scale must be provided and they should not be reduced or enlarged.)

PLEASE REFER TO THE INSTRUCTIONS FOR THE APPROPRIATE MAILING ADDRESS

The following documents should be enclosed as applicable:

- ☒ c. Copy of the effective FIRM panel on which the property location has been accurately plotted (*if the request is for more than one lot/structure, this location must be certified by a licensed land surveyor or registered professional engineer*)
- ☒ d. A map showing the location of any structures existing on or proposed for the property (*certified by a licensed land surveyor or registered professional engineer*)
- ☒ e. Metes and bounds description and accompanying map of the portion of the property to be removed from the SFHA (*certified by a licensed land surveyor or registered professional engineer*) (only if the request is for a portion of land within the bounds of the property, not the entire lot or the structure(s) only)
- ☐ f. Form 2 Elevation Information form or A FEMA NFIP Elevation Certificate may be submitted in lieu of the Elevation Information form (for structures/property located in Zone AO see instructions for further guidance.)
- ☐ g. Form 4 Community Acknowledgment form (*only if fill has been or will be placed*)
- ☐ h. Form 3 Certification of Fill Compaction form (*only if fill has been or will be placed and the request is not for an existing single residential structure*)
- ☐ i. Additional information: _____
please specify

13. PAYMENT ENCLOSED

- ☐ Processing fee (see instructions for processing fees and exemptions).

(Type of request)

\$ _____
(amount enclosed)

Check or money order only. Make check or money order payable to: **National Flood Insurance Program**. If paying by Visa or Mastercard, please complete and submit the Credit Card Information Form (Form 1A), which follows this form.

14. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name: JOHN W. JOVERT Company: JOVERT SURVEYING
(please print or type)

Mailing Address: 11584 MONROE ROAD, WAPAKONETA
(please print or type) OHIO 45895-7614

Daytime Telephone Number: (419) 657-6999

Fax Number: (419) 657-2745

12-27-02





Date

[Signature]
Signature of Applicant (required)

BUILDING DIAGRAMS

The following eight diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item C2 and the elevations in Items C3a-C3g.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).



* A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.

DIAGRAM 5

All buildings elevated on piers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is open, with no obstruction to flow of flood waters (open lattice work and/or readily removable insect screening is permissible).




DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about openings in Section C, Building Elevation Information (Survey Required).




DIAGRAM 7

All buildings elevated on full-story foundation walls with a partially or fully enclosed area below the elevated floor. This includes walkout levels, where at least one side is at or above grade. The principal use of this building is located in the elevated floors of the building.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about openings in Section C, Building Elevation Information (Survey Required).





DIAGRAM 8

All buildings elevated on a crawl space with the floor of the crawl space at or above grade on at least one side.

Distinguishing Feature – For all zones, the area below the first floor is enclosed by solid or partial perimeter walls. In all A zones, the crawl space is with or without openings** present in the walls of the crawl space. Indicate information about the openings in Section C, Building Elevation Information (Survey Required).



** An "opening" (flood vent) is defined as a permanent opening in a wall that allows for the free passage of water automatically in both directions without human intervention. Under the NFIP, a minimum of two openings is required for enclosures or crawl spaces with a total net area of not less than one square inch for every square foot of area enclosed. Each opening must be on different sides of the enclosed area. If a building has more than one enclosed area, each area must have openings on exterior walls to allow floodwater to directly enter. The bottom of the openings must be no higher than one foot above the grade underneath the flood vents. Alternatively, you may submit a certification by a registered professional engineer or architect that the design will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening.