

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMU	NITY AND MAP PANEL INFORMATION	LEGAL PROPERTY DESCRIPTION				
COMMUNITY	Auglaize County, Ohio (Unincorporated Areas)	Units 1 through 7, 9 through 12, MB and CH, Dockside Condominiums lying on a portion of Section 19, Township 6 South, Range 4 East, as described in Corporation Deed, Document No. 07997, recorded in Volume 336, Pages 757				
	COMMUNITY NO.: 390761	and 758, filed on August 26, 1998; and a portion of Section 19, Township 6 South, Range 4 East, as described in Warranty Deed, Document No. 07998, recorded in Volume 336, Pages 0759 and 0760, filed on August 26, 1998; and a portion of Section 19, Township 6 South, Range 4 East, as described in				
AFFECTED MAP PANEL	NUMBER: 39011C0090C					
	NAME: Auglaize County, Ohio and Incorporated Areas	the Warranty Deed, filed for record in Volume 232, Pages 0581 and 0582, and a portion of Section 19, Township 6 South, Range 4 East, as described the General Warranty Deed, recorded in Volume 160, Pages 0892 and 0893				
	DATE: 09/06/1989					
FLOODING SO	URCE: GRAND LAKE ST. MARYS / BARNES CREEK	APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.487, -84.434 SOURCE OF LAT & LONG: MAPBLAST! DATUM: NAD 83				

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
_		Dockside Condominiums	_	Units 1-3	X (unshaded)	873.0 feet	873.4 feet	

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

LEGAL PROPERTY DESCRIPTION (CONTINUED)

DETERMINATION TABLE (CONTINUED)

PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

Matthew B. Miller, P.E., Chief

Matthew B. Miller, P.E., Chief Hazards Study Branch

Federal Insurance and Mitigation Administration

Version 1.3.3

381603016879



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LEGAL PROPERTY DESCRIPTION (CONTINUED)

filed on October 2, 1992; all documents filed by the County Recorder, Auglaize County, Ohio

DETERMINATION TABLE (CONTINUED)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
		Dockside Condominiums	_	Units 4-6	X (unshaded)	873.0 feet	873.6 feet	_
	_	Dockside Condominiums	_	Units 9-11	X (unshaded)	873.0 feet	873.6 feet	_
_		Dockside Condominiums	_	Unit 12	X (unshaded)	873.0 feet	873.5 feet	
_		Dockside Condominiums	_	Units 7,MB,CH	X (unshaded)	873.0 feet	873.4 feet	

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 5 Properties.)

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 12101 Indian Creek Court, Beltsville, MD 20705.

Matthew B. Miller, P.E., Chief Hazards Study Branch

Federal Insurance and Mitigation Administration

Version 1.3.3

381603016879