

#### Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION			
COMMUNITY	AUGLAIZE COUNTY, OHIO (Unincorporated Areas)	Lot 92, Southmoor Shores Subdivision, as described in the General Warranty Deed recorded as Document No. 14976, in Volume 3, Pages 98 and 99, in the Office of the Recorder, Auglaize County, Ohio			
	COMMUNITY NO.: 390761				
AFFECTED MAP PANEL	NUMBER: 39011C0090C				
	NAME: AUGLAIZE COUNTY, OHIO AND INCORPORATED AREAS				
	DATE: 9/6/1989				
FLOODING SOURCE: GRAND LAKEST MARYS		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.515, -84.431 SOURCE OF LAT & LONG: PRECISION MAPPING STREETS 4.0 DATUM: NAD 83			

#### **DETERMINATION**

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
92	_	Southmoor Shores	92 Southmoor Shores Drive	Structure	X (unshaded)	873.0 feet	873.4 feet	

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA

SUPERSEDES PREVIOUS DETERMINATION

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(les) Is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

Doug Bellomo, P.E., Chief

Hazard Identification Section, Mitigation Division

Version 1.3.3

1069799.1LOMA-SL052160241



### Federal Emergency Management Agency

Washington, D.C. 20472

# LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

**ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)** 

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA	(This Additional Consideration applies to the preceding 1
Property.)	

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

### SUPERSEDES OUR PREVIOUS DETERMINATION (This additional consideration applies to all properties in the LOMA DETERMINATION DOCUMENT (REMOVAL))

This Determination Document supersedes our previous determination dated 3/26/1992, for the subject property.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Elsenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

Doug Bellomo, P.E., Chief

Hazard Identification Section, Mitigation Division