




Basis of bearing on north line of Section 6
& Clover Four Rd. is from County GPS Records.

NE Corner, NE 1/4, Sec 6
P.K. nail fd. 0.44' North of
I.P. in Mon. Box. It was fd. at
the intersection of Western stones on
north line Sec 6 & East line Sec. 6.



*Note: D. Homan 50 Ac. on deed before exceptions calc.
to 50.504 Ac. using 825.00'. Wiedeman deed
calls for 825.00' (12.5 ch)
Logic is: 2640' (1 1/2 mile)
x 825' (12.5 ch)
2,178,000 ft² = 50.00 Ac.
Therefore, I used 825.00' for Property Line.
Both Grantor & owners to North & East have more land than
described in deeds.

Brown Survey

Tract 1A being part of the NE 1/4.
Tract 1B being part of the SE 1/4.

All being in Section 6, T 7 S, R 4 E
German Twp., Auglaize County, Ohio

Tract 1A ~ 14.334 Ac.
Tract 1B ~ 10.716 Ac.
25.050 Ac. Total

Scale: 1" = 400'
0 200 400 800


Legend

- o Iron pin w/ cap set
- Existing Wood Corner post
- **** Existing fence

Dimensions in () is record deed call.

Survey Completed Sept. 11, 2007

By Steven H. Kremer
New Bremen, Ohio
Registered Surveyor No 7487



GER-6-1 REI NOTE ADDED

Legal Description for Deed
Brown Survey
Alvin T. and Ruth P. Brown, Grantors.

Real Estate situated in German Township, Auglaize County, State of Ohio and bounded and described as follows:

25.050 Acre Tract. (Tract 1A and Tract 1B described together)

Tract being part of the northeast quarter and part of the southeast quarter of Section 6, Town 7 South, Range 4 East, commencing at a monument box over a stone at the North quarter post of said Section 6; thence South 01° 12' 34" West 825.00 feet along the west line of the northeast quarter of said Section 6 and approximate centerline of a gravel drive, to a point; thence South 88° 59' 19" East 649.04 feet, passing through an iron pin at 10.96 feet and along the south line of Gary and Emily Wiedeman's 9.89 acre tract as described in Deed Volume 232, Page 693 in the Auglaize County Recorder Office, to an iron pin for the true point of beginning;

thence continuing South 88° 59' 19" East 362.51 feet along the south line of David H. and Margaret A. Homan's 50 acre tract (before exceptions) as described in Official Record 279, Page 693 in the Auglaize County Recorder Office, to an iron pin;

thence South 01° 12' 34" West 1722.28 feet to an iron pin;

thence South 89° 00' 58" East 327.39 feet to an iron pin;

thence South 00° 45' 24" West 675.50 feet to an iron pin;

thence North 89° 00' 58" West 691.08 feet to an iron pin;

thence North 00° 43' 48" East 496.98 feet to an iron pin;

thence North 01° 12' 34" East 1900.97 feet to the point of beginning containing 25.050 acres of land more or less of which 14.334 acres are within the northeast quarter of said Section 6 and 10.716 acres are within the southwest quarter of said Section 6 more or less.

Said tract shall be subject to highways and to any other easement or restriction of record.

Basis of bearing on the north line of Section 6 and centerline of Clover Four Road is from County Global Positioning Records.

Previous Deed Reference: Official Record 98, Page 746

Description from survey completed on September 11, 2007 by Steven H. Kremer, Registered Surveyor No. 7487.


Steven H. Kremer, P.S.
New Bremen, Ohio
Cell: 937-638-8237



GER-06-1A

Legal Description for Deed
Brown Survey
David H. and Margaret A. Homan, (Possibly Wiedeman) Grantors.

Real Estate situated in German Township, Auglaize County, State of Ohio and bounded and described as follows:

Driveway Tract.

Tract being part of the northeast quarter of Section 6, Town 7 South, Range 4 East, commencing at a monument box over a stone at the North quarter post of said Section 6 for the true point of beginning;

thence South 88° 59' 19" East 10.96 feet along the north line of the northeast quarter of said Section 6 and centerline of Clover Four Road to a point;

thence South 01° 12' 34" West 825.00 feet along the west line of Gary and Emily Wiedeman's 9.89 acre tract as described in Deed Volume 232, Page 693 in the Auglaize County Recorder Office, to an iron pin;

thence North 88° 59' 19" West 10.96 feet to a point;

thence North 01° 12' 34" East 825.00 feet along the west line of the northeast quarter of said Section 6 and approximate centerline of a gravel drive to the point of beginning containing 0.208 acre of land more or less of which 0.008 acre has been dedicated for highway purposes.

Said tract shall be subject to highways and to any other easement or restriction of record.

Basis of bearing on the north line of Section 6 and centerline of Clover Four Road is from County Global Positioning Records.

Previous Deed Reference: Official Record 279, Page 335

Description from survey completed on September 11, 2007 by Steven H. Kremer, Registered Surveyor No. 7487.



Steven H. Kremer, P.S.
New Bremen, Ohio
Cell: 937-638-8237



GER-06-1B

Basis of bearing on north line of Section 6
 & Clover Four Rd. is from County GPS Records.

West Line, Sec 6 &
 St. Johns Rd.

N 01° 23' 25" E ~ 2547.42'

NW Corner
 Sec 6
 Stone fd in Mon. box


North Line, Sec 6
 & Clover Four Rd.

S 89° 01' 05" E ~ 3027.34'

North 1/4 Post
 Sec. 6
 fd. Stone in Mon. box

S 88° 59' 19" E ~ 2664.44'

NE Corner, NE 1/4, Sec 6
 P.K. nail fd. 0.44' North of
 I.P. in Mon. Box. It was fd. at
 the intersection of Western stones on
 north line Sec 6 & East line Sec. 6.



Tract 2
 0.208 Ac Total
 0.008 Ac Rd R/W
 0.200 Ac Net

Wd. Corner Post
 14.8' East of W. Line,
 NE 1/4 & 830.8' South
 of N. Line, NE 1/4

D. Homan
 OR 279, Pg. 335
 37.82 Ac.
 *See Note

*Note: D. Homan 50 Ac on deed before exceptions calc.
 to 50.504 Ac, using 825.00'. Wiedeman deed
 calls for 825.00' (12.5 ch)
 Logic is: 2640' (1 1/2 mile)
 x 825' (12.5 ch)
 2,178,000 ft² = 50.00 Ac.

Therefore, I used 825.00' for Property Line.
 Both Grantor & owners to North & East have more land than
 described in deeds.

Brown Survey

Tract 1A being part of the NE 1/4.
 Tract 1B being part of the SE 1/4.

All being in Section 6, T 7 S, R 4 E
 German Twp., Auglaize County, Ohio

Tract 1A ~ 14.334 Ac.
 Tract 1B ~ 10.716 Ac
 25.050 Ac. Total

Scale: 1" = 400'
 0 200 400 800

Legend

- o Iron pin w/ Cap set
- Existing Wood Corner post
- **** Existing fence

Dimensions in () is record deed call.

N 01° 23' 25" E ~ 2652.17'

West 1/4 Post
 Sec 6
 I. pin w/ Cap fd.
 Surveyor #6792

Deed call on Vol 98,
 Pg. 746 is to fence.
 Possible ownership to
 N-S 1/8 Line,
 Grantor is advised to
 seek legal council.

Also, the above deed describes
 the north line of the 31.25 Ac
 tract as 2906.64' (44 ch & 4 links)
 Measured 2896.31'

Greive
 OR 118, Pg. 659
 64.539 Ac.

SW Corner
 Sec 6
 P.K. nail fd.

1585.17'

N 88° 48' 54" W ~ 3170.35'

N-S 1/8 Line
 S 01° 03' 34" W ~ 2657.50'

N 01° 03' 34" E
 415.80'
 (415.80')

N 89° 00' 36" W
 839.71'
 (873.18')

N 03° 37' 59" E
 226.60'
 (270.60')

Wd. cor. post
 fd. north side
 of I. pin set.

center of old bridge
 is approx 7' South
 & 6.5' East of
 Property line Corner.
 (Bridge is 18' Span)

D. & M. Homan
 30.517 Ac.

South 1/4 Post
 Sec 6.
 I. pin in Mon. box fd.

** See Note
 orange farm Post
 fd. 8.5' South & 30' East
 of I. pin set.

N 89° 00' 58" W
 720.02'
 (699.60')

N 89° 00' 36" W
 659.05'
 (648.78')

N 00° 43' 48" E
 496.98'
 (472.56')

**Note: A. & R. Brown,
 OR 98, Pg. 746 describes 31.25 Ac.
 in the S 1/2 of Sec 6. This
 description does not close by
 24.4' N to S. Property Lines as
 shown reflect Property Lines
 as occupied & adjusted to
 maintain 31.25 Ac.

Hevlin
 OR 461, Pg. 1806
 96.58 Ac.

S. Line, SE 1/4, Sec 6 &
 Lock Two Rd.

Alvin & Ruth
 Brown
 OR 98, Pg. 746
 96.57 Ac.

Tract 1A
 14.334 Ac.

Tract 1B
 10.716 Ac.

L. & D. Brown
 OR 98, Pg. 744
 62.08 Ac.

Wd. Corner post 5.7' N
 & 1.0' W

S 89° 00' 58" E ~ 1338.94'

N 89° 00' 58" W
 720.02'
 (699.60')

N 89° 00' 36" W
 659.05'
 (648.78')

N 00° 43' 48" E
 496.98'
 (472.56')

N 89° 00' 58" W
 691.08'
 (685.08')

Ruth Krieg, ETAL
 OR 150 Pg. 710
 40 Ac.

L. Kreig, ETAL
 36.78 Ac.


N 00° 47' 00" E ~ 2678.00'

SE Corner
 Sec 6
 P.K. nail fd.

1337.75'

1337.75'

N 88° 41' 35" W ~ 2675.50'



GER-6-1

Survey Completed Sept. 11, 2007

By Steven H. Kremer
 New Bremen, Ohio
 Registered Surveyor No. 7487