PLAT OF SURVEY RR SPIKE FOUND NE CORNER STREET DEDICATION MASONRY NAIL N.E. QUARTER MASONRY NAIL SET CARDINAL STREET, PHASE 2 FOUND (STATE ROUTE No.274) 5 89° 44' 10" W. 660.28' VILLAGE OF NEW BREMEN E. MONROE STREET 60.01 30' NORTH PART OF THE N.E. QUARTER, SECTION 14, T75, R4E SOUTH & EAST OF THE FIRST PRINCIPAL MERIDIAN RIGHT-OF-MAY = 60' 5/8" IRON PIN CORPORATION LINE GERMAN TOWNSHIP AUGLAIZE COUNTY STATE OF OHIO FOUND `30.00' VILLAGE OF NEW BREMEN IRON PIN SET (26 / Y CROWN EQUIPMENT CORPORATION 40 S. WASHINGTON STREET NEW BREMEN, OHIO 45869 NORTH FREYTAG AND ASSOCIATES, INC. ARCHITECTS / ENGINEERS 226 NORTH MIAMI AVENUE SIDNEY, OHIO 45365 50 100 NOVEMBER 1998 CROWN -----EQUIPMENT SCALE IN FEET CORPORATION O.R. 167, PG. 581 DEDICATION 5.000 AC. ME, THE UNDERSIGNED, BEING THE PRESIDENT AND SECRETARY OF CROWN EQUIPMENT CORPORATION, OWNER OF THE HEREON PLATTED LAND, DO HEREBY ASSENT TO AND ADOPT THE STREET AND SURVEY OF THE LAND SHOWN HEREON AND, FURTHER ACKNOWLEDGE THAT THE PLAT WAS MADE AT THE REQUEST OF CROWN EQUIPMENT CORPORATION. CARDINAL STREET, AS SHOWN, IS HEREBY DEDICATED TO THE PUBLIC USE FOREYER, TO BE USED AS A ROADWAY AND FOR THE INSTALLATION, OPERATION, MAINTENANCE, REPAIR AND/OR REMOVAL OF ALL PROPERLY AUTHORIZED UTILITIES. AMSTERDAM | 24 23 ī EASEMENTS SHOWN ON THIS PLAT ARE TO BE USED FOR THE INSTALLATION, OPERATION, MAINTENANCE, REPAIR, REPLACEMENT AND/OR REMOVAL OF ALL PROPERLY AUTHORIZED UTILITIES AND FOR THE EXPRESS PRIVILEGE OF REMOVING ANY AND ALL TREES OR OTHER OBSTRUCTIONS TO THE FREE USE OF SAID UTILITIES. LOCATION MAP SIGNED THIS ______ DAY OF ______ 19 ____ NO SCALE m MITNESS PRESIDENT 000 SECRETARY THE STATE OF OHIO, ____ _ COUNTY, 5.5. BEFORE ME, A NOTARY PUBLIC IN AND FOR SAID COUNTY, PERSONALLY CAME JAMES F. DICKE II, PRESIDENT AND JAMES F. DICKE III, SECRETARY, WHO ACKNOWLEDGED THAT THEY DID SIGN THE FOREGOING INSTRUMENT AND THAT THE SAME IS THE FREE ACT AND DEED OF EACH OF THEM FOR THE NEW BREMEN LOCAL BOARD OF EDUCATION O.R. 304, PG. 123 PURPOSE THEREIN EXPRESSED. CROWN EQUIPMENT CORP. 13.568 AC. 5TREE O.R. 167, PG. 583 17.497 AC. (REMAINDER OF 31.065 AC.) KETTLER ROAD TOWNSHIP ROAD NO.6 RIGHT-OF-WAY = 34' NOTARY PUBLIC CARDINAL RIGHT-OF-MAY - 1.847 AC. (INCLUDING 0.041 AC. PRESENT RIGHT-OF-WAY OCCUPIED) I, MICHAEL R. HOLT, REGISTERED SURVEYOR NO.7108 OF FREYTAG AND ASSOCIATES, INC., HEREBY STATE
THAT THIS PLAT IS A TRUE AND CORRECT EXPOSITION OF A FIELD SURVEY CONDUCTED UNDER MY SUPERVISION
FOR CROWN EQUIPMENT CORPORATION AND, IS PART OF THE TRACTS CONVEYED TO CROWN EQUIPMENT
CORPORATION BY DEEDS RECORDED IN OFFICIAL RECORD 167, PAGE 583 AND OFFICIAL RECORD 295, PAGE 145
OF THE RECORDS OF AUGLAIZE COUNTY, OHIO. SIGNED AND SEALED AS BEING TRUE AND CORRECT, TO THE BEST OF MY KNOWLEDGE, THIS _____ DAY OF 5 89° 44' 10" W 5/8" IRON PIN FOUND A.A. HEITKAMP REGISTERED SURVEYOR NO.7108 N.L. HEITKAMP D.V. 221, PG. 25 4.6 AC. APPROVED BY THE NEW BREMEN PLANNING COMMISSION THIS _____ DAY OF ___ PLANNING COMMISSION CHAIR. - 10' UTILITY EASEMENT ACCEPTED BY THE COUNCIL OF THE VILLAGE OF NEW BREMEN THIS ____ DAY OF ___ 10' UTILITY ESMT. THE STARTING BEARING, SOUTH 84° 44' 10" MEST, ALONG THE NORTH LINE OF THE NORTHEAST QUARTER OF SECTION 14, IS BAGED ON AN ASSUMED MERIDIAN PRESIDENT OF COUNCIL 5 89° 49' 51' W 60.00' AND USED TO DENOTE ANGLES ONLY. 5/8' IRON PIN VILLAGE ADMINISTRATOR FOUND N 89° 49' 51" E, 235.4T IRON PINS SET ARE 5/8 INCH DIAMETER X 30 INCHES LONG REBARS WITH A RED PLASTIC SURVEY CAP STAMPED "M R HOLT, RLS 7108". ORDINANCE No. Ш R.R. SPIKE CORPORATION LINE FOUND VILLAGE OF TRANSFERRED THIS _____ DAY OF ___ REFERENCE PLATS OF SURVEY FOR: 95.827 ACRES 134.8 185 NEW BREMEN (BUSHMAN TRACTS, 1-12-89); 31.065 ACRES (CROWN EQUIPMENT CORP. TRACT, 1-06-95); 16.175 ACRES (JAMES F. 4 EILLEEN DICKE TRACT, 4-10-97); AND, A PLAT OF SURVEY OF THE TRACTS SHOWN HEREON, ON FILE IN THE AUGLAIZE COUNTY ENGINEER'S OFFICE (TAX MAP OFFICE) AUGLAIZE COUNTY AUDITOR CROWN EQUIPMENT CORPORATION 0 Z MAP OFFICE). O.R. 295, PG.145 16.175 AC. FILED THIS ____ DAY OF __ _______19 ____AT ____O'CLOCK ____ M. IRON PIN SET-N 89° 26' 28" M RECORDED THIS ____ DAY OF _____ 19 ___ IN PLAT CABINET ___ SLIDE___. FUTURE STREET 60.00 AUGLAIZE COUNTY RECORDER 10' UTILITY ESMT.

Mr. brown (+ "

1.06 94

LEGAL DESCRIPTION OF 1.847 ACRES TRACT TO BE DEDICATED AS 60 FEET RIGHT-OF-WAY (CARDINAL STREET, PHASE 2)

Situate in the north part of the northeast quarter of Section 14, Town 7 South, Range 4 East, South and East of the First Principal Meridian, in the Village of New Bremen, German Township, Auglaize County, State of Ohio, and being more particularly described as follows, to-wit:

Commencing at a railroad spike found at the northeast corner of the northeast quarter of said Section 14, said spike being at the intersection of East Monroe Street (State Route No.274) and Kettler Road (Township Road No.61);

Thence, South 89 degrees 44' 10" West, 660.28 feet along the north line of the northeast quarter of said Section 14 and, also, the centerline of East Monroe Street to a masonry nail set, said nail being the point of beginning of the herein described tract;

Thence, South zero degree 33' 32" West, 1,341.15 feet along the new east right-of-way line of Cardinal Street, Phase 2, to a point on the south line of a 17.497 acres tract (the remainder of a 31.065 acres tract) now owned by Crown Equipment Corporation, as recorded in Official Record 167, Page 583 of the records of Auglaize County, reference a 5/8 inch iron pin set on the south right-of-way line of East Monroe Street at 30.00 feet;

Thence, South 89 degrees 49' 51" West, 60.00 feet along the north line of a 16.175 acres tract now owned by Crown Equipment Corporation, as recorded in Official Record 295, Page 145 of the records of Auglaize County, to a point;

Thence, North zero degree 33' 32" East, 1,341.05 feet along the new west right-of-way line of Cardinal Street, Phase 2, to a masonry nail found at the northeast corner of a 13.568 acres tract now owned by the New Bremen Local Board of Education, as recorded in Official Record 304, Page 123 of the records of Auglaize County, reference a 5/8 inch iron pin found on the south right-of-way line of East Monroe Street at 1,311.05 feet;

Thence, North 89 degrees 44' 10" East, 60.01 feet along the north line of the northeast quarter of aforesaid Section 14 and the centerline of East Monroe Street to the point of beginning.

Containing 1.847 acres, more or less, with 0.041 acre, more or less, presently occupied by the right-of-way of East Monroe Street.

Page 2, 1.847 ac. tract

The herein described tract is part of the aforesaid 17.497 acres tract (the remainder of a 31.065 acres tract) now owned by Crown Equipment Corporation, as recorded in Official Record 167, Page 583 of the records of Auglaize County.
A plat of survey (Dedication Plat) of the herein described right-of-way is recorded in Plat Cabinet, Slide in the Auglaize County Recorder's office.
The above description prepared by Michael R. Holt, Registered Surveyor No.7108, of Freytag & Associates, Inc., 226 North Miami Avenue, Sidney, Ohio, from a field survey

supervised by same on, or about, November 13, 1998.

LEGAL DESCRIPTION OF 0.185 ACRE TRACT TO BE DEDICATED AS 60 FEET RIGHT-OF-WAY (CARDINAL STREET, PHASE 2)

Situate in the north part of the northeast quarter of Section 14, Town 7 South, Range 4 East, South and East of the First Principal Meridian, in the Village of New Bremen, German Township, Auglaize County, State of Ohio, and being more particularly described as follows, to-wit:

Commencing at a railroad spike found at the northeast corner of the northeast quarter of said Section 14, said spike being at the intersection of East Monroe Street (State Route No.274) and Kettler Road (Township Road No.61);

Thence, South 89 degrees 44' 10" West, 720.29 feet along the north line of the northeast quarter of said Section 14 and, also, the centerline of East Monroe Street to a masonry nail found at the northeast corner of a 13.568 acres tract now owned by the New Bremen Local Board of Education, as recorded in Official Record 304, Page 123 of the records of Auglaize County;

Thence, South zero degree 33' 32" West, 1,341.05 feet along the east line of said 13.568 acres tract and the new west right-of-way line of Cardinal Street, Phase 2, to a point on the north line of a 16.175 acres tract now owned by Crown Equipment Corporation, as recorded in Official Record 295, Page 145 of the records of Auglaize County, said point being the point of beginning of the herein described tract, reference a 5/8 inch iron pin found on the south right-of-way line of East Monroe Street at 30.00 feet and, also, a 5/8 inch iron pin found at the southeast corner of said 13.568 acres tract at 984.97 feet;

Thence, North 89 degrees 49' 51" East, 60.00 feet along the north line of said 16.175 acres tract to a point on the new east right-of-way line of Cardinal Street, Phase 2;

Thence, South zero degree 33' 32" West, 134.87 feet along the new east right-of-way line of Cardinal Street, Phase 2 to a 5/8 inch iron pin set;

Thence, North 89 degrees 26' 28" West, 60.00 feet to a 5/8 inch iron pin set on the new west right-of-way line of Cardinal Street, Phase 2;

Thence, North zero degree 33' 32" East, 134.10 feet along the west right-of-way line of Cardinal Street, Phase 2 to the point of beginning.

Containing 0.185 acre, more or less.

Page 2, 0.185 ac. tract

The herein described tract is part of a 16.175 acres tract now owned by Crown Equipment Corporation, as recorded in Official Record 295, Page 145 of the records of Auglaize County.

A plat of survey (Dedication Plat) of the herein described right-of-way is recorded in Plat Cabinet _____, Slide _____ in the Auglaize County Recorder's office.

The above description prepared by Michael R. Holt, Registered Surveyor No.7108, of Freytag & Associates, Inc., 226 North Miami Avenue, Sidney, Ohio, from a field survey supervised by same on, or about, November 13, 1998.