



GORDON L. GEESLIN

REGISTERED LAND SURVEYOR

PHONE 419-586-6155

June 26, 1990

KILL SURVEY DESCRIPTION TRACT "A"

Being a parcel of land situated in Noble Township, Auglaize County, Ohio, in the west half of the northwest quarter of Section 13, Township 5 South, Range 4 East. Being more particularly described as follows:

Commencing for reference at the corner stone at the southwest corner of the northwest quarter of said Section 13-

Thence, north $01^{\circ}28'41''$ west, along the west line of the northwest quarter of said Section 13, a distance of one thousand three hundred eighteen and $91/100$ (1318.91) feet to a mine spike. Said point being the place of beginning for the parcel to be conveyed by this instrument-

Thence, continuing north $01^{\circ}28'41''$ west, along the last described line, a distance of one thousand fifty and $49/100$ (1050.49) feet to a mine spike in the south-westerly projection of the centerline of Fort Amanda Pike-

Thence, north $36^{\circ}20'31''$ east, along said projection of the centerline of Fort Amanda Pike and the centerline of Fort Amanda Pike, a distance of three hundred forty-nine and $42/100$ (349.42) feet to a mine spike-

Thence, north $87^{\circ}31'09''$ east, along the north line of the northwest quarter of said Section 13, a distance of one thousand one hundred seventeen and $03/100$ (1117.03) feet to an 8 inch steel post-

Thence, south $01^{\circ}32'28''$ east, along the east line of the west half of the northwest quarter of said Section 13, a distance of one thousand three hundred thirty and $57/100$ (1330.57) feet to a $5/8$ inch iron bar-

Thence, south $87^{\circ}51'21''$ west, along the centerline of Sandkuhl Road (Noble Township Road number 178), a distance of one thousand three hundred thirty-two and $68/100$ (1332.68) feet to the place of beginning.

Containing 39.894 acres of land more or less.

Subject to the right-of-way of State Route 66, Fort Amanda Road, Sandkuhl Road and all other easements and right-of-way of record.

Reference is made to a survey of this area by Gordon L. Geeslin, Registered Surveyor 5372, dated June 26, 1990, on file in the County Engineer's Office.

Surveyed by

Gordon L. Geeslin
Gordon L. Geeslin
Registered Surveyor 5372



GORDON L. GEESLIN

REGISTERED LAND SURVEYOR

PHONE 419-586-6155

June 26, 1990

KILL SURVEY DESCRIPTION TRACT "B"

Being a parcel of land situated in Noble Township, Auglaize County, Ohio, in the west half of the northwest quarter of Section 13, Township 5 South, Range 4 East. Being more particularly described as follows:

Beginning at the corner stone at the southwest corner of the northwest quarter of said Section 13-

Thence, north 01°28'41" west, along the west line of the northwest quarter of said Section 13, a distance of one thousand three hundred eighteen and 91/100 (1318.91) feet to a mine spike-

Thence, north 87°51'21" east, along the centerline of Sandkuhl Road (Noble Township Road number 178), a distance of one thousand one hundred nineteen and 34/100 (1119.34) feet to an iron pipe at the northwest corner of a tract of land conveyed to Leo Snadkuhl by deed recorded in O.R. Volume 40, page 442-

Thence, south 02°08'39" east, along said Sandkuhl's west line, a distance of one hundred twenty (120.00) feet to a 5/8 inch iron bar-

Thence, north 87°51'21" east, along said Sandkuhl's south line, a distance of two hundred twelve and 07/100 (212.07) feet to a 5/8 inch iron bar-

Thence, south 01°32'28" east, along the east line of the west half of the northwest quarter of said Section 13, a distance of one thousand two hundred seven and 10/100 (1207.10) feet to a 5/8 inch iron bar-

Thence, south 88°12'31" west, along the south line of the northwest quarter of said Section 13, a distance of one thousand three hundred thirty-four and 06/100 (1334.06) feet to the place of beginning.

Containing 39.910 acres of land more or less.

Subject to State Route 66 right-of-way on the west, Sandkuhl Road right-of-way on the north and all other easements and right-of-way of record.

Reference is made to a survey of this area by Gordon L. Geeslin, Registered Surveyor 5372, dated June 26, 1990, on file in the County Engineer's Office.

Surveyed by Gordon L. Geeslin
Gordon L. Geeslin
Registered Surveyor 5372

