


THOMAS E. KUCK
ENGINEERING AND SURVEYS
REGISTERED ENGINEER NO. 28943
REGISTERED SURVEYOR NO. 4996
1620 BIBLE ROAD - LIMA, OHIO
PHONE 225-6871

CLIENT Earl & James Knoch Survey
COUNTY Wujala TOWNSHIP Pusheta
SECTION 6-1-2-S-R-6-E LOT NO. _____
DATE 2-22-71 COMPUTED BY T.K. SURVEYED BY J.M.R.
SHEET NO. 1 OF 1



THOMAS E. KUCK
ENGINEERING AND SURVEYS
REGISTERED ENGINEER NO. 28943
REGISTERED SURVEYOR NO. 4996
1620 BIBLE ROAD - LIMA, OHIO
PHONE 225-6871

CLIENT James Knott Parcel #1
COUNTY Auglaize TOWNSHIP Pusheta
SECTION 15-T-2-R-6-E LOT NO.
DATE 2-20-71 COMPUTED BY T.K. SURVEYED BY J.W.E.
SHEET NO. 2 OF 4

SURVEYORS DESCRIPTION

The following described tract of land is part of the Northeast Quarter of the Northeast Quarter of Section 15, Town 6, South Range 6, East, Pusheta Township, Auglaize County, Ohio, and is more particularly described as follows.

Commencing at the stone at the Northeast corner of the Northeast Quarter of Section 15, (Stone being in the intersection of the Pusheta Road and the Wapakoneta-Freyburg Road.)

Thence in a Southerly direction along the center of the Wapakoneta-Freyburg Road 753.57 feet to a capped nail, this being the PLACE OF BEGINNING.

Thence continuing in a Southerly direction along the center of the Wapakoneta-Freyburg Road 151.88 feet to a Railroad Spike.

Thence in a Westerly direction with an internal angle of $89^{\circ} 38'$, 300.00 feet to an iron pin.

Thence in a Northerly direction with an internal angle of $90^{\circ} 22'$, 442.88 feet to an iron pin on the Northerly bank of an open creek.

Thence in a Southeasterly direction with an internal angle of $45^{\circ} 41'$ along the Northerly bank of the open creek 419.28 feet to the Railroad Spike in the center of the Wapakoneta-Freyburg Road which was the PLACE OF BEGINNING.

The above described tract of land contains 2.04 acres more or less subject to all legal highways and easements of record.

THOMAS E. KUCK
ENGINEERING AND SURVEYS
REGISTERED ENGINEER NO. 28943
REGISTERED SURVEYOR NO. 4996
1820 BIBLE ROAD - LIMA, OHIO
PHONE 225-6871

CLIENT Earl Knoch Parcel #2
COUNTY Auglaize TOWNSHIP Pusheta
SECTION 15-6-6-6-E LOT NO.
DATE 2-23-74 COMPUTED BY T.E.K. SURVEYED BY J.H.R.
SHEET NO. 3 OF 4

SURVEYORS DESCRIPTION

The following described tract of land is part of the Northeast Quarter of the Northeast Quarter of Section 15-Town 6, South Range 6, East, Pusheta Township, Auglaize County, Ohio, and is more particularly described as follows; Commencing at the stone at the Northeast corner of the Northeast Quarter of Section 15, (Stone being in the intersection of the Pusheta Road, and the Wapakoneta-Freyburg Road.)

Thence in a southerly direction along the center of the Wapakoneta-Freyburg Road 905.45 feet to a Railroad Spike, this being the PLACE OF BEGINNING.

Thence continuing in a Southerly direction along the center of the Wapakoneta-Freyburg Road 326.70 feet to a Railroad Spike.

Thence in a Westerly direction with an internal angle of $89^{\circ}38'$, 300.00 feet to an iron pin.

Thence in a Northerly direction with an internal angle of $90^{\circ}22'$, 326.70 feet to an iron pin.

Thence in a Easterly direction with an internal angle of $89^{\circ}38'$, 300.00 feet to the Railroad Spike in the center of the Wapakoneta-Freyburg Road which was the PLACE OF BEGINNING.

The above described tract of land contains 2.25 acres more or less subject to all legal highways and easements of record.