	en and a manufacture in a				
	5 0° 53′ 30″ € 500.00		To the second se	T.	a Carameteristics
DEIGNER OF THE STATE OF THE STA	2.296 Dc.	initia (1923) — Transformation de la constante	589°00'W	50' /W	Scale: /*=/00'
The state of the s	N 0° 53′ 30″ W 500.00				
3,00 68 N	2.892 Ac.	COORDISC Continues are not a requirement of the continues of the continue	Маргарії. ————————————————————————————————————	2RY X020	
	1 21° 16. 40. 8 4 80. 3 4	erkaltus (dazas (palega Agricia) plancia acemanjo (po)	0	E INFIRMA	The second secon
A. A	2.758 Dc.	(27.02			The Theory of The Company of the State of th
	2.177 Ac. 100 100 100 100 100 100 100 100 100 10		000	7	
450.00	11 0° 01' W 18 18 18 18 18 18 18 18 18 18 18 18 18				WP,
Signature by a represent denotes that this plat med Signed:	ative of the County Engineer's Dept. Its tax map plat requirements. Date Signature by a (representative of the) denotes approval of this plat. Signed:		ty Cor	nmissio	
Sequelare by a representation of a complete with the complete complete with the complete comp	Signature by a representative of the A Health Regulations. Date Signature by a representative of the A Planning Commission denotes approval Signed:	uglaiz l of th	e Cou lis plat Da		ional
286	Charles 1457 to 74/2	Drwg	ec. <u>2</u> (. No. 15	4 Alva	4.

DESCRIPTION OF 2.758 ACRES

Scale:

Being 2.758 acres in the North West quarter of Section 24, Town 5 S, Range 5 E, Moulton Township, Auglaize County, Ohio, and being further described as follows:

Commencing at an iron pin at the South West corner of the North West quarter of Section 24. Thence Bastwardly with she half section line of said section, 360.85 feet to a railroad opike at the center line intersection of Infirmary Road and Buckland River Road, this point being the PLACE OF REGINNING for the tract of land herein described.

Thence with the center line of the Buckland River Road North 55° 48° 30" West, 283.63 feet to a railroad apike.

Thence North 25° 20° 30" East, 375.53 feet to an iron pin. Thence North 89° 00' East, 270.00 feet to an iron pin. Thence South 21° 16° 40" West, 540.34 feet to a railroad spike

Containing 2.758 Acres and being subject to all legal easements and rights-of-way of record.

Buckland River Road being a 50° R/W

and PLACE OF BEGINNING.

Survey and Description prepared by Themas W. Steinke reg. surveyor # S - 6177

Chomiss Co Stanke

401

Genature by a representative of the County Engineer's Dept. Genotes that this plat meets tax map plat requirements. Signed: Date		genotes	approval of this plat.	of the) County Commissioner(s) Date
Signature by a representative of t densities compliance with Health Reg Signed.	he County Health Dept. ulations. Date	g rianning	e by a representative c Commission denotes :	of the Auglaize County Regional approval of this plat. Date
287	Client County Drawn by Checked by Sheet		someone Scale	Sec. Drwg. No. e (TS; RE)

DESCRIPTION OF 2.296 Acres

Scale:

Being 2.296 Acres in the North West quarter of Bastion 24, Town 5 S, Range 5 E, Moulton Township, Auglaize Sounty, Ohio, and being further described as follows:

Commencing at an iron pin at the South West corner of the North West quarter of Section 24. Thence Eastwardly with the half section line of said section, 714.77 feet to a railroad spike in the center of Infirmary Road and also being the POINT OF DEGINNING for the tract of land herein described:

Thence North 0° 53° 30" West, 500.00 feet to an iron pin.

Thence North 89° 00° East, 200.00 feet to an iron pin.

Thence South 0° 53° 30" Feet, 500.00 feet to a railread spike in the center of Infirmary Road and the half section line of Section 24.

Thence with said center line and said section line South 89° 00° West, 200.00 feet to a railroad spike and PLACE OF BEGINNING. Containing 2.296 Acres and being subject to all legal easements and rights-of-way of record.

Infirmary Road being a 50° R/W

Survey and Description prepared by Thomas W. Steinke reg. surveyor # S - 6177

homa W Stuke

Signature by a representative denotes that this plat meets to Signed:	of the County ax map plat requi	irements.	y a (representative of roval of this plat.	the) County Commissioner(s) Date	
Signature by a representati denotes compliance with Hea Signed:	ve of the Coun lth Regulations.	ty Health Dept.	mmission denotes app	the Auglaize County Regional proval of this plat. Date	
9.88		Client County Drawn by Checked by Sheet	Twp. Scale Date	Sec. Drwg. No. (T\$; RE)	40 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0

madification (Constitution of Constitution of

DESCRIPTION OF 2.177 ACRES

Being 2.177 seres in the North West quarter of Section 24, Town 5 S, Range 5 E, Moulton Township, Auglaize Woanty, Ohio, and being further described as follows:

Commencing at an iron pin at the South West corner of the North West quarter of Section 24. Thence Eastwardly with the half section line of said section, 360.85 feet to a railread spike at the center line intersection of Infirmary Read and Buckland River Read. Thence with the center line of Buckland River Read North 55° 48° 30° West, 283.63 feet to a railroad spike and PLACE OF BEGINNING for the tract of land herein described. Thence continuing with the center line of Buckland River Read, North 55° 48° 30° West, 156.03 feet to a railroad spike in the West line of Section 24.

Thence with the West line of Section 24 North 0° 41° West, 450.00 feet to an iron pin.

Thence South 56° 06° 30" East, 355.56 feet to an iron pin.

Thence South 25° 20° 30" West, 375.53 feet to a railroad spike and PLACE OF BEGINNING.

Containing 2.177 Acres and being subject to all legal easements and rights-of-way of record.

Buckland River Road being a 50° R/W

Survey and Description prepared by ThomasW. Steinke reg. surveyor # S - 6177

1698 oskipalni polico, ko pomeno objekom namo prese kraji pomenija pomenja na pomenja pomenja pomenja pomenja		12 1872 66 J. Cent		
Signature by a representative of the Co denotes that this plat meets tax map pla Signad:	requirements	Signature by a (representative of the) denotes approval of this plat. Signed:		
Signature by a representative of the County Health Dept. ierostes compliance with Health Regulations. Date		Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed: Date		
The state of the s	Client County	Twp.	Sec.	

289

DESCRIPTION OF 2.892 ACRES

Being 2.892 Acres in the North West quarter of Section 24, Town 5 S, Range 5 E, Moulton Township, Auglaize County, Ohio, and being further described as follows:

508161

Commencing at an iron pin at the South west corner of the North West quarter of Section 24. Thence Eastwardly with the half section line of said section, 360.85 feet to a railroad spike in the center of Infirmary Road and also being the PLACE OF BEGINNING for the tract of land herein described.

Thence North 21° 16' 40" East, 540.34 feet to an iron pin.

Thence North 89° 00' East, 150.00 feet to an iron pin.

Thence South 0° 53' 30" East, 500.00 feet to a railroad spike in the center of Infirmary Road and the half section line of Section 24.

Thence with said center line and said section line South 89° 00° mest, 353.92 feet to a railread spike and PLACE OF BEGINNING. Centaining 2.892 Acres and being subject to all legal easements and rights-of-way of record.

Infirmary Read being a 50° R/W.

Survey and Description prepared by Thomas W. Steinke reg. surveyor # S - 6177

homas W Stenke

Simplified by a representative of the County Engineer's Dept. Bute Date Simplified by a representative of the County Health Dept. Bute Date Date Date		denotes at	nature by a (representative of the) County Commis notes approval of this plat. ned:	
		Signature by a representative of the Auglaize County! Planning Commission denotes approval of this plat. Signed: Date		approval of this plat.
200	Client County Drawn by Checked by Sheet	of 47	Twp. Scale	Sec. Drwg. No