

AUGLAIZE COUNTY RECORDS OF SECTION
 STONES SHOW NO STONE BEING SET OR
 FOUND, STONE BOOK 3, PAGE 18, AT THE
 N.E. CORNER OF S.E. QUARTER OF SECTION 28
 CORNER SET BY USING EXISTING DEEDS,
 FENCES, & ROAD RECORDS.

1/2 SEC LINE


P.K. NAIL SET

SCALE
 1" = 200'


Thomas W. Stember



DEED BOOK 231
 PAGE 468



SEC 28 SE 1/4
 TOWN 6-S
 RANGE 6-E
 PUSHETA TOWNSHIP
 AUGLAIZE CO:
 OHIO



- ⊗ = R.R. SPIKE FD.
- ⊙ = R.R. SPIKE SET.
- = IRON PIN SET
- ⊗ = IRON PIN FD.

Signature by a representative of the County Engineer's Dept.
 denotes that this plat meets tax map plat requirements.
 Signed: _____ Date: _____

Signature by a (representative of the) County Commissioner(s)
 denotes approval of this plat.
 Signed: _____ Date: _____

Signature by a representative of the County Health Dept.
 denotes compliance with Health Regulations.
 Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
 Planning Commission denotes approval of this plat.
 Signed: _____ Date: _____

Client RON EGGERT RR#1 Botkins
 County AUGLAIZE Twp. PUSHETA Sec. 28
 Drawn by JEP Scale 1"=200' Drawn No. 75-183
 Checked by JEP Date Dec 1975
 Sheet 1 of 1

DESCRIPTION OF 10.441 ACRES



Scale: _____

Being part of the South East quarter of Section 22, Town 4-S, Range 6-E, DuSable Township, Auglaize County, Ohio and being further described as follows:

Commencing at a railroad spike at the South East corner of Section 22, also being the corner of intersection of County Line Road and Cemetery Road.

Thence North 0° 46' West with the East line of Section 22 and the corner of Cemetery Road, a distance of 671.10 feet to a railroad spike and PLACE OF BEGINNING for the tract of land herein described.

Thence continuing with said center line and Section line, North 0° 46' West, a distance of 455.7 feet to a railroad spike.

Thence South 33° 49' 15" West, a distance of 657.79 feet to an iron pin.

Thence South 0° 30' 15" East, a distance of 708.52 feet to an iron pin.


Thence North 89° 00' East, a distance of 317.93 feet to an iron pin.

Thence North 12° 00' West, a distance of 75.00 feet to an iron pin.

Thence North 89° 00' East, a distance of 341.52 feet to a railroad spike in the east line of Section 22 and the PLACE OF BEGINNING.

Containing in all 10.441 acres and being subject to all legal easements and R/W of record.

Cemetery Road being a 35 ft. R/W



Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.
Signed: _____ Date _____

Signature by a (representative of the) County Commissioner(s) denotes approval of this plat.
Signed: _____ Date _____

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.
Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.
Signed: _____ Date _____

Client _____ Twp. _____ Sec. _____
County _____ Scale _____ Drwg. No. _____
Drawn by _____ Date _____
Checked by _____
Sheet _____ of _____

DESCRIPTION OF 5.241 Acres



Scale: _____

Being 1/4 of the South West quarter of Section 28, Twp 6-N, Rng 1-W, Auglaize County, Ohio and being further described as follows: Commencing at a railroad spike at the South East Corner of Section 28, then going the center line intersection of County Line Road and Cemetery Road and the PLACE OF BEGINNING of the land hereby described.

Thence North 47° 41' East to the center of Cemetery Road and the East line of Section 28, a distance of 271.5 feet to a railroad spike.

Thence North 22° 21' West, a distance of 241.5 feet to a railroad spike.

Thence North 19° 01' East, a distance of 411.19 feet to a railroad spike in the North line of Section 28 and the center of County Line Road.

Thence North 10° 01' East with said section line and center line, a distance of 271.5 feet to a railroad spike and PLACE OF BEGINNING.

Containing 5.241 acres and being subject to all local ordinances and 20' of width of Cemetery Road being 1/4 Sec. 28.

County Line Road being 1/4 Sec. 28.

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.
Signed: _____ Date _____

Signature by a (representative of the) County Commissioner(s) denotes approval of this plat.
Signed: _____ Date _____

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.
Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.
Signed: _____ Date _____

Client _____
County _____ Twp. _____ Sec. _____
Drawn by _____ Scale _____ Drwg. No. _____
Checked by _____ Date _____
Sheet _____ of _____