



THOMAS E. KUCK  
ENGINEERING AND SURVEYS  
REGISTERED ENGINEER NO. 28843  
REGISTERED SURVEYOR NO. 4886  
1820 BIBLE ROAD - LIMA, OHIO  
PHONE 325-6871

CLIENT Roger Miller  
COUNTY Adams TOWNSHIP Union  
SECTION 18 & 19 T5S R7E LOT NO. \_\_\_\_\_  
DATE 11-6-75 COMPUTED BY \_\_\_\_\_ SURVEYED BY \_\_\_\_\_  
SHEET NO. 2 OF 3

#### SURVEYORS DESCRIPTION

The following described tract of land is part of the Southwest Quarter of the Southeast Quarter of Section 18, and the Northwest Quarter of the Northeast Quarter of Section 19, Union Township, T-5-S-R-7-E, with reference to the first principal meridian, Auglaize County, Ohio, and is more particularly described as follows.

Commencing at a P-K nail at the intersecting centerlines of State Route 65 and State Route 67 in the village of Unionopolis, Ohio,

Thence North  $63^{\circ}43'W$ , along the center of State Route 67, 578.69 feet to a P-K nail on the West corporation line of the village of Unionopolis, Ohio.

Thence S  $63^{\circ}47'W$  along the center of State Route 67 (using Ohio Department of highway distances) 2011.10 feet to a boat spike, this being the PLACE OF BEGINNING.

Thence S  $81^{\circ}00'W$ , along the center of State Route 67, 204.80 feet to a P-K nail.

Thence S  $63^{\circ}21'W$ , along the center of State Route 67, 120.67 feet to a capped nail.

Thence S  $1^{\circ}33'W$  (passing through iron pins set at 40.00 feet, 260.95 feet and 340.95 feet) and entering Section 19 Union Township, 640.08 feet to an iron pipe.

Thence S  $63^{\circ}22'E$ , 301.11 feet to an iron pipe.

Thence N  $2^{\circ}00'E$ , and entering Section 18, Union Township, (passing through a 6" steel post set at 103.75 feet) 735.07 feet to the boat spike in the center of State Route 67, which was the PLACE OF BEGINNING.

The above described tract of land contains 4.886 acres more or less subject to 0.22 acres allocated to highway purposes.

THOMAS E. KUCK  
ENGINEERING AND SURVEYS  
REGISTERED ENGINEER NO. 28943  
REGISTERED SURVEYOR NO. 4998  
1820 BIBLE ROAD - LIMA, OHIO  
PHONE 225.6571

CLIENT Roger Miller  
COUNTY Auglaize TOWNSHIP Union  
SECTION 18, T5, S R7E LOT NO. \_\_\_\_\_  
DATE 11-6-75 COMPUTED BY \_\_\_\_\_ SURVEYED BY \_\_\_\_\_  
SHEET NO. 3 OF 3

SURVEYORS DESCRIPTION  
OF EASEMENT FOR  
INGRESS AND EGRESS PURPOSES

The following described tract of land is part of the Southwest Quarter of the Southeast Quarter of Section 18, and the Northwest Quarter of the Northeast Quarter of Section 19, Union Township, T-5-S-R-7-E, with reference to the first principal meridian, Auglaize County, Ohio and is more particularly described as follows.

Commencing at a P-K nail at the intersecting centerlines of State Route 65 and State Route 67, in the village of Uniopolis, Ohio.

Thence N 83° 43' W, along the center of State Route 67, 578.89 feet to a P-K nail on the east corporation line of Uniopolis, Ohio.

Thence S 81° 47' W along the center of State Route 67 (using Ohio Department of Highway reference) 2011.10 feet to a boat spike.

Thence S 81° 00' W along the center of State Route 67, 204.60 feet to a P-K nail.

Thence S 81° 21' W along the center of State Route 67, 120.67 feet to a capped nail, this being the PLACE OF BEGINNING.

Thence continuing S 63° 21' W along the center of State Route 67, 15.33 feet to a boat spike.

Thence S 31° 12' W along the center of State Route 67, 21.46 feet to a boat spike.

Thence S 12° 38' W, 319.96 feet to an iron pin.

Thence S 68° 22' E, 30.00 feet to an iron pin.

Thence N 12° 48' E, 340.95 feet to the boat spike in the center of State Route 67, which is the PLACE OF BEGINNING.

The above described easement contains 0.228 acres more or less.