



Scale: 1" = 50'



Location Map



T6S, R5E
Washington Twp.
Sec. 15 & 16

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed: _____ Date _____

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.
Signed: _____ Date _____

Signature by a (representative of the) County Commissioner(s)
denotes approval of this plat.
Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.
Signed: _____ Date _____

110
Auglaize County
Engineering Dept.
Vapakoneta, Ohio

Client E. Stroh ; V. Stroh
County Auglaize Twp. Washington Sec. 15 & 16
Drawn by D.H.G. Scale 1" = 50' Drwg. No. 110
Checked by _____ Date 1975-11-10
Sheet 1 of 2 (T 6 S: R 5 E)

DEED DESCRIPTION
for
PERMANENT RIGHT-OF-WAY
From
V. STROH



Scale: _____

Situate in the northwest quarter of Section 15, Town 6 South, Range 5 East, with respect to the First Principal Meridian, Washington Township, Auglaize County, Ohio, and more particularly described as follows:

Commencing at the southwest corner of the northwest quarter of Section 15; thence $N00^{\circ}30'W$ with the centerline of TR 101 a distance of 1685.66 feet to the PLACE OF BEGINNING; thence continuing $N00^{\circ}30'W$ a distance of 200.00 feet; thence $N89^{\circ}30'E$ a distance of 35.00 feet; thence $S00^{\circ}30'E$ a distance of 200.00 feet; thence $S89^{\circ}30'W$ a distance of 35.00 feet to the PLACE OF BEGINNING.

The above tract of land contains 0.161 acres of which 0.092 acres is existing right-of-way.

The next previous recording was Vol. 161, Page 40.
Surveyed by Auglaize County Engineering Dept., 1014 S. Blackhoof St., Wapakoneta, Ohio

DEED DRESRIPTION
for
PERMANENT RIGHT-OF-WAY
from
E. STROH

Situate in the northeast quarter of Section 16, Town 6 South, Range 5 East, with respect to the First Principal Meridian, Washington Twonship, Auglaize County, Ohio, and more particularly described as follows:

Commencing at the southeast corner of the northeast quarter of Section 16; thence $N00^{\circ}30'W$ with the centerline of TR 101 a distance of 1685.66 feet to the PLACE OF BEGINNING; thence continuing $N00^{\circ}30'W$ a distance of 200.00 feet; thence $S89^{\circ}30'W$ a distance of 35.00 feet; thence $S00^{\circ}30'E$ a distance of 200.00 feet; thence $N89^{\circ}30'E$ a distance of 35.00 feet to the PLACE OF BEGINNING

The above tract of land contains 0.161 acres, of which 0.092 acres is existing right-of-way.

The next previous recording was Vol. 144, Page 6.
Surveyed by Auglaize County Engineering Dept., 1014 S. Blackhoof St., Wapakoneta, Ohio.

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed: _____ Date _____

Signature by a (representative of the) County Commissioner(s)
denotes approval of this plat.
Signed: _____ Date _____

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.
Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.
Signed: _____ Date _____

Auglaize County
Engineering Dept.
Wapakoneta, Ohio

Client E. Stroh ; V. Stroh
County Auglaize Twp. Washington Sec. 15 / 16
Drawn by D.M.G. Scale _____ Drwg. No. _____
Checked by _____ Date 1975-11-10
Sheet 2 of 2
(T 6 S:R 5 E)

111 111