




Scale:
1"=50'

OWNERS:
Ross & Clara Brown
Vol. 148, Page 319


OWNERS:
Michael M. & Susan E. Blaine
Vol. 230, Page 75

OWNER:
E.D. Jorg
Vol. 128, Page 159



Section 26

Section 25



Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.
Signed _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.
Signed _____ Date _____

Signature by a representative of City with 3 mile limit juris-
diction (or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed _____ Date _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed _____ Date _____

Auglaize County
Engineering Dept.
239
Delkoneta, Ohio

Client: Bridge No. UNI-241-15.56
County: Auglaize Twp. Union Sec 25 & 26
Drawn by: D.M.G. Scale: 1"=50' Drwg. No. 239
Checked by: _____ Date: June 6, 1977
Sheet 1 of 1 (T 5 S; R 7 E)

Rev: Sept. 12, 1977

DEED DESCRIPTION
for
PERMANENT RIGHT-OF-WAY
from
MICHAEL & SUSAN BLAINE



Scale: _____

Situate in the northeast quarter of Section 26, Township 5 South, Range 7 East, with respect to the First Principal Meridian, Union Township, Auglaize County, Ohio, and more particularly described as follows:

Beginning at the east quarter corner of Section 26;
thence N00°00'E along TR 241 a distance of 200.00 feet to the
PLACE OF BEGINNING.
thence continuing N00°00'E along TR 241 a distance of 95.60 feet;
thence S63°00'W a distance of 33.67 feet;
thence S00°00'E a distance of 80.31 feet;
thence N90°00'E a distance of 30.00 feet to the PLACE OF BEGINNING.

The above tract of land contains 0.060 acres of which 0.031 acres is existing right-of-way.

Next previous recording Vol. 230, Page 75.

Surveyed by the Auglaize County Engineering Department, 1014 S. Blackhoof Street, Wapakoneta, Ohio.

DEED DESCRIPTION
for
PERMANENT RIGHT-OF-WAY
from
ROSS & CLARA BROWN

Situate in the northeast quarter of Section 26, Township 5 South, Range 7 East, with respect to the First Principal Meridian, Union Township, Auglaize County, Ohio and more particularly described as follows:

Beginning at the southeast corner of the northeast quarter of Section 26;
thence N00°00'E a distance of 295.00 feet to the PLACE OF BEGINNING;
thence continuing along the section line N00°00'E a distance of
104.40 feet;
thence N90°00'W a distance of 30.00 feet;
thence S00°00'E a distance of 119.69 feet;
thence N63°00'E a distance of 33.67 feet to the PLACE OF BEGINNING.

The above tract of land contains 0.077 acres of which 0.037 acres is existing right-of-way.

Next previous recording Vol. 148, Page 319.

Surveyed by the Auglaize County Engineering Department, 1014 S. Blackhoof Street, Wapakoneta, Ohio.

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

Auglaize County
Engineering Dept.
Wapakoneta, Ohio

Client UNI-241-15.56
County Auglaize Twp. Union Sec. 25 & 26
Drawn by _____ Scale _____ Drwg. No. _____
Checked by _____ Date Sept. 12, 1977
Sheet 2 of 3 (T 5 S; R 7)

240

240



Scale: _____

DEED DESCRIPTION
for
PERMANENT RIGHT-OF-WAY
from
E. D. JORG

Situate in the northwest quarter of Section 25, Township 5 South, Range 7 East, with respect to the First Principal Meridian, Union Township, Auglaize County, Ohio, and more particularly described as follows:

Beginning at the southwest corner of the northwest quarter of Section 25;
thence N00°00'E along the section line a distance of 200.00 feet to the
PLACE OF BEGINNING;
thence continuing N00°00'E a distance of 200.00 feet;
thence N90°00'E a distance of 30.00 feet;
thence S00°00'E a distance of 200.00 feet;
thence N90°00'W a distance of 30.00 feet to the PLACE OF BEGINNING.

The above tract of land contains 0.138 acres of which 0.069 acres is
existing right-of-way.

Next previous recording Vol. 128, Page 159.

Surveyed by the Auglaize County Engineering Department, 1014 S. Blackhoof
Street, Wapakoneta, Ohio.

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____
for political S. D. of _____ Date: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

Auglaize County
Engineering Dept.
Wapakoneta, Ohio

Client UNI-241-15.56
County Auglaize Twp. Union Sec. 25 & 26
Drawn by D.M.B. Scale _____ Drwg. No. _____
Checked by _____ Date June 6, 1977
Sheet 3 of 3 (T 5 S 7 R 7)

241

241