



Situated in the southwest quarter of Section 21,
Township 5 South, Range 8 East, with respect to the First
Principal Meridian, Wayne Township, Auglaize County, Ohio,
and more particularly described as follows:

The PLACE OF BEGINNING being the southeast corner of the southwest quarter
of Section 21,
thence S89°45'00"W along C.R. 160 a distance of 53.25 feet;
thence N00°15'00"W a distance of 70.00 feet;
thence S53°19'10"E a distance of 66.57 feet;
thence S00°18'50"E a distance of 30.00 feet to the PLACE OF BEGINNING

The above tract of land contains 0.061 acres of which 0.031 acres is
existing right-of-way.

The next previous recording is Vol. 123, Page 550

Surveyed by the Auglaize County Engineering Department, 1014 S. Blackhoof
Street, Wapakoneta, Ohio

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date _____

Auglaize County
Engineering Dept.
Wapakoneta, Ohio

Client WAY-160-2650

County Auglaize

Twp. Wayne

Sec. 21 & 28

Drawn by D.M.G.

Scale 1"=50'

Drwg. No.

Checked by

Date August 25, 1977

Sheet 1 of 3

293

(T. 5 S. R. 8 E)

DEED DESCRIPTION
FOR
PERMANENT RIGHT-OF-way
FROM
FRED & BEVERLY FOCHT



Scale: _____

Situate in the southeast quarter of Section 21, Township 5 South, Range 8 East, with respect to the First Principal Meridian, Wayne Township, Auglaize County, Ohio and more particularly described as follows:

The PLACE OF BEGINNING being the southwest corner of the southeast quarter of Section 21;

thence N89°42'20"E along C.R. 160 a distance of 150.00 feet;

thence N00°17'40"W a distance of 30.00 feet;

thence S89°42'20"W a distance of 150.01 feet;

thence S00°18'50"E a distance of 30.00 feet to the PLACE OF BEGINNING

The above tract of land contains 0.103 acres of which 0.086 acres is existing right-of-way.

The next previous recording is Vol. 227, page 697.

Surveyed by the Auglaize County Engineering Department 1014 S. Blackhoof Street, Wapakoneta, Ohio

DEED DESCRIPTION
FOR
PERMANENT RIGHT-OF-WAY
FROM
HAROLD GRAY

Situate in the northwest quarter of Section 28, Township 5 South, Range 8 East with respect to the First Principal Meridian, Wayne Township, Auglaize County, Ohio and more particularly described as follows:

The PLACE OF BEGINNING being the northeast corner of the northwest quarter of Section 28;

thence S00°18'50"E a distance of 30.00 feet;

thence S89°45'00"W a distance of 150.03 feet;

thence N00°15'00"W a distance of 30.00 feet;

thence N89°45'00"E along C.R. 160 a distance of 150.00 feet to the PLACE OF BEGINNING.

The above tract of land contains 0.103 acres of which 0.086 acres is existing right-of-way.

The next previous recording is Vol. 153, Page 324.

Surveyed by the Auglaize County Engineering Department, 1014 S. Blackhoof Street, Wapakoneta, Ohio.

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

Auglaize County
Engineering Dept.
Wapakoneta, Ohio

Client WAY-160-2650

County Auglaize Twp. Wayne Sec. 21 & 28

Drawn by D.A.G. Scale _____ Drwg. No. _____

Checked by _____ Date August 25 1977

Sheet 2 of 3

(T 5 S R 8 E)

294

DEED DESCRIPTION
FOR
PERMANENT RIGHT-OF-WAY
FROM
JOHN & BARBARA NIXON



Scale: _____

Situate in the northeast quarter of Section 28, Township 5 South, Range 8 East, with respect to the First Principal Meridian, Wayne Township, Auglaize County, Ohio, and more particularly described as follows:

The PLACE OF BEGINNING being the northwest corner of the northeast quarter of Section 28;

thence N89°42'20"E along C.R. 160 a distance of 150.00 feet;

thence S00°17'40"E a distance of 30.00 feet;

thence S89°42'20"W a distance of 149.99 feet;

thence N00°18'50"W a distance of 30.00 feet to the PLACE OF BEGINNING.

The above tract of land contains 0.103 acres of which 0.086 acres is existing right-of-way.

The next previous recording is Vol. 229, Page 247.

Surveyed by the Auglaize County Engineering Department, 1014 S. Blackhoof Street, Wapakoneta, Ohio.

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date _____

Auglaize County
Engineering Dept.
Wapakoneta, Ohio

Client WAY-160-26.50

County Auglaize Twp. Wayne Sec. 21 & 28

Drawn by D.R.C. Scale _____ Drwg. No. _____

Checked by _____ Date August 25, 1977

Sheet 3 of 3

295 (T 5 S. R. 8 E)