Plat Recorded in Survey Book D , Page 52 , Auglaize County Engr. Dept.
<u>C</u> 5R 1197
NW COR.  NE 14 SECT. 35  SECTION 35
STEP SITE
JACKSON TWR
Attest: Douglas Reinhart  Douglas Reinhart  Professional Surveyor # 6507
Professional Surveyor # 6507
5
SURVEY # 74-5842
STIMMEL & ASSOC.
CALL 160.00' S85.00'E  £ TO 1.P. 153.00' 203.15'
SURVEY#64-4174 ,40
STIMMEL + ASSOC.
CALL 160.00'  N 89:00'W
CALL 160.00' N89:00'W
LEGEND
▲ SPIKE FD.
OF FIRST OF
F.C. FIRST ST.
Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.  Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.
Signed: Date
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction  Signature by a representative of the County Engineer's Dept.
denotes approval of this plat. Signed:  Date  Date  Date  Date
Client Bob Huecker
County Rugleize Twp. Jackson Sec. 35  Drawn by D. Rainbort Scale 1"=60' Drwg. No. 78-122
Checked by Date



Scale:

(T 7 S; R 1 E)

Date 7-6-78

## SURVEYOR'S DESCRIPTION

The following described tract of ground is part of Lots # 1 and # 3, Menke's Subdivision in the Northeast Quarter of Section 35 Jackson Township, Township Seven South, Range Four East, Auglaize County, Ohio and is more particularly described as follows:

Commencing at a spike at the Northwest corner of the Northeast Quarter of Section 35, Jackson Township, said spike being in the intersection of the centerlines of State Route # 119 and Paris Street in the Village of Minster;
Thence SOI-21'W along the centerline of Paris Street a distance

of 565.57 feet to a spike;

Thence S89-00'E a distance of 160,000 feet to a point being the PLACE OF BEGINNING, said point passing through an iron pin at 159.00 feet from the centerline of Paris Street;

Thence S89-00'E a distance of 209.15 feet to an iron pin; Thence SO1-21'W a distance of 100.00 feet to an iron pin; Thence N89-00'W a distance of 209.15 feet to a point; Thence N01-21'E a distance of 100.00 feet to a point which is

the PLACE OF BEGINNING.

The above described tract of ground contains 0.480 Acres and is subject to all legal easements of record.

Previous deed reference: Volume 174, Page 228

The above described tract of ground is also subject to half (10') of a 20 foot wide alley dedicated on the original Plat of Menke's Subdivision. The alley is located along the South boundry of the above described parcel.

> Attest: Douglas Reinhart Professional Surveyor # 6507

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.  Signed: Date			Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.  Signed:  Date
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed:  for political S. D. of:  Date			Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.  Signed:  Date
99		Client Bod County Aug Drawn by	b Huecker  glave Twp. Tackson Sec. 35  O. Reinbert Scale Drwg. No. 78:122

Checked by

Sheet 2