

TRACTS ONE, TWO AND THREE ARE SPLITS OF ORIGINAL SURVEY CONDUCTED BY: THOMAS W. STEINKE & ASSOC. INC. DRAWING NO. 77-370 WHICH SURVEY IS RECORDED IN BOOK C PAGE LL OF THE AUGLAIZE COUNTY ENGINEERS OFFICE SURVEY RECORDS DRIGINAL SURVEY CONSISTED OF 10.257 ACRES.

	SUMMER ATE OF OF	
NOITA201	* THOMAS W.	LEGEND
- Srt	LOGAN TOP STEINAE	IRON PIPE FD.
	SECTION 2 E 1/20	R.R. SPIKE FD.
	T. 4.5-R-5-E CAVEYO O	CORNER POST
	AUGLAIZE CO. D.	

annimmm.

### SURVEY CONDUCTED

J. INUMAS	W. 311	BINIAL	a Abbe	ju, kiu	V.
Signature by a representative of the County denotes that this plat meets tax map plat requ Signed:	irements.	denotes approva	representative of the) Co l of this plat.		
Signature by a representative of the Coundenotes compliance with Health Regulations.  Signed:	Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.  Signed:  Date				
Thomas W. Steinke & Assoc, Inc Land Surveying 123 West Auglaire St. Lap Boneta, One 45895	County Rs Drawn by Checked by	MR FORM DELATIZE G.E.M. Java	CRAFT Co. Twp. Logan Scale 1"=200 I Date Oct	Sec. 2.1 Drwg. No. 7.8.7	



# THOMAS W. STEINKE & ASSOC., INC. LAND SURVEYING LAND DEVELOPMENT 106 PARK STREET WAPAKONETA, OHIO 45895 PHONE: 419-738-7421

### TRACT NUMBER THREE

Being 5.096 Acres located in the northeast quarter of section 21 T-4-S-R-5-E ,logan Township, Auglaize County, and being futher described as follows:

Commencing at a railroad spike at the intersection of the north-south half section line of section 21 and the centerline of Kossuth- Ft. Amanda Road (T.R. 228)

Thence S 89°54'06" E a distance of 993.80 feet on said centerline to a point and the PLACE OF BEGINNING for the tract of land herein described.

Thence N  $00^{\circ}00^{\circ}$  W a distance of 662.46 feet to a point.

Thence S 89°39'06" E a distance of 338.98 feet to a corner post.

Thence S 00°00' E a distance of 661.00 feet to a railroad spike in the centerline of Kossuth Ft. Amanda Road (T.R. 228) passing through a corner post at 641.00 feet.

Thence N 89°54:06" W with said centerline a distance of 335.47 feet to a point and the PLACE OF BEGINNING

Containing in all 5.096 Acres and being subject to all legal easements and right-of-way of record.

Survey and description prepared by: Thomas W, Steinke and Assoc. Inc. 123 West Auglaize St. Wapakoneta, O this 26th day of Oct. 1978.

This survey and description is recorded in Book D Page 176 of the Auglaize County Survey Records.

Thomas W. Steinke & Assoc., Inc. Land Surveying 123 West Auglaize St. Wapakoneta, Ohio 45895



## THOMAS W. STEINKE & ASSOC., INC. LAND SURVEYING LAND DEVELOPMENT 106 PARK STREET WAPAKONETA, OHIO 45895 PHONE: 419-738-7421

### TRACT NUMBER TWO

Being 2.840 Acres located in the northeast quarter of section 21 T-4-S-R-5-E, Logan Township, Auglaize County Ohio, and being futher described as follows.

Commencing at a railroad spike at the intersection of the north-south half section line of Section 21 and the centerline of Kossuth- Ft. Amanda Road (T.R. 228)

Thence S 89° 54' 06" E with said centerline a distance of 658.32 feet to a R.R. Spike.

Thence N 00°36° 20" W a distance of 300.00 feet to a point and the PLACE OF BEGINNING for the tract of land herein described.

Thence continuing N00°36'20" W a distance of 363.90 feet to an Iron Pipe.
Thence S89°43'36" E a distance of 81.49 feet to a point.

Thence S 89°39'06" E a distance of 261.00 feet to a point.

Thence S 00° 00' E a distance of 362.46 feet to a point.

Thence N 89°54:30" W a distance of 338.65 feet to a point and the PLACE OF BEGINNING.

Containing in all 2.840 Acres and being subject to all legal easements and right-of way of record.

Survey and description prepared by Thomas W. Steinke and Assoc. Inc. 123 Weat Auglaize St. Wapakoneta, O this 26th day of Oct. 1978

This survey and description is recorded in Book D Page 177 Of the Auglaize County Survey Records.

Thomas W. Steinke & Assoc., Inc. Land Surveying 123 West Auglaize St. Wapakoneta, Ohio 45895



### THOMAS W. STEINKE & ASSOC., INC. LAND SURVEYING LAND DEVELOPMENT 106 PARK STREET WAPAKONETA, OHIO 45895 PHONE: 419-738-7421

### TRACT. NUMBER ONE

Being 2.321 Acres located in the northeast quarter of section 21 T-4-S-R-5-E, Logan Township, Auglaize County, Ohio and being futher described as follows.

Commencing at a railroad spike at the intersection of the north-south half section line of Section 21 and the centerline of Kossuth-Ft. Amanda Road (T.R. 228)

Thence S 89°54'06 E with said centerline a distance of 658.32 feet to a R.R. Spike and the PLACE OF BEGINNING for the tract of land herein described.

Thence N 00° 36' 20" W a distance of 300.00 feet to a point.

Thence S 89°54' 30" E a distance of 338.65 feet to a point.

Thence S  $00^{\circ}$  00 E a distance of 300.00 feet to a point in the centerline of Kossuth-Ft. Amanda Road (T.R. 228).

Thence N 89° 54° 06" W with said centerline a distance of 335.48 feet to a R.R. Spike and the PLACE OF BEGINNING

Containing in all 2.321 Acres and being subject to all legal easements and right-of-way of record.

Survey and description prepared by Thomas W. Steinke and Assoc. Inc. 123 West Auglaize St. Wapakoneta, 0, this 26 th day of Oct. 1978

This survey and description is recorded in Book D page 178 of the Auglaize County Survey Records.

Thomas W. Steinke & Assoc., Inc Land Surveying 123 West Auglaize St. Wapakoneta, Ohio 45895