


E. J. MACHENBACH

Scale:
1" = 50'




- ✓ R.K. NAIL
- IRON PIPE
- ⊙ CONCRETE MON.
- ✕ R.R. SPIKE FD.

	SITE

NOBLE TWA
SECTION 34
T-S-S-R-4-E
HUGLIZE CO.O.

Thomas W. Henke



**SURVEY CONDUCTED BY :
THOMAS W. STEINKE & ASSOC. INC.**

123 W. AUGLAIZE STREET WAPAKONETA, O. 45895 PH. 738-7421

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.
Signed: _____ Date _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed: _____ Date _____

Thomas W. Steinhilber & Assoc., Inc.
Land Surveying
183 West Augusta St.
Tomball, Ohio 44067

Client E. J. MORGENTHAU
County INGHAM Twp. NOBLE Sec. 24
Drawn by G. McDONALD Scale 1" = 50' Drwg. No. 79-776
Checked by T. STEINKE Date MAY 11, 1979
Sheet 11 of 3 (15 S; R 4 E)

Being part of the north-east quarter of Section 34, T-5-S, R-4-E, Noble Township, Auglaize County, Ohio and being further described as follows:

Commencing at the south-east corner of the north-east quarter of Section 34.

Thence North $01^{\circ} 00'$ East with the east line of Section 34 and the center line of C.R.# 66-A, a distance of 50.0 feet.

Thence North $87^{\circ} 59'$ West, a distance of 30.0 feet to an iron pipe in the west R/W of C.R.# 66-A and the PLACE OF BEGINNING for the parcel herein described, said parcel being part of Lots #1 and #2 of the Machenbach Second Addition.

Thence North $01^{\circ} 00'$ East along said R/W line, a distance of 105.99 feet to an iron pipe.

Thence North $88^{\circ} 30'$ West, a distance of 200.0 feet to an iron pipe.

Thence South $01^{\circ} 00'$ West, a distance of 104.22 feet to an iron pipe 50 feet north of the south-west corner of Lot # 1 of said original subdivision.

Thence South $87^{\circ} 59'$ East, a distance of 200.00 feet to the PLACE OF BEGINNING.

Containing in all 0.482 Acres

Survey and description prepared by: Thomas W. Steinke and Assoc., Inc., Wapakoneta, Ohio

Thomas W. Steinke & Assoc., Inc.
Land Surveying
123 West Auglaize St.
Wapakoneta, Ohio 45895

E-8

Being part of the north-east quarter of Section 34,
T-5-S, R-4-E, Noble Township, Auglaize County, Ohio
and being further described as follows:

Commencing at the south-east corner of the north-
east quarter of Section 34.

Thence North $01^{\circ} 00'$ East with the east line of
Section 34 and the center line of C.R.# 66-A, a distance
of 50.0 feet.

Thence North $87^{\circ} 59'$ West, a distance of 30.0
feet to the west R/W line of C.R.# 66-A.

Thence North $01^{\circ} 00'$ East along said R/W line, a dis-
tance of 105.99 feet to an iron pipe and PLACE OF
BEGINNING for the parcel herein described, said parcel
being part of Lot # 2 of Machenbach Second Addition.

Thence continuing North $01^{\circ} 00'$ East, a distance
of 105.99 feet to the north-east corner of Lot # 2.

Thence North $89^{\circ} 00' 30''$ West, a distance of 200.0
feet to the north-west corner of Lot # 2.

Thence South $01^{\circ} 00'$ West, a distance of 104.22
feet to an iron pipe.

Thence South $88^{\circ} 30'$ East, a distance of 200.0
feet to the PLACE OF BEGINNING.

Containing in all 0.482 Acre.

Survey and description prepared by Thomas W. Steinke
and Assoc., Inc., Wapakoneta, Ohio.

Thomas W. Steinke & Assoc., Inc.
Land Surveying
123 West Auglaize St.
Wapakoneta, Ohio 45895

E-9