


THE PURPOSE OF THIS SURVEY IS  
TO ADD LAND TO THE ALLEGANY  
APPROVED LOTS AS INDICATED.  
THIS ADDITIONAL LAND SHALL  
NOT BE CONSIDERED FOR USE AS  
AN INDIVIDUAL RESIDENTIAL LOT.

Thomas W. Allen



Existing  
(1.252 Ac)

EXISTING  
(1.274 AC)

0.151 Ac

EXISTING  
(1.126 AC)

Sec. 25

SURVEY	REF
BOOK	PG
E	162
E	172
E	174

Section  
LINE

{ N 00° 07' 41" E  
222.62

£ SOUTHLAND ROAD

S 89° 50' 35" W 1335.40

SE Cor  
SEC 25  
T-6-S  
R-4E

This survey is recorded in Book E Page 309 of the Auglaize Co. Engs. Office

TOWN 6 SOUTH

RANGE 4 EAST

SCALE:  $1'' = 100'$

AUGLAIZE COUNTY HEALTH DEPT.

AUGLAIZE COUNTY PLANNING COMM.

signature

date

signature

date

JURISDICTION 3 MILE LIMIT OR  
TOWNSHIP

AUGLAIZE COUNTY ENGINEER

signature

date

signature

date

CLIENT: "RED" KUCK

DATE: July 1980

COUNTY

Auglaize

TOWNSHIP: St. Marys

SECTION: 25 SE/4

F-309

~~309~~



# THOMAS W. STEINKE & ASSOC., INC.

LAND SURVEYING      LAND DEVELOPMENT

123 W. AUGLAIZE ST. - WAPAKONETA, OHIO 45895

PHONE: 419-738-7421

DESCRIPTION OF 0.533 Acres

Being 0.533 Acres located in the east half of Section Twenty Five T-6-S--R-4-E St. Mary's Township Auglaize County, Ohio and being further described as follows.

Commencing at the south/east corner of the south/east quarter of Section Twenty Five St. Mary's Township Auglaize County Ohio .

Thence S  $89^{\circ}50'35''$  W along the centerline of Southland Road ( T-R 90 ) and the south line of Section Twenty Five a distance of 1335.40 Feet.

Thence N  $00^{\circ}07'41''$  E a distance of 820.03 feet to a iron pipe marking the PLACE OF BEGINNING for the parcel herein described.

Thence continuing N  $00^{\circ}07'41''$  E a distance of 142.68 feet to a iron pipe.

Thence S  $89^{\circ}52'20''$  E a distance of 221.81 feet to a iron pipe.

Thence S  $39^{\circ}39'36''$  W a distance of 185.00 feet to a iron pipe.

Thence N  $89^{\circ}52'20''$  W a distance of 104.06 feet to a iron pipe which is the PLACE OF BEGINNING for this parcel.

Containing in all 0.533 Acres and being subject to any and all easements and Right-of-Way of record.

This survey is recorded in Book E Page 309 of the Auglaize County Engineers Office survey records.

Survey and description prepared by Thomas W. Steinke and Assoc. Inc.

123 West Auglaize Street Wapakoneta, Ohio this 4th day of Aug. 1980.



# THOMAS W. STEINKE & ASSOC., INC.

LAND SURVEYING

LAND DEVELOPMENT

123 W. AUGLAIZE ST. - WAPAKONETA, OHIO 45895

PHONE: 419-738-7421

## DESCRIPTION OF 0.151 ACRES

Being 0.151 Acres located in the east half of Section Twenty Five T-6-S -R-4-E St. Mary's Township, Auglaize County Ohio and being further described as follows.

Commencing at the south/east corner of the south/east quarter of Section Twenty Five St. Marys Township, Auglaize County, Ohio.

Thence S  $89^{\circ}50'35''$  W along the centerline of Southland Road (T-R 90 ) and the south line of section twenty five a distance of 1335.40 feet.

Thence N  $00^{\circ}07'41''$  E a distance of 623.94 feet to a iron pipe and the PLACE OF BEGINNING for the parcel herein described.

Thence continuing N  $00^{\circ}07'41''$  E a distance of 126.09 feet to a iron pipe.

Thence S  $89^{\circ}52'20''$  E a distance of 104.06 feet to a iron pipe.

Thence S  $39^{\circ}39'36''$  W a distance of 163.48 feet to a iron pipe which is the PLACE OF BEGINNING for this parcel.

Containing in all 0.151 Acres and being subject to any and all easements and Right-of-Way of record.

This survey is recorded in Book E Page 309 of the Auglaize County Engineers Office survey records.

Survey and description prepared by Thomas W. Steinke and Assoc. Inc.  
123 West Auglaize Street Wapakoneta, Ohio this 4th day of Aug. 1980.