


LOCATION PLAN
SECTION 33




C.R. #210
NATIONAL ROAD
N.E. CORNER,
SEC. 33,
LOGAN TWP.

LOGAN TOWNSHIP
T-4-S, R-5-E, AUGLAIZE
COUNTY, OHIO
CALL 660.00'
SAM CRAIG SURVEY # 280
JUNE 3RD, 1881

12" CONCRETE
CORNER POST

SECTION
LINE

12" CONCRETE
CORNER POST



LEGEND

○ IRON PIN SET
● P.K. NAIL SET
■ MONUMENT BOX

ATTEST: Doug Reinhart
DOUG REINHART
REG. SURVEYOR NO. 6507

REVISED Feb. 22, 1982



THIS PLAT IS RECORDED IN SURVEY BOOK F, P. 178,
AT THE AUGLAIZE COUNTY ENGINEER'S OFFICE.

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.
Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.
Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed: _____ Date: _____

DOUG REINHART
LAND SURVEYING

178A

Client RON SPENCER REAL ESTATE
County AUGLAIZE Twp. LOGAN Sec. 33
Drawn by JOHN SAUERT Scale 1"=100' Drwg. No. 82-257
Checked by _____ Date FEB. 1982
Sheet 1 of 2 **178A** (T 4 S; R 5 E)



Scale: _____

SURVEYORS DESCRIPTION

The following described parcel of ground is part of the Northeast Quarter of Section 33, Logan Township, Township Four (4) South, Range Five (5) East, Auglaize County, Ohio and is more particularly described as follows:

Commencing at a monument box at the intersection of County Road # 208 (National Road) and Township Road # 97 (Cognant Road); said box being in the Northeast corner of Section 33, Logan Township; Thence with an assumed bearing of $S30^{\circ}-00'W$ along the centerline of Township Road # 97 a distance of 1934.20 feet to a P.K. Nail and the PLACE OF BEGINNING;

Thence continuing $S30^{\circ}-00'W$ along the centerline of T.R. # 97 a distance of 455.00 feet to a P.K. Nail;

Thence $N72^{\circ}-00'W$ through an iron pin at 20.00 feet for a total distance of 221.74 feet to an iron pin;


Thence $N06^{\circ}-38'-40''E$ a distance of 397.25 feet to an iron pin;

Thence $N87^{\circ}-32'E$ a distance of 254.10 feet to an iron pin;

Thence $S60^{\circ}-00'E$ a distance of 160.00 feet to a P.K. Nail in the centerline of Township Road # 97 and the PLACE OF BEGINNING.

Containing in all 3.20 Acres of which 0.21 has been previously dedicated for highway purposes. The above described parcel is subject to all easements of record. Previous deed reference: Volume 237, Page 250, Auglaize County Records Office. Survey filed in plat Book F, Page 178, Auglaize County Engineers Office.

ATTEST: *Doug Reinhart*
Doug Reinhart
Professional Surveyor #6507



Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____

for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

DOUGLAS P. REINHART
6507

REG. SURVEYOR

179A

Client Ron Spencer Real Estate
County Auglaize Twp. Logan Sec. 33
Drawn by _____ Scale _____ Drwg. No. 82-257
Checked by _____ Date 2-22-82
Sheet 2 of 2 179A (T. S. R. E)