

Centerline East Benton Street (66' R/W)

South R/W of Benton Street

Scale:

LEGEND

- 2" Iron Pipe Found
- ✕ Iron Pin Set

2" Pipe Fd.
North Line Outlot # 106

North Line of
Lot # 104

Call 453.3'

20' to R/W

Deed Volume 261, Page 250, Auglaize
County Records Office

PART OF OUTLOT # 106
CITY OF WAPAKONETA

ATTEST:

Doug Reinhart
Professional Surveyor # 6507

Call 555.0'

16.5' to R/W

2" pipe Fd.
0.63' West of
R/W line.

90° 01'

89° -59'

6.00'

I.P.'s set 3.50'
West of R/W

16.5' to R/W

Survey filed in Plat Book G, Page 71, Auglaize County Engineers Office.

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.
Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.
Signed: _____ Date _____


Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____ Date _____
for political S. D. of: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed: _____ Date _____

671

Client Laman
County Auglaize Twp. Duchouquet Sec. 32
Drawn by _____ Scale 1"=50' Drwg. No. 83-328
Checked by _____ Date 6-7-83
Sheet 1 of 2 (T 5 S; R 6 E)

671



Scale: _____

SURVEYORS DESCRIPTION
PART OF OUTLOT # 106
CITY OF WAPAKONETA

The following described parcel of ground is part of Outlot # 106 in the City of Wapakoneta, Ohio in Fishers Subdivision of Outlots and is more particularly described as follows:

Commencing at the Northeast corner of Outlot # 106 of Fishers Subdivision of Outlots in the City of Wapakoneta; Thence South along the West right-of-way line of Pine Street and the East line of Outlot # 106 a distance of 223.00 feet to the PLACE OF BEGINNING;

Thence continuing South along said road right-of-way and Outlot line a distance of 6.00 feet;

Thence with a deflection angle to the right of $89^{\circ}-59'$ passing through an iron pin at 3.50 feet for a total distance of 264.00 feet to an iron pin;

Thence with a deflection angle to the right of $90^{\circ}-01'$ a distance of 6.00 feet to an iron pin;

Thence with a deflection angle to the right of $89^{\circ}-59'$ passing through an iron pin at 260.50 feet for a total distance of 264.00 feet to the West right-of-way line of Pine Street and the PLACE OF BEGINNING.

The above described parcel of ground contains 1584 square feet and is subject to all easements of record. Previous deed reference: Volume 261, Page 250, Auglaize County Recorders Office. Survey filed in Plat Book 6, Page 71, Auglaize County Engineers Office.

ATTEST: _____

Doug Reinhart

Professional Surveyor # 6507



Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____

for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

Client LamanCounty AuglaizeTwp. Duchouquet Sec. 32

Drawn by _____

Scale _____

Drwg. No. 83-328

Checked by _____

Date 6-7-83Sheet 2 of 2(T 5 S; R 6 E)