



SURVEY OF PARTS LOTS 3 & 4 WILDS' ADDITION
SECTION 32 T 5 S R 6 E - DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY
CITY WAPAKONETA, OHIO

CLAYTON "SKIP" STIMMEL, P.E., P.S.
AUGLAIZE COUNTY ENGINEER

ATTEST:
DOUG REINHART
ASST COUNTY ENGINEER
REG SURVEYOR NO 6507
REG ENGINEER NO 44670



Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.
Signed: _____ Date: _____

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.
Signed: _____ Date: _____

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.
Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____ Date: _____ for political S. D. of: _____

Client Auglaize County Highway Garage
County Auglaize Twp. Duchouquet Sec. 32
Drawn by Doug Crawford Scale Reduced Drwg. No. _____
Checked by D. J. P. Date September 1983
Sheet 1 of 3
Auglaize County Engineer Wapakoneta, Ohio 45895
G-127



Scale: _____

AUGLAIZE COUNTY COMMISSIONERS' to Kermit Eugene Metzger

Being a part of Lot Four of Wild's Sub-Division of Section 32 T5S R6E
Duchouquet Township, Auglaize County, Ohio in the City of Wapakoneta, Ohio
more particularly described as follows:

Commencing at a P.K. nail set at the intersection of the centerline of
Blackhoof Street and the lot line between lots three and four of said
Sub-Division extended;

Thence along the lot line of said lots three and four extended N 90°00' E
with an assumed bearing 25.88' to a cross X in a concrete drive on the
easterly right of way line of Blackhoof Street and the PLACE OF BEGINNING;

Thence continuing along the lot line between lots three and four N 90°00' E
passing through an iron pin found at 2.12' a total distance of 332.67' to
a steel corner post;

Thence S 00°00' W 14.50' to a steel fence post;

Thence S 90°00' W 336.56' to an iron pin set on the easterly right of way
line of Blackhoof Street;

Thence N 15°00' 18' E along the easterly right of way line of Blackhoof
Street 15.01' to a cross X in a concrete drive which was the PLACE OF
BEGINNING.

Containing 0.111 acres more or less.

SAVE AND EXCEPTING unto said Commissioners of Auglaize County their
successors in office and their assigns an easement for the repair and
maintenance of a radio tower guy anchor over the easterly 30.00' of the
above described property.

Survey and description recorded in survey book G page 127 Auglaize
County Engineer's Office Wapakoneta, Ohio. Previous conveyance recorded
in deed vol. 143 pg. 609 Auglaize County Recorder's Office.

ATTEST:

Doug Reinhart
Doug Reinhart Ass't County Engineer
Reg. Surveyor No. 6507
Reg. Engineer No. 44670



Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

Auglaize County Engineer
Wapakoneta, Ohio

Client Auglaize County Highway Garage
County Auglaize Twp. Duchouquet Sec. 32
Drawn by Doug Crawford Scale _____ Drwg. No. _____
Checked by _____ Date September 1983
Sheet 2 of 3 (T 5 S; R 6 E)



Scale: _____

Kermit Eugene Metzger to Auglaize County Commissioners

Being a part of Lot Three of Wild's Sub-Division of Section 32 T5S R6E
Duchouquet Township, Auglaize County, Ohio in the City of Wapakoneta, Ohio
more particularly described as follows:

Commencing at a P.K. nail set at the intersection of the centerline of
Blackhoof Street and the lot line between lots three and four of said
Sub-Division extended;

Thence along the lot line and the lot line extended N 90° 00' E, with an
assumed bearing, passing a cross X in a concrete drive at 25.88' and a
iron pin found at 28.00' a total distance of 358.55' to a steel corner
post which is the PLACE OF BEGINNING;

Thence N 00° 00' E 75.00' to an iron pin set;

Thence N 90° 00' E 108.94' to an iron pin set on the former westerly right
of way of the Western Ohio Electric line;

Thence S 16° 30' E along the former right of way line 78.25' to a steel
corner post on the lot line between lots three and four of said sub-division;

Thence S 90° 00' W along the lot line between said lots three and four
131.18' to a steel corner post which was the PLACE of BEGINNING.

Containing 0.207 acres more or less.

Survey and description recorded in survey book G page 127 Auglaize
County Engineer's Office, Wapakoneta, Ohio. Previous Conveyance recorded
in deed vol. 184 page 164 Auglaize County Recorder's Office.

ATTEST:

Doug Reinhart
Doug Reinhart Ass't County Engineer
Reg. Surveyor No. 6507
Reg. Engineer No. 44670



Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed: _____

for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed: _____ Date: _____

Auglaize County Engineer
Wapakoneta, Ohio 45895

G -129

Client Auglaize County Highway Garage
County Auglaize Twp. Duchouquet Sec. 32
Drawn by Doug Crawford Scale _____ Drwg. No. _____
Checked by _____ Date September 1983
Sheet 3 of 3 G -129 (T 5 S; R 6 E)