


Roland Dicke
Section 9
German Township

Sheet 4 of 4



Prepared By
Thomas W. Steinke
P.O. Box 19
Botkins, Ohio

Thomas W. Steinke

Roland Dicke

Being 4.774 Acres, Section 9, Town 7-S,
Range 4-E, German Township, Huguize Co, Ohio

Commencing at a monument box located at the
northeast corner of Section 9:

Thence, South $89^{\circ}27'30''$ West, along the north
line of Section 9 & the centerline of Lock Two
Road, a distance of 350.00 feet to the PLACE
OF BEGINNING;

Thence, continuing South $89^{\circ}27'30''$ West, a
distance of 241.43 feet to a railroad spike;

Thence, South $00^{\circ}32'30''$ East, a distance of
861.21 feet to an iron pipe;

Thence, North $89^{\circ}31'40''$ East, a distance of
241.43 feet to an iron pipe;

Thence, North $00^{\circ}32'30''$ W, a distance of
861.50 feet to the north line of Section 9
and the PLACE OF BEGINNING

Containing in all 4.774 Acres & being
subject to all legal easements & Rights-of-
way of Record.

Survey & Description prepared by Thomas
W. Steinke this 18th day of November 1983

Roland Dicke

Being 5.000 Acres, Section 9, Town 7-S,
Range 4-E, German Township, Auglaize County, O.

Commencing at a Monument Box Located @ the
Northeast corner of Section 9:

Thence, South $89^{\circ}27'30''$ West along the north Line
of Section 9 & the center Line of Lock-Two Road,
a distance of 591.43 feet to the PLACE OF
BEGINNING;

Thence, continuing South $89^{\circ}27'30''$ West, a distance
of 73.33 feet to a railroad Spike;

Thence, South $00^{\circ}12'40''$ East, a distance of
1336.14 feet to an iron pipe;

Thence, North $89^{\circ}31'40''$ East, a distance of 322.46
feet to an iron pipe;

Thence, North $00^{\circ}32'30''$ West, a distance of
475.00 feet to an iron Pipe;

Thence, South $89^{\circ}31'40''$ West, a distance of
241.43 feet to an iron pipe;

Thence, North $00^{\circ}32'30''$ West, a distance of
861.21 feet to a railroad spike in the
north Line of Section 9 and the PLACE
OF BEGINNING.

Containing in all 5.000 Acres & being subject
to all Legal easements & rights-of-way of record
Survey & Description prepared by Thomas W.
Steinke this 18th Day of November 1983