


WILLIAM JACOBY SURVEY OF PART OF
THE S.E. 1/4 OF THE N.E. 1/4 OF SEC. 19,
TOWN 6 SOUTH, RANGE 4 EAST,
(ST. MARYS TWP.), AUGLAIZE CO., OHIO.



Scale:


1"=100'



FEBRUARY 15, 1984

LEGEND

- "A" = IRON BAR OVER CORNER STONE @
E. 1/4 PT. OF SEC. 19.
"B" = R.R. SPIKE @ N.E. COR. OF S. 1/2 OF
N.E. 1/4 OF SEC. 19.
"C" = CO. MON. BOX @ W. 1/4 PT. OF SEC. 19.
"D" = R.R. SPIKE SET & PUNCHED.
"E" = 5/8" IRON BAR SET.



- NOTES: (1) THE E. LINE OF N.E. 1/4 OF SEC. 19 WAS
ASSUMED TO BEAR S. 01°55'40"E.
(2) REF. IS MADE TO A BOUNDARY SURVEY
FOR DR. LIBBEE DATED MARCH, 1976 BY
GORDON L. GEESLIN, REG. SUR. #5372.

SURVEYED BY: Michael L. Weadock
MICHAEL L. WEADOCK
REGISTERED SURVEYOR #6199

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed _____ Date _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed _____
for political S. D. of _____ Date _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.

Signed _____ Date _____

MICHAEL L. WEADOCK
REG. SURVEYOR #6199
1402 NAGEL STREET
ST. MARYS, OHIO

Client WM. JACOBY
County AUGLAIZE Twp. ST. MARYS Sec. 19
Drawn by M.L.W. Scale 1" = 100' Drwg. No. _____
Checked by M.L.W. Date FEB. 1984
Sheet 1 of 2 (T 6 S, R 4 E)

JACOBY SURVEY DESCRIPTION



Scale: _____

Being a parcel of land situated in St. Marys Township, Auglaize County, Ohio, in the southeast quarter of the northeast quarter of Section 19, Township 6 South, Range 4 East. Being more particularly described as follows:

The place of beginning, for the parcel to be conveyed by this instrument is an iron bar set over the corner stone at the East quarter post of said Section 19;

Thence, South $88^{\circ} 07' 24''$ West, along the east west half section line of said Section 19, a distance of six hundred twenty-eight and $64/100$ (628.64) feet to a point in the existing centerline of Barnes Creek; said line passing thru a $5/8''$ iron bar at five hundred ninety-seven and $64/100$ (597.64) feet;

Thence, North $05^{\circ} 18' 37''$ West, along said existing centerline of Barnes Creek, a distance of one hundred and $18/100$ (100.18) feet to a point;

Thence, North $13^{\circ} 21' 35''$ West, along said existing centerline of Barnes Creek, a distance of one hundred thirteen and $27/100$ (113.27) feet to a point;

Thence, North $88^{\circ} 07' 24''$ East, a distance of six hundred fifty-seven and $00/100$ (657.00) feet to a railroad spike set on the east line of the northeast quarter of said Section 19, said point also being on the centerline of State Route #364, said line passing thru a $5/8''$ iron bar at forty and $00/100$ (40.00) feet.


Thence, South $01^{\circ} 55' 40''$ East, along said east line of the northeast quarter of Section 19 and the centerline of State Route #364, a distance of two hundred eleven and $00/100$ (211.00) feet to the place of beginning.

Containing 3.0956 acres of land more or less of which 0.1938 acres is road right-of-way.

Subject to all easements and rights-of-way of record.

The east line of the northeast quarter of Section 19 was assumed to bear South $01^{\circ} 55' 40''$ East. All other bearings were calculated from angles turned.

Reference is made to a boundary survey of this area by Michael L. Weadock, Registered Surveyor #6199, dated February 15, 1984, on file in the County Engineer's Office.



Surveyed by:

Michael L. Weadock
Michael L. Weadock
Registered Surveyor #6199

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.
Signed: _____ Date: _____

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.
Signed: _____ Date: _____

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____
for political S. D. of: _____ Date: _____

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.
Signed: _____ Date: _____

MICHAEL L. WEADOCK
REG. SURVEYOR #6199
1405 NAGEL ST.
ST. MARYS, OHIO

Client WILLIAM JACOBY
County AUGLAIZE Twp. ST. MARYS Sec. 19
Drawn by M.L.W. Scale _____ Drwg. No. _____
Checked by M.L.W. Date FEB, 1984
Sheet 2 of 2
(T 6 S 4 E)