


MONUMENT BOX OVER
STONE AT THE NORTHWEST
CORNER OF THE SOUTHWEST
QUARTER OF SECTION 9

Scale:

LOCATION PLAN

SECTION 9




WASHINGTON TOWNSHIP
T. 6 S, R. 5 E, AUGLAIZE
COUNTY, OHIO.

LEGEND



IRON BAR
MONUMENT BOX

THIS PLAT IS RECORDED
IN SURVEY BOOK G, PAGE
128, IN THE AUGLAIZE
COUNTY ENGINEER'S OFFICE.



ATTEST: *John W. Jauert*
JOHN W. JAUERT
PROFESSIONAL SURVEYOR
NO. 6920

Signature by a representative of the County Health Dept.
denotes compliance with Health Regulations.

Signed _____ Date _____

Signature by a representative of the Auglaize County Regional
Planning Commission denotes approval of this plat.

Signed _____ Date _____

Signature by a representative of City with 3 mile limit juris-
diction or Twp. Trustees or Village with zoning jurisdiction
denotes approval of this plat. Signed _____
for political S. D. of _____ Date _____

Signature by a representative of the County Engineer's Dept.
denotes that this plat meets tax map plat requirements.
Signed _____ Date _____

JAUERT
SURVEYING

Client LINDA EMMONS
County AUGLAIZE Twp. WASH. Sec. 9
Drawn by J. JAUERT Scale NONE Drwg. No. 86-217
Checked by _____ Date Aug 26th 1986
Sheet 2 of 4 728 (T. 6 S; R. 5 E)

Jauert
ASSOCIATES



Surveying

AND LAND CONSULTING

RT. 3 BOX 449 WAPAKONETA, OHIO 45895

PH (419) 738-8962

Client _____

COUNTY _____

TOWNSHIP _____

SECTION 9 T. 6 S. R. 5 E. DRWG. No. 86-217

DRAWN BY _____

DATE _____

CHECKED BY _____

SHEET 2 OF 4

SURVEYOR'S DESCRIPTION FOR PARCEL NO. 1

The following described tract of land is part of the Southwest Quarter of Section 9, Town 6 South, Range 5 East, Washington Township, Auglaize County, Ohio, and is more particularly described as follows:

Commencing at a monument box over the stone at the Northwest corner of the Southwest Quarter of Section 9, Washington Township, and in the centerline of County Road 91 (Moulton - New Knoxville Road);

thence with an assumed bearing of S.00°30'W. along the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township, a distance of 885.64 feet to an iron bar and the PLACE OF BEGINNING for the parcel herein described;


thence N.89°39'40"E. a distance of 367.97 feet to an iron bar;

thence S.01°38'00"W. a distance of 308.15 feet to a point;

thence S.89°39'40"W., parallel to the North line of said tract, a distance of 361.86 feet to a point in the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township;

thence N.00°30'E. along the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township, a distance of 308.00 feet to an iron bar which was the true PLACE OF BEGINNING.


Containing in all 2.579 acres of which 0.176 acre has been dedicated for highway purposes. The above described tract of land is subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Previous deed reference: Vol. 260, page 611. This plat is recorded in Survey Book G, page 728 in the Auglaize County Engineer's Office. This 2.579 acre parcel has been split out of a 8.21 acre survey prepared by Thomas W. Steinke, Professional Surveyor No. 6177.



ATTEST:

John W. Jauert
Professional Surveyor No. 6920

Jauert
ASSOCIATES



Surveying

AND LAND CONSULTING

RT. 3 BOX 449 WAPAKONETA, OHIO 45895
PH. (419) 738-8962

Client: _____

COUNTY _____ TOWNSHIP _____

SECTION 9 T. 6 S., R. 5 E. DRWG. No. 86-217

DRAWN BY _____ DATE _____

CHECKED BY _____ SHEET 3 OF 4

SURVEYOR'S DESCRIPTION FOR PARCEL NO. 2

The following described tract of land is part of the Southwest Quarter of Section 9, Town 6 South, Range 5 East, Washington Township, Auglaize County, Ohio, and is more particularly described as follows:

Commencing at a monument box over the stone at the Northwest corner of the Southwest Quarter of Section 9, Washington Township, and in the centerline of County Road 91 (Moulton - New Knoxville Road);

thence with an assumed bearing of S.00°30'W. along the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township, a distance of 1,193.64 feet to a point and the PLACE OF BEGINNING for the parcel herein described;


thence N.89°39'40"E. a distance of 361.86 feet to a point;

thence S.01°38'00"W. a distance of 296.22 feet to a point;

thence S.89°08'W. a distance of 356.06 feet to a point in the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township;

thence N.00°30'E. along the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township, a distance of 299.36 feet to a point which was the true PLACE OF BEGINNING.


Containing in all 2.452 acres of which 0.171 acre has been dedicated for highway purposes. The above described tract of land is subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Previous deed reference: Vol. 260, page 611. This plat is recorded in Survey Book G, page 26728 in the Auglaize County Engineer's Office. This 2.452 acre parcel has been split out of an 8.21 acre survey prepared by Thomas W. Steinke, Professional Surveyor No. 6177.



ATTEST:

John W. Jauert
Professional Surveyor No. 6920

Jauert
ASSOCIATES



Surveying

AND LAND CONSULTING

RT. 3 BOX 449 WAPAKONETA, OHIO 45895

PH (419) 738-8962

Client _____

COUNTY _____

TOWNSHIP _____

SECTION 9 T. 6 S. R. 5 E DRWG No. 86-21

DRAWN BY _____

DATE _____

CHECKED BY _____

SHEET 4 OF 4

SURVEYOR'S DESCRIPTION FOR PARCEL NO. 3

The following described tract of land is part of the Southwest Quarter of Section 9, Washington Township, Town 6 South, Range 5 East, Auglaize County, Ohio and is more particularly described as follows:

Commencing at a monument box over the stone at the Northwest corner of the Southwest Quarter of Section 9, Washington Township, and in the centerline of County Road 91 (Moulton - New Knoxville Road);

thence with an assumed bearing of S.00°30'W. along the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township, a distance of 1,493.00 feet to a point and the PLACE OF BEGINNING for the parcel herein described;

thence N89°08'E. a distance of 356.06 feet to a point;

thence S.01°38'00"W. a distance of 394.26 feet to an iron bar in the centerline of Township Road No. 122 (Wiefenbach Road);

thence S.89°08'W. along the centerline of Township Road 122, a distance of 348.25 feet to an iron bar in the intersection of County Road 91 and Township Road 122;

thence N.00°30'E. along the centerline of County Road 91 and the West line of the Southwest Quarter of Section 9, Washington Township, a distance of 394.00 feet to a point which was the true PLACE OF BEGINNING.

Containing in all 3.184 acres of which 0.337 acre has been dedicated for highway purposes. The above described tract of land is subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Previous deed reference: Vol. 263, page 823. This plat is recorded in Survey Book G, page 48726 in the Auglaize County Engineer's Office. This 3.184 acre parcel has been split out of an 8.21 acre survey by Thomas W. Steinke, Professional Surveyor No. 6177.



ATTEST: _____

John W. Jauert

Professional Surveyor No. 6920