Soo°00'00" W, Soo°00	603.80 290.57 430.63 PARCEL Nº 1 Scale: 1":300" Scale: 1":300" Wood 1 294.50" Wood 1 294.50" Wood 1 294.50"	
MOSON WAYNO THE WAYNO WAYNO TO STEEL NOW ON THE WAYNO TO STEEL NOW ON THE WAYNO THE WA	230 S 39° 45'40" N 230 S 39° 45'40" E , 230 S 39° 45'40" E , 230 S 39° 50'49" N , 8	
Noo°07'37"E, 1318.74 Noo°07'37"E, 598.48 Noo°07'37"E, 720.26' Monu. Box over Stone SW Corner SE'4 Sec. 31, Aug. Twp., Allen Co Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed: Date Date Date Date		
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: Date Client Jame	Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements. Signed: Date	
Client Jam County Au Drawn by Checked by Sheet	RDM Scale /": (300' Drwg No	

DESCRIPTION PARCEL NO. 1

Being a parcel of land situate in the south half of the Northeast quarter of Section 6, T-5-S, R-8-E, Wayne Township, Auglaize County, Ohio and more particularly described as follows:

Commencing at a iron pin found at the northeast corner of said Northeast quarter of said Section 6; thence S 00°00'00" W the east line of said Northeast quarter of said Section 6 (also the centerline of State Route 196), 1928.80 feet to a PK nail set and the PLACE OF BEGINNING thence N 89°36'20" W (passing through a eight (8) inch wood post at 30.55 feet), 325.00 feet to a 5/8 inch re-rod set; thence S 00°00'00" W (passing through a 5/8 inch re-rod set at 31.00 feet), 294.50 feet to a eight (8) inch wood post found; thence N 89°42'06" E (passing through a eight (8) inch wood post found at 292.90 feet), 325.00 feet to a PK nail set on the east line of said Northeast quarter of said Section 6; thence N 00°00'00" E with said east line (also the centerline of State Route 196), 290.57 feet to the PLACE OF BEGINNING containing 2.182 acres more or less and subject to all highways and other legal easements of record.

DESCRIPTION PARCEL NO. 2

Being a parcel of land situate in the south half of the Northeast quarter of Section 6, T-5-S, R-8-E, Wayne Township, Auglaize County, Ohio and more particularly described as follows:

Commencing at a iron pin found at the northeast corner of said Northeast quarter of said Section 6; thence S 00°00'00" W with the east line of said Northeast quarter of said Section 6 (also the centerline of State Route 196), 2219.37 feet to a PK nail set and the PLACE OF BEGINNING thence continuing S 00°00'00" W with said east line and centerline, 430.63 feet to a PK nail set at the southeast corner of said Northeast quarter of said Section 6; thence S 89°50'49" W (passing through a eight (8) inch wood post at 32.09 feet), 2647.93 feet to a twelve (12) inch wood corner post found at the center of said Section 6; thence N ØØ°Ø7'37" E the west line of the Northeast quarter of said Section 6. 720.25 feet to a 5/8 inch re-rod set; thence S 89°45'40" E, 2309.20 feet to a eight (8) inch wood post found; thence S 47°32'59" E, 16.48 feet to a 5/8 inch re-rod set; thence S 00°00'00" W, 263.50 feet to a eight (8) inch wood post found; thence N 89°42'06" E (passing through a eight (8) inch wood post found at 292.90 feet), 325.00 feet to the PLACE OF BEGINNING containing 41.181 acres more or less and subject to all highways and other legal easements of record.

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed: Date		Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed: Date
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed:		Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements. Signed: Date
Reside D. Frommen 286470	Client Jam County Aug Drawn by Schecked by Sheet 2	25 Zimmerman Survey S'2, NE'4 21 aize Twp. Wayn'e Sec. 6 RDM Scale 1"= (300' Drwg. No

DESCRIPTION PARCEL NO. 3

Being a parcel of land situate in the south half of the Northeast quarter of Section 6, T-5-8, R-8-E, Wayne Township, Auglaize County, Ohio and more particularly described as follows:

Commencing at a iron pin found at the northeast corner of Northeast quarter of said Section 6; thence S $00^{\circ}00'$ 00'' W with the east line of said Northeast quarter of said Section 6 (also the centerline of State Route 196), 1325.00 feet to a PK nail set at the northeast corner of the south half of said Northeast quarter and the PLACE OF BEGINNING thence continuing S 00°00'00" W with said east line and centerline, 603.80 feet to a PK nail set; thence N 89°36'20" W (passing through a eight (8) inch wood post at 30.55 feet), 325.00 feet to a 5/8 inch re-rod set; thence S 00°00'00" W, 31.00 feet to a 5/8 inch re-rod set; thence N 47°32'59" W, 16.48 feet to a eight (8) inch wood post thence N 89°45'40" W, 2309.20 feet to a 5/8 inch re-rod found: set of the west line of said Northeast quarter of said Section 6; thence N 00°07'37" E with the west line of the said Northeast quarter of said Section 6, 598.48 feet to a six (6) wood corner post found at the northwest corner of the south half of said Northeast quarter of said Section 6; thence N 89°42'40" E the north line of said south half of said Northeast quarter of said Section 6 (passing through a five (5) inch steel post found \neg at 2610.88 feet), 2645.03 feet to the PLACE OF BEGINNING containing 36.945 acres more or less and subject to all highways . and other legal easements of record.

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed: Date	Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed: Date
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: Date	Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements. Signed: Date
Checked b	2 2 2 2 2 2 2 2 2 2