NORTH-21.00'	SEC. 27 No. Scale: LOCATION 111 = 50'	
	SKETCH SKETCH	
EAST 46.00'	EAST - SOUTH ~ 15.00' EAST - GI.GT 7	
0.091 AS IN ROA	SOUTH- 140.	
"B" WEST ~ 263.67' WEST ~ 263.67' P NORTH CORPORATION ROAD (30'R/W) SOUTH LINE OF N.W. 1/4 ~ SEC. 27 LEGEND		
"A" = 5/8" IRON EAR FOUND AT S.E CORNER OF N.W. /4 ~ SEC. 27 (SEE COUNTY ENG. RECORDS) "B" = STONE FOUND AT S.W. CORNER OF N.W. /4 SEC. 27 (SEE CTY. ENG. RECORDS) "C" = P.K. NAIL SET SURVEYED BY: MICHAEL L. WEADOCK PROF. SURVEYOR Nº G199		
SURVEY OF PART OF THE S.E. 4 OF THE N.W. 4 OF SECTION 27, TOWN 7 SOUTH, RANGE 4 EAST, (JACKSON TWP.) AUGLAIZE COUNTY, OHIO SCALE: 1" = 50' MAY 1987		
Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed:	Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed:Date	
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed:	Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements. Signed: Date	
	MLW Date S/2/101	

SCHMITMEYER SURVEY DESCRIPTION



Being a parcel of land situated in Jackson Township, Auglaize County, Ohio, in the southeast quarter of the Northwest quarter of Section 27, Town 7 South, Range 4 East. Being more particularly described as follows:

Scale

S; R

(T_

H-605

E)

Commencing for reference at an iron bar at the southeast corner of the northwest quarter of said Section 27;

Thence, West, along the south line of the northwest quarter of said Section 27, said line also being the centerline of North Corporation Road, a distance of four hundred fifty-seven and 64/100 (457.64) feet to a P.K. nail. Said point being the place of beginning for the parcel to be conveyed by this instrument;

Thence, continuing, West, along the last described line, a distance of two hundred sixty-three and 67/100 (263.67) feet to a P.K. nail;

Thence, North, a distance of one hundred forty-nine and 00/100 (149.00) feet to a point;

Thence, East, a distance of forty-six and 00/100 (46.00) feet to a point;

Thence, North, a distance of seventy-one and 00/100 (71.00) feet to a point;

Thence, East, a distance of twenty-eight and 00/100 (28.00) feet to a point;

Thence, North, a distance of twenty-one and 00/100 (21.00) feet to a point;

Thence, East, a distance of eighty-three and 00/100 (83.00) feet to a point;

Thence, South, a distance of eighty-six and 00/100 (86.00) feet to a point;

Thence, East, a distance of forty-five and 00/100 (45.00) feet to a point;

Thence, South, a distance of fifteen and 00/100 (15.00) feet to a point;

Thence, East, a distance of sixty-one and 67/100 (61.67) feet to a point;

Thence, South, a distance of one hundred forty and 00/100 (140.00) feet to the place of beginning.

Containing 1.116 acres of land more or less of which 0.091 acres is in road right-of-way.

Subject to all easements and rights-of-way of record.

The south line of the northwest quarter of Section 27 was assumed to bear East-West.

Reference is made to a survey of this area by Michael L. Weadock, Professional Surveyor No. 6199, completed in May, 1987.

MICHAEL

Surveyed by:

Surveyed by:

WEADOCK S-0190 CO.	Michael L. Weadock Professional Surveyor No. 6199
Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed:	Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed:Date
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: for political S. D. of: Date	Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements. Signed: Date
County Drawn by	Twp. Sec. Scale Drwg. No. Date