




Survey for Mt. Tabor Church and Clay Township Trustees

Situated in the Northeast Quarter
of Section 15, Clay Township, Town-6-South, Range-7-East,
Auglaize County, Ohio


Southeast Corner,
Northeast Quarter,
Section 15, Clay Twp.

Wrestle Creek Road



- Legend
- Iron Pin (set)
 - △ P.K. Nail Shiner (set)
 - Monument Box

Location



Section 15,
Clay Township

Northwest Corner,
Northeast Quarter,
Section 15, Clay Twp.

Southwest Corner,
Northeast Quarter,
Section 15, Clay Twp.

2,655.42

S. 00°-01'-05" W.

S. 00°-01'-05" W.

142.00'

(26.50')

N. 90°-00' E.

55.00'

N. 34°-30'40" E.
32.16'

N. 90°-00' E.

73.21'

Previous Property Line

N. 90°-00' E.

100.79'

(15.75')

N. 00°-01'-05" E.

115.50'

(115.50')

Previous Property Line

Iron Pin set for
reference at 34.00'

Deed References

Deed Volume 44, Page 422 Mt. Tabor Church

Deed Volume 79, Page 322 Cemetery

Centerline of Gutman Road
(C.R. #116)

174.00'

S. 90°00' W.

(404.25')

N. 90°-00' E.

Prepared by:

Ted K. Schnell

Ted K. Schnell
Professional Engineer # 51963
Professional Surveyor # 7216

Auglaize County Engineer's Office

REVISIONS		
NO.	DATE	BY
1		
2		
3		
4		
5		

Survey for Mt. Tabor
and Clay Township

DRAWN BY	Kevin	SCALE	Shown	DRAWING NO.
CHECKED	John	DATE	5/05/94	1 OF 2
TRACED		APPRO		

I-782



Scale: _____

SURVEYOR'S DESCRIPTION FROM CHURCH TO TOWNSHIP TRUSTEES

The following described tract of land is part of the Northeast Quarter of Section 15, Town 6 South, Range 7 East, Clay Township, Auglaize County, Ohio and is more particularly described as follows:

Commencing at a Monument box at the Southwest corner of the Northeast Quarter of Section 15, Clay Township and in the centerline of County Road 116 (Gutman Road);

thence with an assumed bearing of N.90°00'00"E. along the South line of the Northeast Quarter of Section 15 and the centerline of County Road 116, a distance of 404.25 feet to a P.K. nail set, which is the PLACE OF BEGINNING for the tract of land herein described;

thence N.00°01'05"E. a distance of 115.50 feet to a point;

thence N.90°00'00"E. a distance of 15.75 feet to an iron pin set;

thence S.00°01'05"W. a distance of 115.50 feet to a P.K. nail set in the centerline of County Road 116, passing thru an iron pin set for reference at 81.50 feet;

thence S.90°00'00"W. along the centerline of County Road 116 and the South line of the Northeast Quarter of Section 15, a distance of 15.75 feet to the P.K. nail which was the true PLACE OF BEGINNING.

Containing in all 0.056 acre of which 0.009 acre has been dedicated for highway purposes. The above described tract of land is subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Previous deed references: Volume 44, page 422 and Volume 79. This plat is recorded in Survey Book "I", page 766, in the Auglaize County Engineer's Office.

ATTEST: _____

Ted K. Schnell
Ted K. Schnell
Professional Surveyor No. 7216

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed: _____ Date _____	Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed: _____ Date _____
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____ for political S.D. of: _____ Date _____	Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements. Signed: _____ Date _____
Client _____ County _____ Twp. _____ Sec. _____ Drawn by _____ Scale _____ Drwg. No. _____ Checked by _____ Date _____ Sheet _____ of _____ (T _____ S _____ R _____ E)	

I-783



Scale: _____

SURVEYOR'S DESCRIPTION FROM TOWNSHIP TRUSTEES TO CHURCH

The following described tract of land is part of the Northeast Quarter of Section 15, Town 6 South, Range 7 East, Clay Township, Auglaize County, Ohio and is more particularly described as follows:

Commencing at a Monument box at the Southwest corner of the Northeast Quarter of Section 15, Clay Township and in the centerline of County Road 116 (Gutman Road);

thence with an assumed bearing of N.90°00'00"E. along the South line of the Northeast Quarter of Section 15 and the centerline of County Road 116, a distance of 420.00 feet to a P.K. nail set;

thence N.00°01'05"E. a distance of 115.50 feet to an iron pin set, passing thru an iron pin set for reference at 34.00 feet;

thence N.90°00'00"E., parallel to the South line of the Northeast Quarter of Section 15 and the centerline of County Road 116, a distance of 100.79 feet to an iron pin set, which is the PLACE OF BEGINNING for the tract of land herein described;

thence N.34°30'40"E. a distance of 32.16 feet to an iron pin set;

thence N.90°00'00"E., parallel to the South line of the Northeast Quarter of Section 15 and the centerline of County Road 116, a distance of 55.00 feet to an iron pin set;

thence S.00°01'05"W. a distance of 26.50 feet to a point;

thence S.90°00'00"W., parallel to the centerline of County Road 116 and the South line of the Northeast Quarter of Section 15, a distance of 73.21 feet to the iron pin which was the true PLACE OF BEGINNING.

Containing in all 0.039 acre. The above described tract of land is subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Previous deed references: Volume 79, page 322. This plat is recorded in Survey Book "I", page 766, in the Auglaize County Engineer's Office.

ATTEST: _____

Ted K. Schnell
Ted K. Schnell

Professional Surveyor No. 7216

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.

Signed: _____ Date _____

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.

Signed: _____ Date _____

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: _____

for political S.D. of: _____ Date _____

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.

Signed: _____ Date _____

Client _____
County _____ Twp. _____ Sec. _____
Drawn by _____ Scale _____ Drwg. No. _____
Checked by _____ Date _____
Sheet _____ of _____ (T _____ S _____ R _____ E)

I 784