PLAT OF A SURVEY IN THE NORTHEAST 1/4 OF SECTION 5, T6S-R8E, - 1.P. SET GOSHEN TOWNSHIP, - P.K. NAIL SET AUGLAIZE COUNTY, OHIO - POST FOUND N.E. COR. SEC. 5 (STONE FND.) RIGHT - OF - WAY N.79°-26'-39"E. 2.200 ACRES CHAMBERS 6081 N. 87°-20'-51" W. 185.00' Robert E. Chambers S.E. COR., N.E. 1/4, SEC. 5 Reg. Surveyor #6081 (MON. BOX FND.) 100 100 1"=100' SCALE Signature by a representative of the County Health Dept. Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. denotes compliance with Health Regulations. Date Signed:_ Signature by a representative of City with 3 mile limit juris-

Client Mrs. Donald Whitaker Sheldon & Assocites, Inc. _Twp.<u>_Goshen</u> _ Sec.__ County <u>Auglaize</u> ____Drwg. No. __13,712 10/25/89 (T___6__S; R___8_E) _Scale __ Drawn by D.K. Checked by Date _ Sheet 1 of J-29

Signed:_

diction or Twp. Trustees or Village with zoning jurisdiction

Date_

denotes approval of this plat. Signed:___

for political S. D. of:__

1280 N. Cole St.

Lima, Ohio 45801

Signature by a representative of the County Engineer's Dept.

denotes that this plat meets tax map plat requirements.

DESCRIPTION JOB #13,712



Being a parcel of land situated in Goshen Township, Auglaize County, Ohio in the northeast 1/2 of Section 5, Township 6 South, Range 8 East and being more particularly described as follows:

Scale:

Commencing for reference at a monument box found marking the southeast corner of the northeast 4 of Section 5 and the centerline of McBeth Road -

Thence north 2°-36'-54" west, on and along the centerline of McBeth Road and the east line of Section 5, for a distance of 2025.19 feet to a P.K. nail set marking the point of beginning for the parcel to be conveyed by this instrument -

Thence north 87°-20'-51" west, for a distance of 185.00 feet to a 5/8 inch iron pin set, passing at 20.00 feet a 5/8 inch iron pin set -

Thence north $17^{\circ}-55!-07"$ west, for a distance of 296.12 feet to a 5/8 inch iron pin set -

Thence north $79^{\circ}-26^{\circ}-39^{\circ}$ east, for a distance of 112.67 feet to a post found -

Thence north 10°-33'-27" west, for a distance of 169.70 feet to a P.K. nail set, passing at 133.81 feet a 5/8 inch iron pin set -

Thence south 67°-15'-28" east, on and along the centerline of U.S. Route 33, for a distance of 232.00 feet to a P.K. nail set -

Thence south 2°-36'-54" west, on and along the centerline of McBeth Road, for a distance of 388.50 feet to the point of beginning, passing at 31.95 feet a P.K. nail set -

Containing 2.200 acres of land, subject, however to all legal easements and rights-of-way.

Note: All-bearings refer to the centerline of McBeth Road as being south 2°-36'-54" west.

Robert E. Chambers
Reg. Surveyor #6081

Signature by a representative of the County He denotes compliance with Health Regulations. Signed: Date	Planning Commission denotes approval of this plat.
Signature by a representative of City with 3 mile diction or Twp. Trustees or Village with zoning j denotes approval of this plat. Signed: for political S. D. of: Date	denotes that this plat meets tax map plat requirements.
Sheldon & Associates, Inc 1280 N. Cole St. Lima, Ohio 45801	Client Mrs. Donald Whitaker County Auglaize Twp.Goshen Sec. 5 Drawn by Scale Drwg. No. 13,712 Checked by Date 10/25/89 Sheet 2 (T 6 S; R8 E)

J-26