KUCK and MORRISE CONSULTING ENGINEERS & SU LIMA, OHIO 45805 TELEPHONE 228-1735 - AREA C 2807 CHAPEL HILL DRIV	Signature by a representative of diction or Twp. Trustees or V denotes approval of this plat. Sifor political S. D. of:	Signature by a representative denotes compliance with Health Signed:	RO.B. PARCEL Nº 1 Nº 90°00'00"W, 2640.55" MER NW Corner N. Line NW & Sec. 21 E Desp Cut Rd (C.R. 250)	M30NE Corner NW4 820.21
Y, INC. RVEYORS ODE 419 E	of City with 3 mile lim Village with zoning juris Signed:Date	of the County Health Regulations.	W. Line NW & Coo. 21 PARCEL Nº 1 Fr. Moulton- Ft. Anno da Rd 40.076 Ac. CR 91 CR 91 CR 91 (RE'E of E)	PR tie Comer Food (found)
Client OPS/P/F 3 C County Pus/s	imit juris- signature by denotes that Signed:	Dept.	N 89° 55' 20" E, 2633.38' N 89° 55' 20" E, 2633.38' N 89° 55' 20" E, 2305.28' N 89° 55' 20" E, 2633.36' N 89° 55' 20" E, 2305.28' N 89° 55' 20" E, 2633.36' N 89° 55' 20" E, 2305.28' N 89° 55' 20" E, 2305	E. Line 1111/4 Sec. 21
Twp. Long. Scale Date - S-4/7	a representative of the	Signature by a representative of the Planning Commission denotes appro	328.10' SB" Pela, Set (20'N. of E) S. Line N'2 NW 4 Sec 21 \$89°58'45" W, PKnall (Set) \$89°58'45" W, 2298.08'	PR Spike (fd) @ SE Corner N' & NN' 4 Sec. 21
Sec. 3/ Drwg. No	ne County Engineer's Dept. p plat requirements. Date	the Auglaize County Regional proval of this plat. Date	I hereby certify the accompanying map and survey which it represents to be correct to the best of my knowledge and belief. All rebar set and called for are topped with a plastic Feramark cap stamped: KUCK & MORRISEY L.S. 6470. Date: 12/6/90 Richard D. Morrisey, L.S.6470 Kuck and Morrisey, Inc.	D. **

DESCRIPTION FARCEL NO. 1

Being a parcel of land situate in the north half of the Northwest quarter of Section 21, T-4-5, R-5-E, Logan Township, Auglaize County, Ohio and more particularly described as follows:

BEGINNING at a monument box found at the northwest corner of said Northwest quarter of said Section 21; thence 5 00°17'45" E with the west line of said Northwest quarter (also the centerline of Moulton - Ft. Amanda Road, C.R. 91), 663.82 feet to a PK nail set; thence N 89°55'20" E (passing through a 5/8 inch rebar set at 25.00 feet and at 328.10 feet), 2633.38 feet to a railroad tie corner post found on the east line of said Northwest quarter; thence N 00°19'29" E with said east line, 660.25 feet to a monument box found at the northeast corner of said Northwest quarter; thence N 90°00'00" W with the north line of said Northwest quarter (also the centerline of Deep Cut Road, C.R. 230), 2640.55 feet to the PLACE OF BEGINNING containing 40.076 acres more or less and subject to all highways and other legal easements of record.

DESCRIPTION FARCEL NO. 2

Being a parcel of land situate in the north half of the Northwest quarter of Section 21, T-4-5, R-5-E, Logan Township, Auglaize County, Ohio and more particularly described as follows:

Commencing at a monument box found at the northwest corner of said Northwest quarter of said Section 21; thence 5 00°17'45" E with the west line of said Northwest quarter (also the centerline of Moulton - Ft. Amanda Road, C.R. 91), 663.82 feet to a PK nail set and the FLACE OF BEGINNING; thence N 89°55'20" E (passing through a 5/8 inch rebar set at 25.00 feet), 328.10 feet to a 5/8 inch rebar set; thence S 00°17'45" E (passing through a 5/8 inch rebar set at 644.16 feet), 664.16 feet to a FK nail set on the south line of the north half of said Northwest quarter of said Section 21 (also the centerline of Kossuth - Amanda Road, 222 A); thence S 89°58'45" W with said south line and centerline, 328.10 feet to a railroad spike found at the southwest corner of said north half of said Northwest quarter of said Section 21; thence N 00°17'45" W with the west line of said Northwest quarter (also the centerline of Moulton - Ft. Amanda Road, C.R. 91), 663.83 feet to the PLACE OF BEGINNING containing 5.001 acres more or less and subject to all highways and other legal easements of record.

Signature by a representative of the County denotes compliance with Health Regulations. Signed: D		Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed:Date	
Signature by a representative of City with 3 is diction or Twp. Trustees or Village with zoni denotes approval of this plat. Signed: for political S. D. of: []	ing jurisdiction	Signature by a representative of the County Cenotes that this plat meets tax map plat requisigned:	rements.
KUCK and MORRISEY, INC. CONSULTING ENGINEERS & SURVEYORS LIMA, OHIO 45805 TELEPHONE 228-1735 - AREA CODE 419 2807 CHAPEL HILL DRIVE	County <u>(~)/</u> Drawn by Checked by _	KRINGE Reality. Co United Twp. Logar Sec Print Scale Drwg. right Date 12/6 of Image: T-418 (T-4	/90

DESCRIPTION PARCEL NO. 3

Being a parcel of land situate in the north half of the Northwest quarter of Section 21, T-4-5, R-5-E, Logan Township, Auglaize County, Ohio and more particularly described as follows:

Commencing at a monument box found at the northwest corner said Northwest quarter of said Section 21; thence S 00°17'45" E with the west line of said Northwest quarter (also the centerline of Moulton - Ft. Amanda Road, C.R. 91), 663.82 feet to a FK nail set; thence N 89°55'20" E (passing through a 5/8 inch rebar set 25.00 feet), 328.10 feet to a 5/8 inch rebar set PLACE OF BEGINNING; thence continuing N 89°55'20" E, 2305.28 feet to a railroad tie corner post found on the east line of said Northwest quarter; thence 5 00°19'29" W with said east line (passing through a railroad tie corner post found at 647.05 feet), 666.45 feet to a railroad spike found at the southeast of the north half of said Northwest quarter of said Section 21; thence 5 89°58'45" W with the south line of north half (also the centerline of Kossuth - Amanda Road, 222-A), 2298.08 feet to a PK nail set; thence N 00°17'45" W (passing through a 5/8 inch rebar set at 20.00 feet), 664.16 feet to the PLACE OF BEGINNING containing 35.154 acres more or less and subject to all highways and other legal easements of record.

	engparrowthsta.authanconstrainteggeschronkstangenosstatsta.aut.		
Signature by a representative of the County denotes compliance with Health Regulations. Signed: D		Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed: Date	
Signature by a representative of City with 3 n diction or Twp. Trustees or Village with zonin denotes approval of this plat. Signed:D	ng jurisdiction	Signature by a representative of the County Engineer's Dedenotes that this plat meets tax map plat requirements. Signed: Date	
KUCK and MORRISEY, INC. CONSULTING ENGINEERS & SURVEYORS LIMA, OHIO 45805 TELEPHONE 228-1735 - AREA CODE 419 2507 CHAPEL HILL DRIVE	County <u>(~)</u> Drawn by	OKRIDGE Realty Co Objection Twp. Loan Sec. 21 Port Scale Drwg. No. Company Date 12/6/90 Of State Company	

(T-4.S: R-5-E)