

TOM HOYING LOT SURVEY

Being the North and South Part of Lot No. 18 of the Georgetown Estates Plat to the City of Wapakoneta, Ohio.





This Plat is recorded in Survey Book "M", page 404, in the Auglaize County Engineer's Office.

LEGEND

○ 5/8" Iron Pin Set
5/8" Iron Pin Found

ATTEST:

John W. Jauert Professional Surveyor No. 6920

-eggs					4	
200	8	17		70	-	
U	CA	UL		<u>i</u>	U	
S	ur	ve.	y:	in	Ø	

11584 Monroe Road Wapakoneta, Ohio 45895 (419) 657-6999

CLIENT: Tom Hoying

COUNTY: Auglaize TOWNSHIP: Duchouquet SEC. 33

DRAWN BY: J.W.J. SCALE: 1"=25' DWG. € 01-21940

CHECKED BY: DATE: Sept., 2001

CHECKED BY: DATE: Sept., 2001

SHEET 1 OF 3 (T-5-S; R-6-E)

W 101

SOUTH HALF OF LOT NO. 18 GEORGETOWN ESTATES PHASE 2

The following described tract of land is the South half of Lot No. 18 of the Georgetown Estates Subdivision, Phase 2, located in the Northwest Quarter of Section 33, Duchouquet Township, in the City of Wapakoneta, Auglaize County, Ohio and is more particularly described as follows:

The PLACE OF BEGINNING is at an iron pin set at the Southwest corner of Lot No. 18 in the Georgetown Estates Subdivision, Phase 2;

Thence N.01°52'23"E. along the West line of Lot No. 18, a distance of 45.50 feet to an iron pin set;

Thence S.88°05'08"E. along the projected common wall line of a duplex residence, a distance of 123.30 feet to an iron pin set;

Thence S.01°54'52"W. along the East line of Lot No. 18, a distance of 45.50 feet to an iron pin found;

Thence N.88°02'08"W. along the South line of Lot No. 18, a distance of 123.33 feet to the iron pin at the Southwest corner of Lot No. 18, which was the true PLACE OF BEGINNING.

Containing in all 5,611 square feet and being subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Basis of bearing is per the Plat of the Georgetown Estates Subdivision, Phase 2 as recorded. This description is based on an actual field survey performed by John W. Jauert, Professional Surveyor No. 6920 in September, 2001.

ATTEST:	
the designation of the second	John W. Jauert
	Professional Surveyor No. 6920

NORTH HALF OF LOT NO. 18 GEORGETOWN ESTATES PHASE 2

The following described tract of land is the North half of Lot No. 18 of the Georgetown Estates Subdivision, Phase 2, located in the Northwest Quarter of Section 33, Duchouquet Township, in the City of Wapakoneta, Auglaize County, Ohio and is more particularly described as follows:

The PLACE OF BEGINNING is at an iron pin set at the Northwest corner of Lot No. 18 in the Georgetown Estates Subdivision, Phase 2;

Thence S.88°05'08"E. along the North line of Lot No. 18, a distance of 123.27 feet to an iron pin found;

Thence S.01°54'52"W. along the East line of Lot No. 18, a distance of 45.50 feet to an iron pin set;

Thence N.88°05'08"W. along the projected common wall line of a duplex residence, a distance of 123.30 feet to an iron pin set;

Thence N.01°52'23"E. along the West line of Lot No. 18, a distance of 45.50 feet to the iron pin at the Northwest corner of Lot No. 18, which was the true PLACE OF BEGINNING.

Containing in all 5,609 square feet and being subject to all legal easements, restrictions and reservations, if any, of record or in use on said premises. Basis of bearing is per the Plat of the Georgetown Estates Subdivision, Phase 2 as recorded. This description is based on an actual field survey performed by John W. Jauert, Professional Surveyor No. 6920 in September, 2001.

ATTEST:	
	John W. Jauert
	Professional Surveyor No. 6920

