Location Map		COSCTY white works are also seen against the control of execution and execution and execution are also execution and execution and execution are also execution as a second execution and execution are also execution as a second execution are a second execution as a second execution are also execution as a second execution are a second execution are a second execution are a second execution as a second execution are a second exe	ECT Deprovation sold and a release assessment of the Company of th	
Scale: /"= 10	o' Alb	ers Sui	rrey	. Commons
7his & 0 50 100 Survey &	200 POIT	of the NE /2 ection 29, T	of the NE ;	4
29 - Legenda	Jacks	on Twp., AL	Iglaize County,	Opio
Railroad Spk		Owner of	Tracts Surveyed:	
Minster-Ft Recovery Rd Tron Pin fd. O Iron Pin Set		Louis d.	James B., Jack H., & La. Pg. 274	rry U. Albers
\$ Boat Spk. fd.	<u>,</u>			
North 1/4 Post Section 29	Noi		IE 1/4, Section 29 &	N.E. Corner Section 29
W The state of the	\mathcal{N}	°-37'-3/"E~667	444.92'	R.R. Spk. over stone
A-10-22	22.46	ZZZ.46'	222.40	
) M		M. Allaharan and a state of the		
	Them, OC	1	* 25'A	P/W-
Jim & Patricia	10+1	Lot 2	884.0	4114.
V-/747 0 100	I Ac. Total 3	1.961 Ac. Tot	mm Lot 3	- 3
0,15	3 Ac Rd/R/W ON	0.153 Ac. R/L	W 20.357 Ac)	Rd/R/W SI
3.5	Ac. Net N. N.	1.808 Ac Ne	+ 1.605 Ac	Net Son
and the second	80%			- 40
92			→	SO/ tion
22	22.46'=	->ZZZ.46'	-7777	125
N 88-37-31 W~667.61'				
				the of
			N88°-30'-35"/ 250,00'	- metallican
			Michael & Margu	East
			Stricker Vol 244 Pg. 17 1.00 Ac.	1 1
			1.00 Ac.	20/1/2
			A	5 (00)
	Basis of Beo from County	rings is along s GPS records.	SR.119	
Survey (2) 14 / 11 (2) 20 1				
Survey Completed July 10,2001 * Note: Auglaize Co. Road Records dedicate a total				
By Steven H. Kremer 206, Pg 404 provides on easm't of 25' Mon. Box WIZED				
New Bremen, Ohio	from Elmer d.	Albers to Vockson	Tup. from	Mon. Box W/I.Pin over stone
Registered Surveyor Nº 7487	& of Tri-Tox	unship Rood.		
Signature by a representative of the County Health Dept. denotes compliance with Health Regulations. Signed: Date		Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat. Signed: Date		
Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes		Signature by a representative of the County Engineer's Dept.		
approval of this plat. Signed: for political S.D. of: Date denotes that this plat meets tax map plat requirements. Signed: Date				ate
	Client			
	County Drawn by		Scale Drive	ec
	Checked by of		Date	S; RE)

Description for Deed, Louis J. Albers ETAL, Grantors.

Real Estate situated in Jackson Township, Auglaize County, State of Ohio and bounded and described as follows:

Lot 1:

Being a tract in the northeast quarter of the northeast quarter of Section 29, Town 7 South, Range 4 East, commencing at a railroad spike over a stone at the northeast corner of said Section 29; thence North 88° 37' 31" West 444.92 feet along the north line of said northeast quarter and centerline of State Route 119 to a railroad spike for the true point of beginning;

thence South 01° 42' 29" West 384.00 feet to an iron pin (passing thru an iron pin at 30.00 feet);

thence North 88° 37' 31" West 222:46 feet to an iron pin;

thence North 01° 42' 29" East 384.00 feet to a railroad spike (passing thru an iron pin at 354.00 feet);

thence South 88° 37' 31" East 222.46 feet along the north line of said northeast quarter and centerline of State Route 119 to the point of beginning containing 1.961 acres of land more or less of which 0.153 acre has been dedicated for highway purposes.

Said tract shall be subject to highways and to any other easement or restriction of record.

Basis of bearing on State Route 119 is from County Global Positioning System records.

Previous Deed Reference: Official Record 440 Page 274

Description from survey completed on July 10, 2001 by Steven H. Kremer, Registered Surveyor No. 7487.

Description for Deed, Louis J. Albers ETAL, Grantors.

Real Estate situated in Jackson Township, Auglaize County, State of Ohio and bounded and described as follows:

Lot 2:

Being a tract in the northeast quarter of the northeast quarter of Section 29, Town 7 South, Range 4 East, commencing at a railroad spike over a stone at the northeast corner of said Section 29; thence North 88° 37' 31" West 222.46 feet along the north line of said northeast quarter and centerline of State Route 119 to a railroad spike for the true point of beginning;

thence South 01° 42' 29" West 384.00 feet to an iron pin (passing thru an iron pin at 30.00 feet);

thence North 88° 37' 31" West 222.46 feet to an iron pin;

thence North 01° 42' 29" East 384.00 feet to a railroad spike (passing thru an iron pin at 354.00 feet);

thence South 88° 37' 31" East 222.46 feet along the north line of said northeast quarter and centerline of State Route 119 to the point of beginning containing 1.961 acres of land more or less of which 0.153 acre has been dedicated for highway purposes.

Said tract shall be subject to highways and to any other easement or restriction of record.

Basis of bearing on State Route 119 is from County Global Positioning System records.

Previous Deed Reference: Official Record 440 Page 274

Description from survey completed on July 10, 2001 by Steven H. Kremer, Registered Surveyor No. 7487.

Description for Deed, Louis J. Albers ETAL, Grantors.

Real Estate situated in Jackson Township, Auglaize County, State of Ohio and bounded and described as follows:

Lot 3:

Being a tract in the northeast quarter of the northeast quarter of Section 29, Town 7 South, Range 4 East, commencing at a railroad spike over a stone at the northeast corner of said Section 29 for the true point of beginning;

thence South 01° 40′ 25″ West 384.00 feet along the east line of said northeast quarter and centerline of Tri-Township Road to a railroad spike;

thence North 88° 37' 31" West 222.69 feet to an iron pin (passing thru an iron pin at 25.00 feet);

thence North 01° 42′ 29″ East 384.00 feet to a railroad spike (passing thru an iron pin at 354.00 feet);

thence South 88° 37' 31" East 222.46 feet along the north line of said northeast quarter and centerline of State Route 119 to the point of beginning containing 1.962 acres of land more or less of which 0.357 acre has been dedicated for highway purposes.

Said tract shall be subject to highways and to any other easement or restriction of record.

Basis of bearing on State Route 119 is from County Global Positioning System records.

Previous Deed Reference: Official Record 440 Page 274

Description from survey completed on July 10, 2001 by Steven H. Kremer, Registered Surveyor No. 7487.

M 634