



SURVEY OF LOT N<sup>o</sup> 6  
 In Shepler & Abbott  
 Subdivision of Outlot  
 136, Wapakoneta, Ohio



LEGEND

oA ~ 4" Dia. Iron Pipe found

NOTE: 4" Dia. Iron pipes were found at all the corners of all 6 lots in this subdivision.

I hereby certify the accompanying map and survey which it represents to be correct to the best of my knowledge and belief. All rebar set and called for are topped with a plastic Peramark cap stamped: KUCK & MORRISEY L.S. 6470.

Date: 8/4/88

*Richard D. Morrissey*  
 Richard D. Morrissey, L.S. 6470  
 Kuck and Morrissey, Inc.

No Iron Pipes were set during this survey.

Signature by a representative of the County Health Dept. denotes compliance with Health Regulations.  
 Signed: \_\_\_\_\_ Date: \_\_\_\_\_

Signature by a representative of the Auglaize County Regional Planning Commission denotes approval of this plat.  
 Signed: \_\_\_\_\_ Date: \_\_\_\_\_

Signature by a representative of City with 3 mile limit jurisdiction or Twp. Trustees or Village with zoning jurisdiction denotes approval of this plat. Signed: \_\_\_\_\_ Date: \_\_\_\_\_  
 for political S. D. of: \_\_\_\_\_

Signature by a representative of the County Engineer's Dept. denotes that this plat meets tax map plat requirements.  
 Signed: \_\_\_\_\_ Date: \_\_\_\_\_

*Richard D. Morrissey*  
 N-309 LS6470

Client Mr Keith Holtzman 115 S. Wentz St  
 County Auglaize Twp. City of Wapakoneta Sec. 1  
 Drawn by RD Scale 1" = 20' Drwg. No.         
 Checked by rdm Date 8-4-88  
 Sheet 1 of 1 (T        S        R        E)