



Survey of a part of Parcel #K31-063-029-00 and being a part of Lot #32 of the Libbee's South Shore Acres
(Unplatted) & a part of Parcel #K31-063-048-02 and being a part of the N $\frac{1}{2}$ of the NW $\frac{1}{4}$ of Section 19,
Town 6 South, Range 4 East, St. Marys Township, Auglaize County, Ohio.

(Prior Deeds Referenced in O.R. 609, Pg. 1751; O.R. 717, Pg. 3073)




Legend

- A = Existing #5 Rebar at the SW corner of the N $\frac{1}{2}$ of the NW $\frac{1}{4}$ of Section 19
- B = Existing Monument Box at the SE corner of the N $\frac{1}{2}$ of the NW $\frac{1}{4}$ of Section 19
- C = Existing $\frac{1}{2}$ " Iron Pipe
- D = Existing #5 Rebar
- E = Set #5 Rebar
- F = Set Mag Nail



This plat and the accompanying legal description represents an actual boundary survey completed under my direct supervision on June 02, 2021.

Kyle J. Binkley, P.S. #8587

 121 W. Auglaize Street Wapakoneta, Ohio 45895 (419) 236-3768			
CLIENT: Frank Detmer			
SURVEYED BY: T.J.S./M.A.B.	DATE: 09-02-2023	DRAWN BY: K.J.B.	CHECKED BY: K.J.B.
SCALE: 1" = 30'		PAGE 1	OF 4 PAGES

Parcel "A"
LEGAL DESCRIPTION


Being a part of Parcel #K31-063-048-02 and being a part of the N ½ of the NW ¼ of Section 19, Town 6 South, Range 4 East, St. Marys Township, Auglaize County, Ohio (Prior Deed Referenced in O.R. 717, Pg. 3073), more particularly described as follows:

Commencing at an existing #5 Rebar at the SW corner of the N ½ of the NW ¼ of Section 19; thence S 88°-57'-22" E with the S line of the N ½ of the NW ¼ of Section 19 (centerline of Koehn Road), 1120.04' to a point; thence N 01°-02'-38" E, 922.90' to a point at the POINT OF BEGINNING; thence the following courses:

1. S 27°-31'-45" W, 19.12' to a point;
2. N 76°-03'-43" W, 75.10' to a point;
3. N 14°-12'-44" E, 31.46' to a point;
4. N 02°-10'-06" W, 100.73' to a point;
5. N 86°-45'-36" E, 4.96' to a point;
6. S 00°-38'-45" W, 100.94' to a point;
7. S 66°-51'-08" E, 80.48' to the POINT OF BEGINNING.

The above described parcel contains 0.050 acres, more or less, subject to all legal highways and easements of record.

The system of bearings for this legal description is based on Ohio State Plane – North Coordinate System NAD83 (2011). This legal description and accompanying plat represent an actual boundary survey completed under the direct supervision of Kyle J. Binkley, P.S. #8587 on September 02, 2023. All markers called for above are in place.



A handwritten signature in blue ink, appearing to read "KJB", located to the right of the professional seal.

Parcel "B"
LEGAL DESCRIPTION

Being a part of Parcel #K31-063-048-02 and being a part of the N ½ of the NW ¼ of Section 19, Town 6 South, Range 4 East, St. Marys Township, Auglaize County, Ohio (Prior Deed Referenced in O.R. 717, Pg. 3073), more particularly described as follows:

Commencing at an existing #5 Rebar at the SW corner of the N ½ of the NW ¼ of Section 19; thence S 88°-57'-22" E with the S line of the N ½ of the NW ¼ of Section 19 (centerline of Koehn Road), 1120.04' to a point; thence N 01°-02'-38" E, 922.90' to a point; thence N 27°-31'-45" E, 10.02' to a point; thence N 27°-37'-20" E, 131.50' to an existing #5 Rebar at the POINT OF BEGINNING; thence the following courses:

- 1. N 06°-25'-41" W, 28.93' to a point, passing an existing ½" Iron Pipe at 15.02';
- 2. N 66°-36'-27" E, 38.56' to a set Mag Nail;
- 3. S 23°-23'-33" E, 9.12' to a set Mag Nail;
- 4. S 35°-02'-54" E, 19.01' to a set Mag Nail;
- 5. S 66°-40'-33" W, 50.84' to the POINT OF BEGINNING.

The above described parcel contains 0.028 acres, more or less, subject to all legal highways and easements of record.

The system of bearings for this legal description is based on Ohio State Plane – North Coordinate System NAD83 (2011). This legal description and accompanying plat represent an actual boundary survey completed under the direct supervision of Kyle J. Binkley, P.S. #8587 on September 02, 2023. All markers called for above are in place.



A handwritten signature in blue ink, appearing to read "KJ Binkley", located to the right of the professional seal.

Parcel "C"
LEGAL DESCRIPTION


Being a part of Parcel #K31-063-029-00 and being a part of Lot #32 of the Libbee's South shore Acres (Unplatted) and being a part of the N ½ of the NW ¼ of Section 19, Town 6 South, Range 4 East, St. Marys Township, Auglaize County, Ohio (Prior Deed Referenced in O.R. 609, Pg. 1751), more particularly described as follows:

Commencing at an existing #5 Rebar at the SW corner of the N ½ of the NW ¼ of Section 19; thence S 88°-57'-22" E with the S line of the N ½ of the NW ¼ of Section 19 (centerline of Koehn Road), 1120.04' to a point; thence N 01°-02'-38" E, 922.90' to a point; thence N 27°-31'-45" E, 10.02' to a point; thence N 27°-37'-20" E, 131.50' to an existing #5 Rebar; thence N 06°-25'-41" W, 15.02' to an existing ½" Iron Pipe at the POINT OF BEGINNING; thence the following courses:

- 1. S 86°-45'-36" W, 38.61' to a set #5 Rebar;
- 2. N 66°-36'-27" E, 40.31' to a point;
- 3. S 06°-25'-41" E, 13.91' to the POINT OF BEGINNING.

The above described parcel contains 0.006 acres, more or less, subject to all legal highways and easements of record.

The system of bearings for this legal description is based on Ohio State Plane – North Coordinate System NAD83 (2011). This legal description and accompanying plat represent an actual boundary survey completed under the direct supervision of Kyle J. Binkley, P.S. #8587 on September 02, 2023. All markers called for above are in place.



A handwritten signature in blue ink, appearing to read "K. Binkley", located to the right of the professional seal.