


LOCATION PLAN




LEGEND

- ## SURVEY REFERENCES

Ted K. Schnell P.E., P.S.
Survey for Rich Hines
Survey Book K, Page 673,
February, 1998

SCALE



ATTEST

Ted K. Schnell
Professional Engineer
Professional Surveyor

H & S Civil Engineers and Land Surveyors

913 Fieldstone Court	Wapakoneta, Ohio	45895
----------------------	------------------	-------

Rich Hines 11 6 6
client section town range

Pusheta Auglaize 10/98 1/2
township county date page

H & S Civil Engineers and Land Surveyors

913 Fieldstone Court
Wapakoneta, Ohio 45895
(419) 738-4758

Ted K. Schnell P.E., P.S.
Greg B. Huber P.E.



SURVEYOR'S DESCRIPTION FOR DRAINAGE EASEMENT

The following described 20 foot wide easement areas is for the sole purpose of installing and maintaining a subsurface drainage tile which is located in the Southeast Quarter of Section 11, Pusheta Township, Town-6-South, Range-6-East, Auglaize County, Ohio, and is more particularly described as follows:

Commencing for reference at an Auglaize County Monument Box located at the Northeast Corner of the Southeast Quarter of said Section 11, Pusheta Township;

Thence with a bearing of S. $00^{\circ}-45'-48''$ W. along the East line of the Southeast Quarter of said Section 11, Pusheta Township, and the centerline of Brown Road, Township Road #181, for a distance of 1,075.68 feet to a P.K. Nail/Shiner (set);

Thence with a bearing of N. $74^{\circ}-07'-36''$ W. for a distance of 488.67 feet to a point and the PLACE OF BEGINNING;

Thence with a bearing of S. $22^{\circ}-40'-26''$ W. for a distance of 429.89 feet to a point in the center of an open ditch;


Thence with a bearing of N. $84^{\circ}-35'-41''$ W. along the centerline of an open ditch for a distance of 20.94 feet to a point;

Thence with a bearing of N. $22^{\circ}-40'-26''$ E. for a distance of 433.72 feet to a point;

Thence with a bearing of S. $74^{\circ}-07'-36''$ E. for a distance of 20.14 feet to a point and the PLACE OF BEGINNING.

The above described 20 foot easement contains an area of 0.198 Acres.

Prepared by:



Ted K. Schnell

Ted K. Schnell
Professional Engineer
Professional Surveyor

