



Federal Emergency Management Agency

Washington, D.C. 20472

MAR 26 1992

IN REPLY REFER TO:

T-218-70-RS-N

Case No.: 92-05-162B

Map Panel Affected: 0090 C

Mr. Douglas Reinhart, P.E., P.S.
Auglaize County Engineer
Engineering Department
P.O. Box 59
Wapakoneta, Ohio 45895

Dear Mr. Reinhart:

This is in response to your letters dated January 10, 1992, and January 23, 1992, requesting that the Federal Emergency Management Agency (FEMA) determine whether the following properties are located in a Special Flood Hazard Area (SFHA), an area that would be inundated by the 100-year (one-percent annual chance) flood.

Property Description: Certain lots, located in the Southmoor Shores Subdivison, in Section 17, T6S, R4E, St. Mary Township, each lot being described, recorded, and on file in the Auglaize County Recorder's Office.

Street Address: 5, 10, 11, 13, 15, 16, 17, 21, 22, 24, 27, 31, 34, 37, 38, 40, 104, 132, and 144 Northeana Drive;
45, 46, 97, 99, and 101 Causeway Drive;
53, 55, 56, 59, 60, 62, 63, 65, 67, 68, 69, 71, 73, 74, 76, 78, 81, 89, 90, 92, 93, 95, 159, 163, 165, 166, and 167 Southmoor Shores Drive;
106, 108, 110, 113, 114, 115, 116, 117, 118, 119, 121, 122, 124, and 128 Marbellow Court;
134, 135, 136, 137, 138, 139, 140, and 141 Lago View Court; and
145, 147, 148, 149, 150, and 153 Waterbury Court

Community: Auglaize County

State: Ohio

On March 17, 1992, we received all information necessary to process your request. After comparing this information with the National Flood Insurance Program (NFIP) map for the community referenced above, we determined that although portions of the property would be inundated by a 100-year flood, the existing structures on lots 5, 10, 13, 15-18, 21, 22, 24, 27, 31, 37, 38, 40, 55, 60, 65, 67, 68, 69, 71, 76, 89, 90, 92, 93, 95, 97, 99, 101, 104, 106,

108, 110, 113-119, 121, 122, 124, 128, 132, 134-141, 144, 147-150, 153, 154, 163, 165, 166, and 167 would not. Therefore, this letter amends the map for Auglaize County, Ohio (NFIP Map Number 39011C, Panel 0090, dated September 6, 1989), to remove these structures from the SFHA. Because portions of the property are in the SFHA, any future construction or substantial improvement on these lots remains subject to Federal, State, and local regulations for floodplain management.

Please note that this property could be inundated by a flood greater than a 100-year flood or by local flooding conditions not shown on the NFIP map. Flood insurance is obtainable, at reduced costs, for properties located outside the SFHA. Also, although we have based our determination on the flood information presently available, flood conditions may change or new information may be generated which would supersede this determination.

A copy of this Letter of Map Amendment is being sent to your community's official NFIP map repository where, in accordance with regulations adopted by the community when it made application to join the NFIP, it will be attached to the community's official record copy of the NFIP map which is available for public inspection.

If these structures are covered by a flood insurance policy, and if the mortgage company or lending institution agrees to waive the flood insurance requirement, then the NFIP will refund the premium paid for the current policy year, providing that no claim is pending or has been paid on the policy during the current policy year. To receive a refund, a written waiver or certificate must be obtained from the lending institution and presented to your insurance agent, who will process the premium refund.

In addition, we determined that the structures on lots 11, 34, 45, 46, 49, 53, 56, 59, 62, 63, 73, 74, 78, 81, and 145 would be inundated by a 100-year flood and are correctly shown on the current NFIP map as being in an SFHA, Zone AE.

The elevation of the lowest adjacent grade to these structures (the lowest ground touching the structure) must be at or above the 100-year flood elevation for the structures to be outside the SFHA. Since the elevation of the lowest adjacent grade to these structures, as noted in the table below, are lower than the 100-year flood elevation, these structures are within the SFHA; therefore, flood insurance is required.

<u>Lot</u>	<u>Lowest Adjacent Grade</u>	<u>100-year Base Flood Elevation</u>
11 (residence)	872.3	873.0
11 (ceramic shops)	872.6	873.0
34	872.5	873.0
45	872.5	873.0
46	872.7	873.0
49	872.5	873.0
53	872.9	873.0
56	872.9	873.0


<u>Lot</u>	<u>Lowest Adjacent Grade</u>	<u>100-year Base Flood Elevation</u>
59	872.5	873.0
62	872.5	873.0
63	872.9	873.0
73	872.9	873.0
74	872.7	873.0
78	872.9	873.0
81	872.8	873.0
145	872.8	873.0

These elevations are referenced to the National Geodetic Vertical Datum. This determination is based on the flood data presently available.

This response to your request is based on minimum criteria established by the NFIP. State and community officials, based on knowledge of local conditions and in the interest of safety, may set higher standards for construction in the floodplain. If the State of Ohio or Auglaize County has adopted more restrictive and comprehensive floodplain management criteria, these criteria take precedence over the minimum Federal criteria.

If you have any questions or if we can be of further assistance, please call us at (202) 646-2764.

Sincerely,



Fay L. Davis, Acting Chief
Technical Operations Division
Federal Insurance Administration

cc: State Coordinator
Community Map Repository
Region

ELEVATION CERTIFICATE
FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No 3067-0077
Expires May 31, 1993

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION

BUILDING OWNER'S NAME TOM BIDWELL	FOR INSURANCE COMPANY USE
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 37 NOTHEANA DRIVE	POLICY NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) LOT 37 SOUTHMOOR SHORES SUB - DIVISION	COMPANY NAIC NUMBER
CITY ST. MARYS	STATE OH. ZIP CODE 45885

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
390761	0090	C	9 - 6 - 89	AE	873.0

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ☒ NGVD '29 ☐ Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above ☐ or below ☐ (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above ☐ or below ☐ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: ☒ NGVD '29 ☐ Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: ☒ Yes ☐ No (See Instructions on Page 4)
5. The reference level elevation is based on: ☒ actual construction ☐ construction drawings
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION D COMMUNITY INFORMATION


1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement N/A.

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.


*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*



CERTIFIER'S NAME GORDON L. GEESLIN	LICENSE NUMBER (or Affix Seal) R.S. 5372
TITLE REGISTERED SURVEYOR	COMPANY NAME
ADDRESS 810 E. MARKET STREET	CITY CELINA
	STATE OH.
	ZIP 45822
SIGNATURE <i>Gordon L. Geeslin</i>	DATE 11 - 25 - 91
	PHONE (419) 586 - 6155

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: _____



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.
Elevations for all A Zones should be measured at the top of the reference level floor.
Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.



Federal Emergency Management Agency
Washington, D.C. 20472

MAR 12 1999

Mr. Kenneth L. Hegemann
299 Mainsail Drive
Westerville, OH 43081

Case No.: 99-05-2110A
Community: AUGLAIZE COUNTY, OHIO
(UNINCORPORATED AREAS)
Community No.: 390761

Dear Mr. Hegemann:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property, 24 Breezewood Lane, is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property, and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Sincerely,

A handwritten signature in black ink that reads "Matthew B. Miller".

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

List of Enclosures

LOMA Determination Document (Removal) and Attachment; Pages 1 and 2

cc: State/Commonwealth NFIP Coordinator
Community Map Repository



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	AUGLAIZE COUNTY, OHIO (UNINCORPORATED AREAS)	Lots 31 and 37, First Addition to South Shores Acres Subdivision, as described and recorded in a Plat Map, Plat Book "B", Page 35 of the Plat Records of the Auglaize County Recorder's Office.
	COMMUNITY NO: 390761	
MAP PANEL AFFECTED	NUMBER: 39011C0090 C	
	NAME: AUGLAIZE COUNTY, OHIO AND INCORPORATED AREAS	
	DATE: SEPTEMBER 6, 1989	
FLOODING SOURCE: GRAND LAKE ST. MARYS		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.504500, -84.443166 SOURCE OF LAT & LONG: OFF THE SHELF SOFTWARE DATUM: NAD27

DETERMINATION

LOTS	BLOCK/ SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME WHAT IS REMOVED FROM THE SFHA	NEW FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD29)	LOWEST ADJACENT GRADE ELEVATION (NGVD29)	LOWEST FLOOR ELEVATION (NGVD29)	LOWEST LOT ELEVATION (NGVD29)
31 and 37	—	First Addition to South Shores Acres	24 Breezewood Lane	Structure	X(unshaded)	873.0 feet	873.3 feet	—	—

Special Flood Hazard Area (SFHA) – The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (if the appropriate box is checked, please refer to the appropriate section on Attachment No. 1)

- | | |
|--|--|
| ☐ 1. LEGAL PROPERTY DESCRIPTION (CONTINUED) | ☐ 6. STUDY UNDERWAY |
| ☐ 2. DETERMINATION TABLE (CONTINUED) | ☐ 7. FILL RECOMMENDATION |
| ☐ 3. PORTIONS REMAIN IN THE FLOODWAY | ☒ 8. PORTIONS REMAIN IN THE SFHA |
| ☐ 4. INADVERTENT INCLUSION IN THE FLOODWAY | |
| ☐ 5. V ZONE | |

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure on the property is not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL) ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

8. PORTIONS OF THE PROPERTY REMAIN IN THE SFHA.

The Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the Federal Emergency Management Agency Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

A handwritten signature in black ink, reading "Matthew B. Miller", is positioned above the typed name.

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Version 1.0

MX17202200511001633632055